

SECTION I - PRODUCT IDENTIFICATION

Trade Name: **TMSFHR 5100B**
 Product Class:
 Supplier: **Airtech International, Inc.**
 5700 Skylab Road
 Huntington Beach, CA 92647
 Telephone: 714-899-8100
 Fax: 714-899-8179

Emergency Telephone: **800-424-9300**

Proper Shipping Name: Corrosive Liquid, N.O.S.
Contains: Modified Amine Mixture
Hazard Class: 8
Packaging Group: III
UN Number: UN3267
Hazard Label (s): Corrosive

HMIS Codes: Health = 3 Flammability = 1 Reactivity = 0

Personal protection rating to be supplied by user depending on use condition

SECTION II - PRODUCTION / COMPOSITION

The precise composition of this product is privileged information. A more complete disclosure can be provided to a health, safety, or regulatory professional if required.

No.	Component	CAS#	Percent
P	Modified Amine Mixture	N/A	< 100%

SECTION III - HAZARDOUS STATUS

No.	Cancer	Repro-Tox	Target Organs	ACGIH/TLV	OSHA/PEL
P	No	No	Unknown	N/A	N/A

SECTION IV - REGULATORY STATUS

A. CAL SAFE DRINKING WATER & TOXIC ENFORCEMENT ACT OF 1986

This product may contain traces of, or other Prop. 65 listed chemicals as impurities. However, none are used as ingredients.

B. CERCLA - 40 CFR 302.4

Releases exceeding the reportable quantity (RQ) must be reported to the national response center (800)424-8802.

RQ = 100 lbs. (Unlisted Hazardous Waste - Characteristic of Corrosivity)

C. OSHA - 29 CFR 302.4

According to OSHA criteria the following component(s) are hazardous:

P Modified Amine Mixture N.A. <100%

D. RCRA - 40 CFR 261.33

Product is an unlisted RCRA Corrosive Waste.

E. SARA TITLE III - 52 CFR 13378, 52 CFR 21152

NO.	RQ (lbs.)	TPQ (lbs.)	SEC.313	313CAT.	311/312
	(*1)	(*2)	(*3)	(*4)	(*5)
P	None	Not Listed	Not Listed	None	H1

Other SARA Substance(s) if present are all below the de minimus concentration(s).

*1 = Reportable quantity of extremely hazardous substance, Sec.302

*2 = Threshold planning quantity, extremely hazardous substance, sec.

*3 = Toxic chemical, Sec. 313 (individual chemical listed).

*4 = Toxic release inventory form category sec.313

*5 = Hazard category for SARA Sec. 311/312 reporting

H1 = Immed. (acute) health hazard H2= Delayed (Chronic) Health Hazard

P3 = Fire Hazard P4 = Sudden Pressure Release Hazard P = 5 Reactive Haz.

F. TSCA - 44 CFR 59764

All Components Listed

G. VOC - SCAQMD RULES

NO. Chemical Quantity VP mm HG gms./l. @ 20°C NIL

Note: This product does not contain solvents, but may contain ingredients with VP's low enough to be emitted if heated alone. When 2 part resins and hardeners are properly mixed together these ingredients react together and are consumed without significant atmospheric emissions.

SECTION V – PHYSICAL DATA

Physical State: Liquid
Color: Dark Amber
Specific Gravity: 1.01
Density: 8.4 lbs. /gal.

SECTION VI – FIRE AND EXPLOSION HAZARD DATA

Flash point:
<250°F (For product or lowest flash point ingredient)
Flammability Classification:
Combustible Class (IIIB)
Extinguishing Media:
Water Fog, Dry Chemical, Carbon Dioxide, or Foam

Note: Either atmosphere supply or air purifying respirators should be available for fire fighters (20 CFR 1910.134)

SECTION VII – HEALTH HAZARD DATA

Effects of Overexposure:

Acute:
Eyes:
Causes severe conjunctival irritation, Corneal Injury and Iritis

Skin:
May cause irritation, burns ulceration, or skin sensitization

Inhalation:
Vapors are irritating and may cause tears, burning of nose and throat, coughing, wheezing, nausea, and vomiting.

Ingestion:
Moderately toxic, may cause mouth and throat burns, abdominal pain, nausea, vomiting, weakness, thirst and comma

Chronic:
Amine vapors may cause liver & kidney injury. Eye, skin or lung Disorders may develop or be aggravated by amines.

Emergency and first aid procedures:

Eyes:
Immediately flush eyes with large amounts of water for 15 minutes. Get medical attention.
Skin:
Wash affected area immediately with large amounts of soap and water. Remove and wash contaminated clothing before reuse. Contact a physician if irritation occurs.
Inhalation:
Remove victim to fresh air and provide oxygen if breathing is difficult. Get medical attention.
Ingestion:
Do not induce vomiting. Give large quantities of water. Call a physician immediately. Never give anything by mouth to an unconscious person.

SECTION VIII – REACTIVITY DATA

Stability:
Stable under normal storage conditions. Unstable at elevated temperatures
Incompatibility:
Strong oxidizing agents, strong lewis or mineral acids
Hazardous Decomposition Products:
Oxides of carbon and nitrogen and other unknown organic compounds

SECTION IX – SPILL OR LEAK PROCEDURES

If material is spilled:
Avoid contact with material. Persons not wearing proper protective equipment (see below) should be excluded from the area until clean up is complete. Dike area to prevent spill spreading and scoop up excess to recovery containers. Absorb remnant on noncombustible material such as clay and shovel into containers for disposal.

Waste disposal method:
Dispose of waste in accordance with federal, state, and local regulations.

SECTION X – SPECIAL PROTECTION INFORMATION

Respiratory Protection:
Not normally necessary unless the material is being used in such a way as to product dust, mist, vapor, fumes, or smoke, in which case NIOSH approved respiratory protection should be used.

Ventilation:

Should be sufficient to control any dust, mist, vapor fumes produced by processing or handling method. Breathing of vapor must be avoided.

Hand Protection:

Impervious gloves, neoprene or rubber gloves.

Eye Protection:

Splash proof goggles or safety glasses with side shields.

Other Protective Equipment:

Clean, body covering clothing and footwear.

SECTION XI – SPECIAL PRECAUTIONS

- Avoid skin and eye contact
- Avoid breathing vapor, mist or fumes
- Ensure that all containers are properly labeled to prevent accidental ingestion or improper disposal.
- Reseal partly used containers.
- Wash with soap and water before eating, drinking or using toilet facilities.
- Store under cool, dry conditions and away from open flames and high temperatures.
- Observe conditions of good industrial hygiene and safe working practice.

USER'S RESPONSIBILITY

This bulletin cannot cover all possible situations which the user may experience during processing. Each aspect of your operation should be examined to determine if, or where, additional precautions may be necessary. All health and safety information contained in this bulletin should be provided to your employees or customers. It is your responsibility to use this information to develop appropriate work practice guidelines and employee instructional programs for your operation.

DISCLAIMER OF LIABILITY

As the conditions or methods of use are beyond our control, we do not assume any responsibility and expressly disclaim any liability for any use of this material. Information contained herein is believed to be true and accurate but all statements or suggestions are made without warranty, express or implied, regarding accuracy of the information, the hazards connected with the use of the material or the results to be obtained from the use thereof. Compliance with all applicable federal, state and local laws and regulations remains the responsibility of the user.