Distributed By Freeman Manufacturing & Supply Co. www.freemansupply.com 800-321-8511 FREEMAN

H.B. Fuller® SI-5

| Version 1.1 | Revision Date 01/04/2022 |
|-------------|--------------------------|
| | |

SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

| Product name | : | H.B. Fuller® SI-5 |
|--------------|---|-------------------|
| Product code | : | 10000007135 |

Manufacturer or supplier's details

| Company | : | H.B. Fuller Engineering Adhesives |
|-----------|---|--|
| Address | : | 9001 W Fey Drive Frankfort, IL, 60423 |
| Telephone | : | 1-815-464-5606 |

Medical Emergency Phone Number (24 Hours): 1-888-853-1758

Transport Emergency Phone Number (CHEMTREC): 1-800-424-9300

Recommended use of the chemical and restrictions on use

| Recommended use | : | Cyanoacrylate Adhesive |
|---------------------|---|--------------------------|
| Restrictions on use | : | For industrial use only. |

SECTION 2. HAZARDS IDENTIFICATION

Emergency Overview

| Appearance | liquid |
|------------|-----------------------|
| Color | Clear to light yellow |
| Odor | characteristic |

GHS Classification

| Flammable liquids Skin irritation Eye irritation Specific target organ toxicity - single exposure | : | Category 4 Category 2 Category 2A Category 3 (Respiratory system) |
|---|---|--|
| GHS label elements | | |
| Hazard pictograms | : | (!) |
| Signal Word | : | Warning |

Hazard Statements:

H227 Combustible liquid. H315 Causes skin irritation. H319 Causes serious eye irritation. H335 May cause respiratory irritation.

H.B. Fuller® SI-5

Version 1.1

Revision Date 01/04/2022

Precautionary Statements:

Prevention: P210 Keep away from heat/ sparks/ open flames/ hot surfaces. No smoking. P261
Avoid breathing mist or vapors. P264 Wash skin thoroughly after handling. P271 Use only outdoors or in a well-ventilated area. P280 Wear protective gloves/ eye protection/ face protection.
Response: P302 + P352 IF ON SKIN: Wash with plenty of soap and water. P304 + P340 + P312 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON
CENTER/ doctor if you feel unwell. P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P332 + P313 If skin irritation occurs: Get medical advice/ attention. P337 + P313 If eye irritation persists: Get medical advice/ attention. P362 Take off contaminated clothing and wash before reuse. P370 + P378 In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish.
Storage: P403 + P233 Store in a well-ventilated place. Keep container tightly closed. P403 + P235 Store in a well-ventilated place. Keep cool. P405 Store locked up.

Disposal: P501 Dispose of contents/ container to an approved waste disposal plant.

Potential Health Effects

| IARC | No ingredient of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC. |
|------|--|
| OSHA | No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens. |
| NTP | No ingredient of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinoger by NTP. |

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Hazardous ingredients

| Chemical name | CAS-No. | | Concentration [%] |
|--|---------|-----------|-------------------|
| ethyl 2-cyanoacrylate | | 7085-85-0 | 90 - 100 |
| Actual concentration is withheld as a trade secret | | | |

SECTION 4. FIRST AID MEASURES

| General advice | : Show this material safety data sheet to the doctor in attendance. | |
|-------------------------|---|--|
| If inhaled | Move to fresh air. If not breathing, give artificial respiration. Keep patient warm and at rest. Consult a physician after significant exposure. | |
| In case of skin contact | Wash off immediately with soap and plenty of water. Call a physician if irritation develops or persists. Cyanoacrylate. Danger. Bonds skin and eyes in seconds. Keep out of the reach of children. | |
| 2 / 0 | | |

| | H.B. Fuller® SI-5 | |
|--|---|-----|
| Version 1.1 | Revision Date 01/04/2022 | |
| | | |
| In case of eye contact | : Rinse immediately with plenty of water, also under the eyelid Seek medical advice. | ds. |
| If swallowed | If swallowed, call a poison control center or doctor immediately. Do not induce vomiting without medical advice. | |
| SECTION 5. FIRE-FIGHTING MEA | URES | |
| Suitable extinguishing media | : Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide. | |
| Unsuitable extinguishing media | : Water spray jet | |
| Hazardous combustion products Specific extinguishing | : Nitrogen oxides (NOx) | |
| methods Further information | : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. | |
| Special protective equipment for fire-fighters | : Wear an approved positive pressure self-contained breathing apparatus in addition to standard fire fighting gear. | g |

SECTION 6. ACCIDENTAL RELEASE MEASURES

| Personal precautions, protective equipment and emergency procedures | : Refer to protective measures listed in sections 7 and 8. Ensure adequate ventilation. |
|---|---|
| Environmental precautions | : Prevent product from entering drains. Do not flush into surface water or sanitary sewer system. |
| Methods and materials for containment and cleaning up | Allow to solidify. Pick up and transfer to properly labeled containers. Ventilate the area. |

SECTION 7. HANDLING AND STORAGE

| Local/Total ventilation | : Use only with adequate ventilation. |
|-----------------------------|--|
| Advice on safe handling | Wear personal protective equipment. Do not get on skin or clothing. Use only in an area equipped with a safety shower. |
| Conditions for safe storage | : Keep containers tightly closed in a dry, cool and well- |

| H.B. Fuller® SI-5 | | |
|--------------------|--|--|
| Version 1.1 | Revision Date 01/04/2022 | |
| | | |
| | ventilated place. Store in original container. | |
| Materials to avoid | : Do not store together with oxidizing and self-igniting products. | |

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

| Components | CAS-No. | Value type (Form of exposure) | Control parameters / Permissible concentration | Basis |
|-----------------------|-----------|-------------------------------------|---|---------|
| ethyl 2-cyanoacrylate | 7085-85-0 | PEL | 0.2 ppm 1.02 mg/m3 | CAL PEL |
| | | TWA | 0.2 ppm | ACGIH |
| | | STEL | 1 ppm | ACGIH |

Personal protective equipment

| Respiratory protection | : | Use respiratory protection unless adequate local exhaust ventilation is provided or exposure assessment demonstrates that exposures are within recommended exposure guidelines. |
|--------------------------|---|---|
| Filter type | : | Combined particulates and organic vapor type |
| Hand protection | | |
| Material | : | Nitrile rubber |
| Remarks | : | Do not wear cotton or natural fiber gloves. |
| | | |
| Eye protection | : | Tightly fitting safety goggles Ensure that eyewash stations and safety showers are close to the workstation location. |
| Skin and body protection | | Long sleeved clothing |
| | • | Preventive skin protection |
| | | |
| Protective measures | : | Avoid contact with skin. |
| Hygiono mossuros | | Avoid contact with skin, eves and clothing |
| Hygiene measures | • | Avoid contact with skin, eyes and clothing. |

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

| Appearance | : liquid |
|----------------|-------------------------|
| Color | : Clear to light yellow |
| Odor | : characteristic |
| Odor Threshold | : no data available |
| рH | : is not determined |

| | H.B. Fuller® SI-5 |
|--|---|
| Version 1.1 | Revision Date 01/04/2022 |
| | |
| Melting point/freezing point | : is not determined |
| Boiling point/boiling range | : is not determined |
| Flash point | : Not applicable 83 °C |
| Evaporation rate | : is not determined |
| Flammability (solid, gas) | : Not classified as a flammability hazard |
| Upper explosion limit | : Upper flammability limit is not determined |
| Lower explosion limit | : Lower flammability limit is not determined |
| Vapor pressure | : is not determined |
| Density Solubility(ies) | : 1.06 g/cm3 |
| Water solubility | : is not determined |
| Partition coefficient: n- octanol/water | : no data available |
| Autoignition temperature | : is not determined |
| Viscosity | |
| Viscosity, kinematic | : is not determined |
| | |

SECTION 10. STABILITY AND REACTIVITY

| Chemical stability | : The product is chemically stable. |
|----------------------------------|-------------------------------------|
| Hazardous decomposition products | : Stable under normal conditions. |

SECTION 11. TOXICOLOGICAL INFORMATION

Acute toxicity

No data available
Skin corrosion/irritation
No data available
Serious eye damage/eye irritation
No data available
Respiratory or skin sensitization
No data available
Germ cell mutagenicity
No data available

H.B. Fuller® SI-5

Version 1.1

Revision Date 01/04/2022

Carcinogenicity

No data available

Reproductive toxicity

No data available

STOT-single exposure

No data available

STOT-repeated exposure

No data available

Aspiration toxicity

No data available

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

No data available

Persistence and degradability

No data available Bioaccumulative potential

Mobility in soil

No data available

Other adverse effects

No data available

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

| Waste from residues | Do not dispose of together with household waste. Do not dispose of waste into sewer. |
|---------------------|---|
| | To the best of our knowledge, this product does not meet the definition of hazardous waste under the U.S. EPA Hazardous |
| | Waste Regulations 40 CFR 261. Disposal via incineration at an approved facility is recommended, as industry best |
| | practice. Consult state, local or provincial authorities for more restrictive requirements. |

H.B. Fuller® SI-5

Version 1.1

Revision Date 01/04/2022

SECTION 14. TRANSPORT INFORMATION

International Regulations

UNRTDG

Not regulated as a dangerous good

IATA-DGR

Not regulated as a dangerous good

IMDG-Code

Not regulated as a dangerous good

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

Domestic regulation

49 CFR

| UN/ID/NA number | : NA 1993 |
|----------------------|---|
| Proper shipping name | : Combustible liquid, n.o.s. (ethyl 2-cyanoacrylate) |
| Class | : CBL |
| Packing group | : 111 |
| ERG Code | : 128 |
| Marine pollutant | : no |
| | |

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

SECTION 15. REGULATORY INFORMATION


| SARA 311/312 Hazards | : Flammable (gases, aerosols, liquids, or solids) Skin corrosion or irritation Serious eye damage or eye irritation Specific target organ toxicity (single or repeated exposure) |
|----------------------|---|
| SARA 302 | : This material does not contain any components with a section 302 EHS TPQ. |
| SARA 313 | : This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313. |

| H.B. Fuller® SI-5 | | | |
|--|--|--|--|
| Version 1.1 | Revision Date 01/04/2022 | | |
| | | | |
| This product does not contain a Air Act Section 112 (40 CFR 61 | ny hazardous air pollutants (HAP), as defined by the U.S. Clean). | | |
| US State Regulations | | | |
| California Prop 65 | Please contact Supplier for more information. | | |
| The ingredients of this produ TSCA | ct are reported in the following inventories: All substances listed as active on the TSCA inventory | | |
| DSL | All components of this product are on the Canadian DSL | | |
| AIIC | On the inventory, or in compliance with the inventory | | |
| KECI | On the inventory, or in compliance with the inventory | | |
| PICCS | On the inventory, or in compliance with the inventory | | |
| IECSC | On the inventory, or in compliance with the inventory | | |

IECSC On the inventory, or in compliance with the inventory **Inventories Legend**TSCA (USA), DSL (Canada), REACH(Europe), AIIC (Australia), NZIoC (New Zealand), ENCS (Japan), KECI (Korea), PICCS (Philippines), IECSC (China), TWINV (Taiwan)

SECTION 16. OTHER INFORMATION

Prepared by: Global Regulatory Office - phone: 1-651-236-5842 - email: msds.request@hbfuller.com



The information and recommendations set forth herein are believed to be accurate. Because some of the information is derived from information provided to the H.B. Fuller Company from its suppliers, and because the H.B. Fuller Company has no control over the conditions of handling and use, the H.B. Fuller Company makes no warranty, expressed or implied, regarding the accuracy of the data or the results to be obtained from the use thereof. The information is supplied solely for your information and consideration, and the H.B. Fuller Company assumes no responsibility for use or reliance thereon. It is

H.B. Fuller® SI-5

Version 1.1

Revision Date 01/04/2022

the responsibility of the user of H.B. Fuller Company products to comply with all applicable federal, state and local laws and regulations.