

SAFETY DATA SHEET

1. Identification

Product identifier: BLUESIL V-217 A

Other means of identification

Synonyms: RHODORSIL V-217 A

Recommended use and restriction on use

Recommended use: Isolation of electrical or electronic material.

Restrictions on use: None known.



Manufacturer/Importer/Supplier/Distributor Information

Manufacturer

Company Name: Bluestar Silicones USA Corp.
Address: 7979 Park Place Road
29745 York, SC
Telephone: +1 (803) 792-3000
Fax: +1 (803) 684-7202
Contact Person:
e-mail: product.stewardship@bluestarsilicones.com

Supplier

Company Name: Bluestar Silicones USA Corp.
Address: Two Tower Blvd, Suite 1601
08816-1100 East Brunswick, NJ
Telephone: +1 (732) 227-2060
Fax: +1 (732) 249-7000

Emergency telephone number: +1 (800) 424-9300 CHEMTREC

2. Hazard(s) identification

Hazard Classification

Not a hazardous substance or mixture according to GHS.

Label Elements

Hazard Symbol: No symbol
Signal Word: No signal word.
Hazard Statement: Not applicable

Precautionary Statement

Prevention: Not applicable
Response: Not applicable
Storage: Not applicable
Disposal: Not applicable

Other hazards which do not result in GHS classification: No data available.

3. Composition/information on ingredients

Mixtures

Composition Comments: Mixture of Polyorganosiloxanes, additives.

4. First-aid measures

General information: For further information refer to section 8 "Exposure-controls/personal protection".

Ingestion: Do not induce vomiting. Rinse mouth thoroughly. Get medical attention if symptoms occur.

Inhalation: Under normal conditions of intended use, this material is not expected to be an inhalation hazard.

Skin Contact: Immediately wipe excess material off skin with a dry cloth; then wash skin with plenty of soap and water. Seek medical attention if irritation develops or persists.

Eye contact: In case of contact, immediately absorb excess with clean absorbent cloth or cotton. Then, hold eyelids open and flush with a steady, gentle stream of water for at least 15 minutes. Seek medical attention if irritation develops or persists or if visual changes occur.

Most important symptoms/effects, acute and delayed

Symptoms: None known.

Hazards: No specific recommendations.

Indication of immediate medical attention and special treatment needed

Treatment: No specific recommendations.

5. Fire-fighting measures

General Fire Hazards: No specific recommendations.

Suitable (and unsuitable) extinguishing media

Suitable extinguishing media: Dry chemical, alcohol resistant foam or carbon dioxide (CO₂).

Unsuitable extinguishing media: None known.

Specific hazards arising from the chemical: Product will burn under fire conditions. Hazardous Decomposition Products : formaldehyde, oxides of carbon and silica.

Special protective equipment and precautions for firefighters

Special fire fighting procedures:	Water spray should be used to cool containers.
Special protective equipment for fire-fighters:	Firefighters should wear NIOSH/MSHA approved self-contained breathing apparatus and full protective clothing. Use water to keep fire exposed containers cool and disperse vapors.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures:	Use personal protective equipment. See Section 8 of the MSDS for Personal Protective Equipment.
Methods and material for containment and cleaning up:	Absorb with inert material. Scrape up and place in appropriate closed container see Section 7 of the MSDS.
Notification Procedures:	Caution: Contaminated surfaces may be slippery. For waste disposal, see section 13 of the MSDS.
Environmental Precautions:	Do not allow to enter drains, sewers or watercourses.

7. Handling and storage

Precautions for safe handling:	See Section 8 of the MSDS for Personal Protective Equipment.
Conditions for safe storage, including any incompatibilities:	Store in tightly closed original container in a dry, cool and well-ventilated place.

8. Exposure controls/personal protection

Control Parameters

Occupational Exposure Limits

None of the components have assigned exposure limits.

Appropriate Engineering Controls	No special precautions.
---	-------------------------

Individual protection measures, such as personal protective equipment

General information:	Provide sufficient ventilation during operations which cause vapor formation. This product can form formaldehyde vapors when heated to temperatures above 150 degrees C in the presence of air.
Eye/face protection:	Wear approved safety glasses.
Skin Protection	
Hand Protection:	Protective gloves are recommended.
Other:	Wear suitable protective clothing.
Respiratory Protection:	No protection is ordinarily required under normal conditions of use and with adequate ventilation.
Hygiene measures:	Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.

9. Physical and chemical properties

9.1 Information on basic physical and chemical properties:

Appearance

Physical state:	Liquid
Form:	Viscous.
Color:	Transparent.
Odor:	Odorless
Odor threshold:	No data available.
pH:	Not applicable
Melting point/freezing point:	No data available.
International Inventories:	No data available.
Flash Point:	> 446 °F (230 °C) (Closed cup according to method DIN 51758.)
Evaporation rate:	No data available.
Flammability (solid, gas):	No data available.
Flammability limit - upper (%):	No data available.
Flammability limit - lower (%):	No data available.
Vapor pressure:	No data available.
Vapor density:	No data available.
Relative density:	1.0 - 1.1 (77 °F (25 °C))
Solubility(ies)	
Solubility in water:	Insoluble in water
Solubility (other):	No data available.
Partition coefficient (n-octanol/water):	No data available.
Auto-ignition temperature:	No data available.
Decomposition temperature:	No data available.
Viscosity:	No data available.

10. Stability and reactivity

Reactivity:	No data available.
Chemical Stability:	Stable
Possibility of Hazardous Reactions:	Will not occur.
Conditions to Avoid:	None known.
Incompatible Materials:	Strong oxidizers, strong acids, and strong bases.
Hazardous Decomposition Products:	Thermal decomposition may liberate dimethylcyclsiloxanes. This product can form formaldehyde vapors when heated to temperatures above 150 degrees C in the presence of air.

11. Toxicological information

Information on likely routes of exposure

Ingestion: No effects expected (assessment based on ingredients).

Inhalation: No effects expected (assessment based on ingredients).
Skin Contact: No effects expected (assessment based on ingredients).
Eye contact: No effects expected (assessment based on ingredients).

Symptoms related to the physical, chemical and toxicological characteristics

Ingestion: No data available.
Inhalation: No data available.
Skin Contact: No data available.
Eye contact: No data available.

Information on toxicological effects**Acute toxicity (list all possible routes of exposure)****Oral**

Product: ATEmix : 2,000 mg/kg

Dermal

Product: No data available.

Inhalation

Product: No data available.

Repeated Dose Toxicity

Product: No effects expected (assessment based on ingredients).

Skin Corrosion/Irritation

Product: No effects expected (assessment based on ingredients).

Serious Eye Damage/Eye Irritation

Product: No effects expected (assessment based on ingredients).

Respiratory or Skin Sensitization

Product: No effects expected (assessment based on ingredients).

Carcinogenicity

Product: No effects expected (assessment based on ingredients).

IARC Monographs on the Evaluation of Carcinogenic Risks to Humans:

No carcinogenic components identified

US. National Toxicology Program (NTP) Report on Carcinogens:

No carcinogenic components identified

US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050):

No carcinogenic components identified

Germ Cell Mutagenicity

In vitro
Product: No effects expected (assessment based on ingredients).

In vivo
Product: No effects expected (assessment based on ingredients).

Reproductive Toxicity

Product: No effects expected (assessment based on ingredients).

Specific Target Organ Toxicity - Single Exposure

Product: No effects expected (assessment based on ingredients).

Specific Target Organ Toxicity - Repeated Exposure

Product: No effects expected (assessment based on ingredients).

Aspiration Hazard

Product: No effects expected (assessment based on ingredients).

Other Effects: None known.

12. Ecological information**Ecotoxicity:****Acute hazards to the aquatic environment:**

Fish
Product: No effects expected (assessment based on ingredients).

Aquatic Invertebrates
Product: No effects expected (assessment based on ingredients).

Chronic hazards to the aquatic environment:

Fish
Product: No effects expected (assessment based on ingredients).

Aquatic Invertebrates
Product: No effects expected (assessment based on ingredients).

Toxicity to Aquatic Plants
Product: No effects expected (assessment based on ingredients).

Persistence and Degradability

Biodegradation
Product: Not applicable

BOD/COD Ratio
Product: No data available.

Bioaccumulative Potential

Bioconcentration Factor (BCF)
Product: No data available.

Partition Coefficient n-octanol / water (log Kow)

Product: No data available.

Mobility in Soil: No data available.

Other Adverse Effects: None known.

13. Disposal considerations

Disposal instructions: Dispose of waste at an appropriate treatment and disposal facility in accordance with applicable laws and regulations, and product characteristics at time of disposal.

14. Transport information

This material is not subject to transport regulations.

Environmental hazards: Not regulated.

Special precautions for user: No special precautions.

15. Regulatory information

US Federal Regulations

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)
None present or none present in regulated quantities.

CERCLA Hazardous Substance List (40 CFR 302.4):
None present or none present in regulated quantities.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categories

Acute (Immediate) Chronic (Delayed) Fire Reactive Pressure Generating

SARA 302 Extremely Hazardous Substance
None present or none present in regulated quantities.

SARA 304 Emergency Release Notification
None present or none present in regulated quantities.

SARA 313 (TRI Reporting)
None present or none present in regulated quantities.

Clean Water Act Section 311 Hazardous Substances (40 CFR 117.3)
None present or none present in regulated quantities.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130):
None present or none present in regulated quantities.

US State Regulations

US. California Proposition 65

No ingredient regulated by CA Prop 65 present.
No ingredient regulated by CA Prop 65 present.

US. New Jersey Worker and Community Right-to-Know Act

No ingredient regulated by NJ Right-to-Know Law present.

US. Massachusetts RTK - Substance List

No ingredient regulated by MA Right-to-Know Law present.

US. Pennsylvania RTK - Hazardous Substances

No ingredient regulated by PA Right-to-Know Law present.

US. Rhode Island RTK

No ingredient regulated by RI Right-to-Know Law present.

Inventory Status:

Australia AICS:	On or in compliance with the inventory
Canada DSL Inventory List:	On or in compliance with the inventory
EU EINECS List:	On or in compliance with the inventory
China Inv. Existing Chemical Substances:	On or in compliance with the inventory
Korea Existing Chemicals Inv. (KECI):	On or in compliance with the inventory
Philippines PICCS:	On or in compliance with the inventory
US TSCA Inventory:	On or in compliance with the inventory
New Zealand Inventory of Chemicals:	On or in compliance with the inventory

16. Other information, including date of preparation or last revision


HMIS Hazard ID

Health	1
Flammability	1
Physical Hazards	0
PERSONAL PROTECTION	B

B - Safety Glasses & Gloves

Hazard rating: 0 - Minimal; 1 - Slight; 2 - Moderate; 3 - Serious; 4 - Severe; *Chronic health effect


NFPA Hazard ID



Flammability



Distributed By
Freeman Manufacturing & Supply Co.
www.freemansupply.com 800-321-8511



Hazard rating: 0 - Minimal; 1 - Slight; 2 - Moderate; 3 - Serious; 4 - Severe

Issue Date: 04/09/2015

Revision Date: No data available.

Version #: 6.0

Further Information: No data available.

Disclaimer: The information given is based on data available for the material, the components of the material, and similar materials. The information is believed to be correct. It is given in good faith. This information should be used to make an independent determination of the methods to safeguard workers and the environment.

SAFETY DATA SHEET

1. Identification

Product identifier: BLUESIL V-217 B

Other means of identification

Synonyms: RHODORSIL V-217 B

Recommended use and restriction on use

Recommended use: Isolation of electrical or electronic material.

Restrictions on use: None known.

Manufacturer/Importer/Supplier/Distributor Information

Manufacturer

Company Name: Bluestar Silicones USA Corp.
Address: 7979 Park Place Road
29745 York, SC
Telephone: +1 (803) 792-3000
Fax: +1 (803) 684-7202
Contact Person:
e-mail: product.stewardship@bluestarsilicones.com

Supplier

Company Name: Bluestar Silicones USA Corp.
Address: Two Tower Blvd, Suite 1601
08816-1100 East Brunswick, NJ
Telephone: +1 (732) 227-2060
Fax: +1 (732) 249-7000
Contact Person:
e-mail: product.stewardship@bluestarsilicones.com

Emergency telephone number: +1 (800) 424-9300 CHEMTREC

2. Hazard(s) identification

Hazard Classification

Health Hazards

Toxic to reproduction Category 2

Label Elements

Hazard Symbol:



Signal Word: Warning

Hazard Statement: Suspected of damaging fertility or the unborn child.

Precautionary Statement

- Prevention:** Use personal protective equipment as required.
- Response:** If exposed or concerned: Get medical advice/attention.
- Storage:** Store in a well-ventilated place.
- Disposal:** Dispose of contents/container to an appropriate treatment and disposal facility in accordance with applicable laws and regulations, and product characteristics at time of disposal.

Other hazards which do not result in GHS classification: Chemical compounds containing silicon - hydrogen bonds (SiH). This product may generate hydrogen gas. For further information, refer to Section 10: "Stability and Reactivity".

3. Composition/information on ingredients
Mixtures

Chemical Identity	Common name and synonyms	CAS number	Content in percent (%)*
Toluene	TOLUENE,	108-88-3	0.1 - 1%

* All concentrations are percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

Composition Comments: Mixture of Polyorganosiloxanes, fillers, additives.

4. First-aid measures

- General information:** For further information refer to section 8 "Exposure-controls/personal protection".
- Ingestion:** Do not induce vomiting. Rinse mouth thoroughly. Get medical attention if symptoms occur.
- Inhalation:** Remove from the source of contamination or move to fresh air. If irritation persists, obtain medical advice.
- Skin Contact:** Remove contaminated clothing and shoes. Immediately wipe excess material off skin with a dry cloth; then wash skin with plenty of soap and water. Seek medical attention if irritation develops or persists.
- Eye contact:** In case of contact, immediately absorb excess with clean absorbent cloth or cotton. Then, hold eyelids open and flush with a steady, gentle stream of water for at least 15 minutes. Seek medical attention if irritation develops or persists or if visual changes occur.

Most important symptoms/effects, acute and delayed

- Symptoms:** None known.
- Hazards:** No specific recommendations.

Indication of immediate medical attention and special treatment needed

- Treatment:** No specific recommendations.

5. Fire-fighting measures

General Fire Hazards: Water spray should be used to cool containers.

Suitable (and unsuitable) extinguishing media

Suitable extinguishing media: Dry chemical, alcohol resistant foam or carbon dioxide (CO₂).

Unsuitable extinguishing media: Do not use water jet as an extinguisher, as this will spread the fire. Do not use alkaline powders.

Specific hazards arising from the chemical: Product will burn under fire conditions. This product may generate hydrogen gas. Vapors may form explosive mixtures with air. For further information, refer to Section 10: "Stability and Reactivity". Hazardous Decomposition Products : formaldehyde, oxides of carbon and silica.

Special protective equipment and precautions for firefighters

Special fire fighting procedures: Water spray should be used to cool containers.

Special protective equipment for fire-fighters: Firefighters should wear NIOSH/MSHA approved self-contained breathing apparatus and full protective clothing.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures: Wear appropriate personal protective equipment. See Section 8 of the MSDS for Personal Protective Equipment. Avoid contact with bases. Eliminate all sources of ignition.

Methods and material for containment and cleaning up: Ventilate the area. Use only non-sparking tools. Absorb with inert material. Avoid contact with bases. Scrape up and place in appropriate vented container.

Notification Procedures: Caution: Contaminated surfaces may be slippery. For waste disposal, see section 13 of the MSDS.

Environmental Precautions: Do not allow to enter drains, sewers or watercourses.

7. Handling and storage

Precautions for safe handling: Provide adequate ventilation if fumes or vapors are generated. Do not mix with incompatible materials. For further information, refer to Section 10: "Stability and Reactivity". Read and follow manufacturer's recommendations.

Conditions for safe storage, including any incompatibilities: Store in original vented container. Store in a cool, dry place with adequate ventilation. Keep away from incompatible materials, open flames, and high temperatures.

8. Exposure controls/personal protection**Control Parameters****Occupational Exposure Limits**

Chemical Identity	Type	Exposure Limit Values	Source
Toluene	TWA	20 ppm	US. ACGIH Threshold Limit Values (01 2010)
	REL	100 ppm 375 mg/m3	US. NIOSH: Pocket Guide to Chemical Hazards (2005)
	STEL	150 ppm 560 mg/m3	US. NIOSH: Pocket Guide to Chemical Hazards (2005)
	TWA	100 ppm 375 mg/m3	US. OSHA Table Z-1-A (29 CFR 1910.1000) (1989)
	STEL	150 ppm 560 mg/m3	US. OSHA Table Z-1-A (29 CFR 1910.1000) (1989)
	TWA	200 ppm	US. OSHA Table Z-2 (29 CFR 1910.1000) (02 2006)
	MAX. CONC	500 ppm	US. OSHA Table Z-2 (29 CFR 1910.1000) (02 2006)
	Ceiling	300 ppm	US. OSHA Table Z-2 (29 CFR 1910.1000) (02 2006)
	TWA	100 ppm 375 mg/m3	US. Tennessee. OELs. Occupational Exposure Limits, Table Z1A (06 2008)
	STEL	150 ppm 580 mg/m3	US. Tennessee. OELs. Occupational Exposure Limits, Table Z1A (06 2008)
	AN ESL	330 ppb	US. Texas. Effects Screening Levels (Texas Commission on Environmental Quality) (02 2009)
	ST ESL	170 ppb	US. Texas. Effects Screening Levels (Texas Commission on Environmental Quality) (02 2009)
	ST ESL	640 µg/m3	US. Texas. Effects Screening Levels (Texas Commission on Environmental Quality) (02 2009)
	AN ESL	1,200 µg/m3	US. Texas. Effects Screening Levels (Texas Commission on Environmental Quality) (02 2009)
	STEL	150 ppm 560 mg/m3	US. California Code of Regulations, Title 8, Section 5155. Airborne Contaminants (09 2006)
	TWA PEL	50 ppm 188 mg/m3	US. California Code of Regulations, Title 8, Section 5155. Airborne Contaminants (09 2006)
	Ceiling	500 ppm	US. California Code of Regulations, Title 8, Section 5155. Airborne Contaminants (09 2006)

Biological Limit Values

Chemical Identity	Exposure Limit Values	Source
Toluene (toluene: Sampling time: End of shift.)	0.03 mg/l (Urine)	ACGIH BEL (01 2010)
Toluene (toluene: Sampling time: Prior to last shift of work week.)	0.02 mg/l (Blood)	ACGIH BEL (01 2010)
Toluene (o-Cresol, with hydrolysis: Sampling time: End of shift.)	0.3 mg/g (Creatinine in urine)	ACGIH BEL (01 2010)

Appropriate Engineering Controls

No specific recommendations.

Individual protection measures, such as personal protective equipment
General information:

Provide sufficient ventilation during operations which cause vapor formation. This product can form formaldehyde vapors when heated to temperatures above 150 degrees C in the presence of air.

Eye/face protection:

Wear approved safety glasses.

Skin Protection

Hand Protection:	Protective gloves are recommended.
Other:	Wear suitable protective clothing.
Respiratory Protection:	No protection is ordinarily required under normal conditions of use and with adequate ventilation.
Hygiene measures:	Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.

9. Physical and chemical properties

9.1 Information on basic physical and chemical properties:

Appearance

Physical state:	Liquid
Form:	Viscous
Color:	Translucent.
Odor:	Odorless
Odor threshold:	No data available.
pH:	Not applicable
Melting point/freezing point:	No data available.
International Inventories:	> 298 °F (148 °C)
Flash Point:	> 250 °F (121 °C) (Pensky-Martens Closed Cup)
Evaporation rate:	No data available.
Flammability (solid, gas):	No data available.
Flammability limit - upper (%):	75 %(V)
Flammability limit - lower (%):	4 %(V)
Vapor pressure:	No data available.
Vapor density:	No data available.
Relative density:	0.99 (77 °F (25 °C))
Solubility(ies)	
Solubility in water:	Practically Insoluble
Solubility (other):	No data available.
Partition coefficient (n-octanol/water):	No data available.
Auto-ignition temperature:	No data available.
Decomposition temperature:	No data available.
Viscosity:	No data available.

10. Stability and reactivity

Reactivity:	No data available.
Chemical Stability:	Material is stable under normal conditions.
Possibility of Hazardous Reactions:	This product may generate hydrogen gas.
Conditions to Avoid:	Avoid heat, sparks, open flames and other ignition sources.

Incompatible Materials:	A fire or explosion hazard arises because highly flammable gas (hydrogen) is released when it is in contact with : Strong oxidizers, strong bases and chemical compounds with mobile hydrogen, in the presence of metal salts and complexes.
Hazardous Decomposition Products:	Thermal decomposition may liberate dimethylcyclosiloxanes. This product can form formaldehyde vapors when heated to temperatures above 150 degrees C in the presence of air.

11. Toxicological information

Information on likely routes of exposure

Ingestion:	No data available.
Inhalation:	No data available.
Skin Contact:	No data available.
Eye contact:	No data available.

Symptoms related to the physical, chemical and toxicological characteristics

Ingestion:	No data available.
Inhalation:	No data available.
Skin Contact:	No data available.
Eye contact:	No data available.

Information on toxicological effects

Acute toxicity (list all possible routes of exposure)

Oral Product:	ATEmix: 2,000 mg/kg
Dermal Product:	No data available.
Inhalation Product:	No data available.

Repeated Dose Toxicity Product:	No data available.
--	--------------------

Skin Corrosion/Irritation Product:	No data available.
---	--------------------

Serious Eye Damage/Eye Irritation Product:	No data available.
---	--------------------

Respiratory or Skin Sensitization Product:	No data available.
---	--------------------

Carcinogenicity Product:	No data available.
---------------------------------	--------------------

IARC Monographs on the Evaluation of Carcinogenic Risks to Humans:

No carcinogenic components identified

US. National Toxicology Program (NTP) Report on Carcinogens:

No carcinogenic components identified

US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050):

No carcinogenic components identified

Germ Cell Mutagenicity**In vitro****Product:** No data available.**In vivo****Product:** No data available.**Reproductive Toxicity****Product:** No data available.**Specific Target Organ Toxicity - Single Exposure****Product:** No data available.**Specific Target Organ Toxicity - Repeated Exposure****Product:** No data available.**Aspiration Hazard****Product:** No data available.**Other Effects:** No data available.**12. Ecological information****Ecotoxicity:****Acute hazards to the aquatic environment:****Fish****Product:** No data available.**Aquatic Invertebrates****Product:** No data available.**Chronic hazards to the aquatic environment:****Fish****Product:** No data available.**Aquatic Invertebrates****Product:** No data available.**Toxicity to Aquatic Plants****Product:** No data available.**Persistence and Degradability****Biodegradation****Product:** No data available.

BOD/COD Ratio**Product:** No data available.**Bioaccumulative Potential****Bioconcentration Factor (BCF)****Product:** No data available.**Partition Coefficient n-octanol / water (log Kow)****Product:** No data available.**Mobility in Soil:** No data available.**Known or predicted distribution to environmental compartments**

Toluene No data available.

Other Adverse Effects: No data available.**13. Disposal considerations****Disposal instructions:**

Dispose of waste at an appropriate treatment and disposal facility in accordance with applicable laws and regulations, and product characteristics at time of disposal. Waste of this material should not be mixed with other waste. Provide measures such as vented bungs to ensure pressure relief in the waste container.

14. Transport information

This material is not subject to transport regulations.

Environmental hazards: Not regulated.**Special precautions for user:** Packaging with a breathing/venting bung are FORBIDDEN for transport by air.**15. Regulatory information****US Federal Regulations****TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)**

None present or none present in regulated quantities.

CERCLA Hazardous Substance List (40 CFR 302.4):

None present or none present in regulated quantities.

Superfund Amendments and Reauthorization Act of 1986 (SARA)**Hazard categories** Acute (Immediate) Chronic (Delayed) Fire Reactive Pressure Generating**SARA 302 Extremely Hazardous Substance**

None present or none present in regulated quantities.

SARA 304 Emergency Release Notification

None present or none present in regulated quantities.

SARA 313 (TRI Reporting)

None present or none present in regulated quantities.

Clean Water Act Section 311 Hazardous Substances (40 CFR 117.3)

None present or none present in regulated quantities.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130):

None present or none present in regulated quantities.

US State Regulations**US. California Proposition 65**

This product contains chemical(s) known to the State of California to cause cancer and/or to cause birth defects or other reproductive harm.

Toluene	Developmental toxin.
Toluene	Female reproductive toxin.

US. New Jersey Worker and Community Right-to-Know Act

No ingredient regulated by NJ Right-to-Know Law present.

US. Massachusetts RTK - Substance List

No ingredient regulated by MA Right-to-Know Law present.

US. Pennsylvania RTK - Hazardous Substances

No ingredient regulated by PA Right-to-Know Law present.

US. Rhode Island RTK

No ingredient regulated by RI Right-to-Know Law present.

Inventory Status:

Australia AICS:	On or in compliance with the inventory
Canada DSL Inventory List:	On or in compliance with the inventory
EINECS, ELINCS or NLP:	On or in compliance with the inventory
Japan (ENCS) List:	On or in compliance with the inventory
Korea Existing Chemicals Inv. (KECI):	On or in compliance with the inventory
Philippines PICCS:	On or in compliance with the inventory
US TSCA Inventory:	On or in compliance with the inventory
New Zealand Inventory of Chemicals:	On or in compliance with the inventory

16. Other information, including date of preparation or last revision


HMIS Hazard ID

Health	*	1
Flammability	1	
Physical Hazards	1	
PERSONAL PROTECTION		B

B - Safety Glasses & Gloves

Hazard rating: 0 - Minimal; 1 - Slight; 2 - Moderate; 3 - Serious; 4 - Severe; *Chronic health effect

NFPA Hazard ID



Flammability
 Health
 Reactivity
 Special hazard.

Hazard rating: 0 - Minimal; 1 - Slight; 2 - Moderate; 3 - Serious; 4 - Severe

Issue Date:	04/09/2015
Revision Date:	No data available.
Version #:	6.0
Further Information:	No data available.

SDS_US

Disclaimer:

The information given is based on data available for the material, the components of the material, and similar materials. The information is believed to be correct. It is given in good faith. This information should be used to make an independent determination of the methods to safeguard workers and the environment.