



MATERIAL SAFETY DATA SHEET

Prepared in accordance with ISO 11014-1/ ANSI standard
Z400.1-2004

Revision Date: 08/September/2011
Product Code: LM150

1. PRODUCT AND COMPANY IDENTIFICATION

Product Name: CAB-O-SIL® Untreated Fumed Silica

Synonyms: Silicon Dioxide, Synthetic Amorphous Silica, Pyrogenic (Fumed) Amorphous Silica

This SDS is valid for the following grades: CAB-O-SIL® Fumed Silica, L-50, L-60, L-90, LM-130, LM-150, M-5, M-5K, PTG, MS-55, H-5, H-7D, HS-5, EH-5, LM-130D, LM-150D, M-7D, MS-75D, S-17D, HP-60, M-8D, EL-1000, EL-2000, MS-35, H300

Use of the Substance/Preparation: Rheological control, Flow agent, Reinforcing agent in: Coatings, Adhesives, Various

Supplier:

Cabot Sanmar Ltd. Raman Nagar Post Mettur Dam 636-403 Salem INDIA Tel: (91.4298) 230.394 Fax: (91.4298) 230.382	Cabot Sanmar Ltd. 9, Cathedral Road Chennai 600-086 Tamil Nadu INDIA Tel: (91.44) 2812.8568 Fax: (91.44) 2811.4116	Cabot Sanmar Ltd. 407, Swastik Chambers Mumbai 400-071 INDIA Tel: (91.22) 5597.3390 Fax: (91.22) 5597.3395	Cabot Sanmar Ltd. M-2, Third Floor South Extension Part-II New Delhi 110-049 INDIA Tel: (91.11) 4259.7999 Fax: (91.11) 4259.7910
--	---	---	--

Emergency Telephone Number: UK (Cabot Carbon Ltd - Barry): (+44) 1446-709 641
Germany (Cabot GmbH - Rheinfelden): (+49) 7623-7070
China: (86-792) 3170175
Canada: CANUTEC 1-613-996-6666
US: CHEMTREC: +1-703-527-3887 or 1-800-424-9300

2. HAZARDS IDENTIFICATION

Indication of danger: Not a hazardous substance or mixture according to the Globally Harmonized System (GHS)

Principle Routes of Exposure: Inhalation, Skin contact, Eye contact

POTENTIAL HEALTH EFFECTS

Eye Contact: May cause mechanical irritation.

Skin Contact: Repeated exposure may cause skin dryness or cracking.

Inhalation: Dust may be irritating to respiratory tract. Provide appropriate exhaust ventilation at machinery and at places where dust can be generated. See also Section 8.

Ingestion: Health injuries are not known or expected under normal use.

Carcinogenic Effects: Does not contain any substances greater than 0.1% listed by IARC (International Agency for Research on Cancer), NTP (National Toxicology Program), OSHA (Occupational Safety and Health Administration), ACGIH (American Conference for Governmental Industrial Hygienists) or EU (European Union). See also Section 11.

Target Organ Effects: Lungs

Medical Conditions Aggravated by Exposure: Asthma, Respiratory disorder

Potential Environmental Effects: No special environmental precautions required.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS Number	EINECS/ELINCS Number	Weight %	EU Classification
Synthetic Amorphous, Pyrogenic Silica	112945-52-5	*	> 99.9	None

* See Section 15.

4. FIRST AID MEASURES

Skin Contact:	Wash thoroughly with soap and water. Seek medical attention if redness, swelling, itching, or burning occurs.
Eye Contact:	Flush eyes immediately with large amounts of water for 15 minutes. Seek medical attention if redness, swelling, itching, burning or visual disturbances occur.
Inhalation:	If cough, shortness of breath or other breathing problems occur, move to fresh air. Seek medical attention if symptoms persist. If necessary, restore normal breathing through standard first aid measures.
Ingestion:	Do not induce vomiting. If conscious, give several glasses of water. Never give anything by mouth to an unconscious person.
Notes to Physician:	Treat symptomatically.

5. FIRE AND IGNITION INFORMATION

Flash Point:	Not determined
Explosion Limits in Air - Upper (g/m³):	Not applicable
Explosion Limits in Air - Lower (g/m³):	Not applicable
OSHA Flammability Classification:	Not applicable
Autoignition Temperature:	Not applicable
Extinguishing Media:	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Special Protective Equipment for Firefighters:	Wear suitable protective equipment. In the event of fire, wear self-contained breathing apparatus.
Specific Hazards:	Product resists ignition and does not promote flame spread.
Hazardous Decomposition and/or Combustion Products:	None.
Risk of Dust Explosion:	This material is an inorganic dust and will not create nor support conditions that would result in a dust explosion or fire.

6. ACCIDENTAL RELEASE MEASURES

Personal Precautions: Avoid dust formation. Ensure adequate ventilation. Use personal protective equipment. See also Section 8.

Methods for Cleaning Up: Clean up promptly by vacuum. Use a suitable vacuum cleaner. Do not create a dust cloud by using a brush or compressed air. Pick up and transfer to properly labelled containers. See Section 13.

Environmental Precautions: No special environmental precautions required. Local authorities should be advised if significant spillages cannot be contained.

7. HANDLING AND STORAGE

Handling: Avoid contact with skin and eyes. Avoid dust formation. Do not breathe dust. Provide appropriate exhaust ventilation at machinery and at places where dust can be generated. Do not create a dust cloud by using a brush or compressed air. Take precautionary measures against static discharge. All metal parts of the mixing and processing equipment must be earthed/grounded. Ensure all equipment is electrically earthed/grounded before beginning transfer operations.

Storage: Keep containers tightly closed in a dry, cool and well-ventilated place. Do not store together with volatile chemicals as they may be adsorbed onto product. Keep at ambient temperatures.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

EXPOSURE LIMITS

Amorphous Silica, The regulatory exposure limits are found under the general silica, CAS RN 7631-86-9:

Australia:	2 mg/m ³ , TWA, Respirable
Austria MAK:	4 mg/m ³ , TWA, Inhalable fraction
Finland:	5 mg/m ³
Germany TRGS 900:	4 mg/m ³ , TWA, Inhalable fraction (a)
India:	10 mg/m ³ , TWA
Ireland:	2.4 mg/m ³ , TWA, Respirable dust
Norway:	1.5 mg/m ³ , TWA, Respirable dust
Switzerland:	4 mg/m ³ , TWA, Inhalable
UK WEL:	6 mg/m ³ , TWA, Inhalable 2.4 mg/m ³ , TWA, Respirable

Dust, or Particulates Not Otherwise Specified:

Belgium:	10 mg/m ³ , TWA, Inhalable 3 mg/m ³ , TWA, Respirable
China:	8 mg/m ³ , TWA 10 mg/m ³ , STEL
France:	10 mg/m ³ , TWA Inhalable dust 5 mg/m ³ , TWA Respirable dust
Italy:	10 mg/m ³ , TWA, Inhalable 3 mg/m ³ , TWA, Respirable
Malaysia:	10 mg/m ³ , TWA, Inhalable 3 mg/m ³ , TWA, Respirable
Spain:	10 mg/m ³ , VLA, Inhalable 3 mg/m ³ , VLA, Respirable
US ACGIH - TLV:	10 mg/m ³ , TWA, Inhalable 3 mg/m ³ , TWA, Respirable
US OSHA - PEL:	15 mg/m ³ , TWA, Total dust 5 mg/m ³ , TWA, Respirable

(a) - In its facilities globally, Cabot Corporation manages to the Germany TRGS 900 occupational exposure limit of 4 mg/m³, TWA, Inhalable fraction

MAK: Maximale Arbeitsplatzkonzentration (Maximum Workplace Concentration)
OEL: Occupational Exposure Limit
PEL: Permissible Exposure Limit
STEL: Short Term Exposure Limit
TLV: Threshold Limit Value
TRGS: Technische Regeln für Gefahrstoffe (Technical Rule for Hazardous Materials)
TWA: Time Weighted Average
US ACGIH: United States American Conference of Governmental Industrial Hygienists
US OSHA: United States Occupational Safety and Health Administration
VLA: Valore Limite Ambientales (Environmental Limit Value)
WEL: Workplace Exposure Limit

ENGINEERING CONTROLS

Ensure adequate ventilation to maintain exposures below occupational limits. Provide appropriate exhaust ventilation at machinery and at places where dust can be generated.

PERSONAL PROTECTIVE EQUIPMENT

Respiratory Protection: Approved respirator may be necessary if local exhaust ventilation is not adequate.
Hand Protection: Repeated exposure may cause skin dryness or cracking. Use appropriate protective barrier before handling.
Eye Protection: Wear eye/face protection.
Skin and Body Protection: Wear suitable protective clothing.
Other: Handle in accordance with good industrial hygiene and safety practice. Emergency eyewash and safety shower should be located nearby.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance:	White Powder
Odor:	None.
Odor Threshold:	Not applicable
pH:	3.6 - 4.5
Vapor Pressure:	Not applicable
Vapor Density:	Not applicable
Boiling Point/Range:	2230°C
Melting Point/Range:	1700°C
Water Solubility:	Insoluble
Relative Density:	Not determined
Bulk Density:	30-150 kg/m ³
Specific Gravity:	2.2 g/cm ³ @ 20°C
% Volatile (by Weight):	Not applicable
Evaporation Rate:	Not applicable
Viscosity:	Not applicable
Partition Coefficient (n-octanol/water):	Not determined

Flash Point:	Not determined
Explosion Limits in Air - Upper (g/m ³):	Not applicable
Explosion Limits in Air - Lower (g/m ³):	Not applicable
Autoignition Temperature:	Not applicable
Flammability Classification:	Not applicable
Decomposition Temperature:	Not determined.
Oxidizing Properties:	Not applicable

10. STABILITY AND REACTIVITY

Stability:	Stable
Hazardous Polymerization:	Hazardous polymerization does not occur.
Conditions to Avoid:	None reported.
Hazardous Decomposition and/or Combustion Products:	None.
Static Discharge Effects:	Take precautionary measures against static discharges. Avoid dust formation. All metal parts of the mixing and processing equipment must be earthed/grounded. Ensure all equipment is electrically earthed/grounded before beginning transfer operations. This material is an inorganic dust and will not create nor support conditions that would result in a dust explosion or fire.

11. TOXICOLOGICAL INFORMATION

ACUTE TOXICITY

Oral LD50: LD50/oral/rat = > 5000 mg/kg.

Inhalation LC50: Due to the product's physical characteristics, no suitable testing procedure is available.

Dermal LD50: LD50/dermal/rabbit = > 2000 mg/kg.

STOT - Single Exposure: None observed.

Eye Irritation: Draize score 1.0/110 @ 24 hr.

Skin Irritation: Primary irritation index = 0/8 @ 24 hr

SUBCHRONIC TOXICITY

No significant treatment-related adverse effects were observed in rats administered silica at doses of up to 8% silica in their diet for a duration of 2 weeks to 6 months.

STOT - Repeated Exposure: None expected

CHRONIC TOXICITY

Mutagenic Effects:

Not mutagenic in AMES Test, Negative in the unscheduled DNA synthesis assay, Negative in the chromosome aberration test in Chinese hamster ovary (CHO) cells.

Reproductive Toxicity: Did not show teratogenic effects in animal experiments. According to experience not expected.

Sensitization: According to experience, sensitization is not expected.

Synergistic Materials: None reasonably foreseeable.

Carcinogenic Effects: Does not contain any substances greater than 0.1% listed by IARC (International Agency for Research on Cancer), NTP (National Toxicology Program), OSHA (Occupational Safety and Health Administration), ACGIH (American Conference for Governmental Industrial Hygienists) or EU (European Union).

Aspiration Hazard: Not determined

12. ECOLOGICAL INFORMATION

Aquatic Toxicity: Fish (Brachydanio rerio) LC50 (96 h): > 10,000 mg/l; (Method: OECD 203)

ENVIRONMENTAL FATE

Mobility: Not expected to migrate.

Bioaccumulation: Not expected due to physicochemical properties of the substance.

Persistence / Degradability: The methods for determining biodegradability are not applicable to inorganic substances

Distribution to Environmental Compartments: Not determined.

PBT and vPvB Assessment: This substance does not fulfill the criteria for PBT or vPvB

Other adverse effects: No other data are available

13. DISPOSAL CONSIDERATIONS

Disclaimer: Information in this section pertains to the product as shipped in its intended composition as described in Section 3 of this MSDS. Contamination or processing may change waste characteristics and requirements. Regulations may also apply to empty containers, liners or rinsate. State/provincial and local regulations may be different from federal regulations.

RCRA Classification (40 CFR 261): Not a hazardous waste.

Unused and Uncontaminated Product: Product, as supplied, should be disposed of in accordance with the regulations issued by the appropriate federal, state and local authorities. Same consideration should be given to containers and packaging.

14. TRANSPORT INFORMATION

US Department of Transportation (US DOT) Hazardous Materials Regulations Status: Use UN Classification listed.

UN Number: Not regulated

UN Proper Shipping Name: Not regulated

UN Shipping Class: Not regulated

UN Packing Group: Not regulated

IMDG (International Maritime Organization's Dangerous Goods Code): Use UN classification listed above.

IATA:

Use UN classification listed above.

15. REGULATORY INFORMATION

Regulatory information is found under the general silica: CAS RN 7631-86-9, EINECS RN 231-545-4.

Hazard Classification

United States - OSHA (29 CFR 1910.1200): Hazardous.

Mexico - NOM-018-STPS-2000: Refer to HMIS Rating in Section 16.

Canada - WHMIS Classification (CPR, SOR/88-66): Not controlled.

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations and the MSDS contains all the information required by the Controlled Products Regulations.

Chemical Name	WHMIS Ingredient Disclosure List:
Synthetic Amorphous, Pyrogenic Silica	General Silica, CAS RN 7631-86-9, is Listed

International Inventories

All components of this product are listed on or exempt from the following inventories:

- YES - Australian Inventory of Chemical Substances (AICS)
- YES - Canadian Domestic Substances List (DSL)
- YES - Chinese Inventory
- YES - European Inventory of Existing Commercial Chemical Substances (EINECS)
- YES - Japanese Existing and New Chemical Substances (ENCS)
- YES - Korean Existing Chemicals List (KECL)
- YES - New Zealand Hazardous Substances and New Organisms Act (HSNO)
- YES - Philippine Inventory of Chemicals and Chemical Substances (PICCS)
- YES - United States Toxic Substances Control Act (TSCA) Inventory

U.S. Federal Regulations

TSCA 12(b) Export Notification: This product does not contain any components that are subject to TSCA 12(b) Export Notification.

Clean Air Act Amendments of 1990 (CAA, Section 112, 40 CFR 82): This product does not contain any components listed as a Hazardous Air Pollutant, Flammable Substance, Toxic Substance, or Class 1 or 2 Ozone Depletor.

Clean Water Act (CWA, 40 CFR 116) Priority Pollutants: This product does not contain any listed Priority Pollutants.

Comprehensive Environmental Response, Compensation and Liability Act (CERCLA, 40 CFR 302): This product does not contain any listed Hazardous Substances.

Superfund Amendments and Reauthorization Act, Title III (SARA):

SARA Section 302 (40 CFR 355) Extremely Hazardous Substances: No components are listed as extremely hazardous substances under SARA Section 302.

SARA Sections 311/312 (40 CFR 370) Hazard Category: This product does not meet any of the MSDS Requirement definitions for a hazardous material under SARA Sections 311/312. Reporting may be required if the material is present at any one time in amounts equal to or greater than 10,000 pounds.

SARA Section 313 (40 CFR 372) Toxics Release Inventory: Does not contain any of the substances identified under Section 313 as toxic chemicals in excess of the de minimis concentrations necessary to be subject to the supplier notification requirements.

Pharmaceutical Information: Not recommended.

U.S. State Regulations

California Proposition 65: This product does not contain any components listed on California Proposition 65.

US Coalition of NorthEastern Governors (CONEG) Metals List: This product meets the CONEG Source Reduction Council limits for the sum of the levels of lead, cadmium, mercury and hexavalent chromium of less than 100 parts per million by weight.

16. OTHER INFORMATION

HMIS Rating

HMIS Index: * - chronic, 0 - minimal, 1 - slight, 2 - moderate, 3 - serious, 4 - severe

Health: 1

Flammability: 0

Physical Hazard: 0

Asia Pacific Facilities:

See Section 1.

Prepared by: Cabot Corporation - Safety, Health and Environmental Affairs
Revision Date: 08/September/2011
Previous Revision Date: 13/October/2009
Reason for Revision: Revisions throughout

Disclaimer:

The information set forth is based on information that Cabot Corporation believes to be accurate. No warranty, expressed or implied, is intended. The information is provided solely for your information and consideration and Cabot assumes no legal responsibility for use or reliance thereon. In the event of a discrepancy between the information on the non-English document and its English counterpart, the English version shall supersede.

® and 'TM' indicate trademarks of the Cabot Corporation.



Distributed By
Freeman Manufacturing & Supply Co.
www.freemansupply.com 800-321-8511