

SAFETY DATA SHEET

Distributed By
Freeman Manufacturing & Supply Co.
www.freemansupply.com 800-321-8511



HUNTSMAN
Enriching lives through innovation

RENLAM® 4005 US

Version	Revision Date:	SDS Number:	Date of last issue:
1.2	10/08/2018	400001011875	02/14/2017
			Date of first issue: 10/26/2015

SECTION 1. IDENTIFICATION

Product name : RENLAM® 4005 US

Manufacturer or supplier's details

Company name of supplier : Huntsman Advanced Materials Americas LLC
Address : P.O. Box 4980
The Woodlands,
TX 77387
United States of America (USA)
Telephone : Non-Emergency: (800) 257-5547
E-mail address of person responsible for the SDS : MSDS@huntsman.com
Emergency telephone number : Chemtrec: (800) 424-9300 or (703) 527-3887

Recommended use of the chemical and restrictions on use

Recommended use : Adhesives



SECTION 2. HAZARDS IDENTIFICATION

GHS classification in accordance with 29 CFR 1910.1200

Skin irritation : Category 2

Serious eye damage : Category 1

Skin sensitisation : Category 1

Short-term (acute) aquatic hazard : Category 2

Long-term (chronic) aquatic hazard : Category 2

GHS label elements

Hazard pictograms :



Signal word : Danger

Hazard statements : H315 Causes skin irritation.
H317 May cause an allergic skin reaction.
H318 Causes serious eye damage.
H411 Toxic to aquatic life with long lasting effects.

Precautionary statements : **Prevention:**

RENLAM® 4005 US

Version	Revision Date:	SDS Number:	Date of last issue:
1.2	10/08/2018	400001011875	02/14/2017
			Date of first issue: 10/26/2015

P261 Avoid breathing dust/ fume/ gas/ mist/ vapours/ spray.

P264 Wash skin thoroughly after handling.

P272 Contaminated work clothing must not be allowed out of the workplace.

P273 Avoid release to the environment.

P280 Wear protective gloves/ eye protection/ face protection.

Response:

P302 + P352 IF ON SKIN: Wash with plenty of soap and water.

P305 + P351 + P338 + P310 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/doctor.

P333 + P313 If skin irritation or rash occurs: Get medical advice/ attention.

P362 Take off contaminated clothing and wash before reuse.

P391 Collect spillage.

Storage:

Not available

Disposal:

P501 Dispose of contents/container to an approved facility in accordance with local, regional, national and international regulations.

Other hazards

None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Hazardous components

Chemical name	CAS-No.	Concentration (% w/w)
2,2'-[(1-methylethylidene)bis(4,1-phenyleneoxymethylene)]bisoxirane	1675-54-3	50 - 70
Epoxyphenol Novolac Resin	28064-14-4	20 - 25
1,4-bis(2,3-epoxypropoxy)butane	2425-79-8	10 - 20
p-tert-butylphenyl 1-(2,3-epoxy)propyl ether	3101-60-8	1 - 2.5

The specific chemical identity and/or exact percentage (concentration) of composition may be withheld as a trade secret.

Both 25068-38-6 and 1675-54-3 can be used to describe the epoxy resin which is produced through the reaction of Bisphenol A and Epichlorhydrin

SECTION 4. FIRST AID MEASURES

General advice : No hazards which require special first aid measures.

If inhaled : Move to fresh air in case of accidental inhalation of dust or fumes from overheating or combustion.
If symptoms persist, call a physician.

SAFETY DATA SHEET

Distributed By
Freeman Manufacturing & Supply Co.
www.freemansupply.com 800-321-8511



HUNTSMAN
Enriching lives through innovation

RENLAM® 4005 US

Version 1.2	Revision Date: 10/08/2018	SDS Number: 400001011875	Date of last issue: 02/14/2017 Date of first issue: 10/26/2015
----------------	------------------------------	-----------------------------	---

- | | |
|---|--|
| In case of skin contact | : Take off contaminated clothing and shoes immediately.
Wash off with soap and plenty of water. |
| In case of eye contact | : Flush eyes with water as a precaution.
Remove contact lenses.
Protect unharmed eye.
Keep eye wide open while rinsing. |
| If swallowed | : Clean mouth with water and drink afterwards plenty of water.
Do not give milk or alcoholic beverages.
Never give anything by mouth to an unconscious person. |
| Most important symptoms and effects, both acute and delayed | : None known. |
| Notes to physician | : Symptomatic and supportive therapy as needed. Following severe exposure medical follow-up should be monitored for at least 48 hours. |

SECTION 5. FIREFIGHTING MEASURES

- | | |
|---|---|
| Suitable extinguishing media | : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. |
| Hazardous combustion products | : Carbon oxides
Halogenated compounds
Carbon dioxide (CO ₂)
Carbon monoxide |
| Specific extinguishing methods | : No data is available on the product itself. |
| Further information | : Standard procedure for chemical fires. |
| Special protective equipment for firefighters | : In the event of fire, wear self-contained breathing apparatus. |

SECTION 6. ACCIDENTAL RELEASE MEASURES

- | | |
|---|--|
| Personal precautions, protective equipment and emergency procedures | : Not applicable for product as supplied. |
| Environmental precautions | : No special environmental precautions required. |
| Methods and materials for containment and cleaning up | : Wipe up with absorbent material (e.g. cloth, fleece).
Keep in suitable, closed containers for disposal. |

SECTION 7. HANDLING AND STORAGE

SAFETY DATA SHEET

Distributed By
Freeman Manufacturing & Supply Co.
www.freemansupply.com 800-321-8511



HUNTSMAN
Enriching lives through innovation

RENLAM® 4005 US

Version 1.2	Revision Date: 10/08/2018	SDS Number: 400001011875	Date of last issue: 02/14/2017 Date of first issue: 10/26/2015
----------------	------------------------------	-----------------------------	---

Advice on protection against fire and explosion : Normal measures for preventive fire protection.

Advice on safe handling : For personal protection see section 8.
No special handling advice required.

Conditions for safe storage : Keep container tightly closed in a dry and well-ventilated place.

Materials to avoid : No special restrictions on storage with other products.

Further information on storage stability : No decomposition if stored and applied as directed.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Contains no substances with occupational exposure limit values.

Engineering measures : Effective exhaust ventilation system

Personal protective equipment

Respiratory protection : No personal respiratory protective equipment normally required.

Hand protection
Remarks : For prolonged or repeated contact use protective gloves.

Eye protection : Safety glasses

Skin and body protection : Protective suit

Hygiene measures : General industrial hygiene practice.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : liquid

Colour : amber

Odour : No data is available on the product itself.

Odour Threshold : No data is available on the product itself.

pH : No data is available on the product itself.

Freezing point : No data is available on the product itself.

Melting point : No data is available on the product itself.

Boiling point : > 350.01 °F / > 176.67 °C

Flash point : > 300.00 °F / > 148.89 °C
Method: closed cup

SAFETY DATA SHEET

Distributed By
Freeman Manufacturing & Supply Co.
www.freemansupply.com 800-321-8511



HUNTSMAN
Enriching lives through innovation

RENLAM® 4005 US

Version 1.2	Revision Date: 10/08/2018	SDS Number: 400001011875	Date of last issue: 02/14/2017 Date of first issue: 10/26/2015
----------------	------------------------------	-----------------------------	---

Evaporation rate	: No data is available on the product itself.
Flammability (solid, gas)	: No data is available on the product itself.
Flammability (liquids)	: No data is available on the product itself.
Upper explosion limit / Upper flammability limit	: No data is available on the product itself.
Lower explosion limit / Lower flammability limit	: No data is available on the product itself.
Vapour pressure	: 0.0097309 hPa (176 °F / 80 °C)
Relative vapour density	: No data is available on the product itself.
Relative density	: 1.14 - 1.17
Density	: No data is available on the product itself.
Solubility(ies)	
Water solubility	: No data is available on the product itself.
Solubility in other solvents	: No data is available on the product itself.
Partition coefficient: n-octanol/water	: No data is available on the product itself.
Auto-ignition temperature	: No data is available on the product itself.
Thermal decomposition	: No data is available on the product itself.
Self-Accelerating decomposition temperature (SADT)	: No data is available on the product itself.
Viscosity	: No data is available on the product itself.
Explosive properties	: No data is available on the product itself.
Oxidizing properties	: No data is available on the product itself.
Particle size	: No data is available on the product itself.

SECTION 10. STABILITY AND REACTIVITY

Reactivity	: Stable under recommended storage conditions.
Chemical stability	: Stable under normal conditions. No decomposition if stored and applied as directed.
Possibility of hazardous reactions	: No hazards to be specially mentioned.
Conditions to avoid	: No data available

RENLAM® 4005 US

Version	Revision Date:	SDS Number:	Date of last issue:
1.2	10/08/2018	400001011875	02/14/2017
			Date of first issue: 10/26/2015

Hazardous decomposition products : Carbon oxides
Hazardous decomposition products : carbon dioxide
carbon monoxide
Halogenated compounds

SECTION 11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure : No data is available on the product itself.

Acute toxicity

Acute oral toxicity - Product : Acute toxicity estimate : > 5,000 mg/kg
Method: Calculation method

Acute inhalation toxicity - Product : Acute toxicity estimate: 15 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Method: Calculation method

Acute dermal toxicity - Product : Acute toxicity estimate : > 5,000 mg/kg
Method: Calculation method

Acute toxicity (other routes of administration) : No data available

Skin corrosion/irritation**Product:**

Remarks: The product is not considered as being a skin irritant.

Serious eye damage/eye irritation**Product:**

Remarks: According to the classification criteria of the European Union, the product is not considered as being an eye irritant.

Respiratory or skin sensitisation**Product:**

Remarks: No data available

Assessment: No data available

Germ cell mutagenicity**Components:**

2,2'-[(1-methylethylidene)bis(4,1-phenyleneoxymethylene)]bisoxirane:

**RENLAM® 4005 US**

Version	Revision Date:	SDS Number:	Date of last issue: 02/14/2017
1.2	10/08/2018	400001011875	Date of first issue: 10/26/2015

Genotoxicity in vitro : Metabolic activation: with and without metabolic activation
Method: OECD Test Guideline 476
Result: positive

Concentration: 0 - 5000 ug/plate
Metabolic activation: with and without metabolic activation
Method: OECD Test Guideline 471
Result: positive

Epoxyphenol Novolac Resin:

Genotoxicity in vitro : Metabolic activation: with and without metabolic activation
Result: positive

Concentration: 0 - 5000 ug/plate
Metabolic activation: with and without metabolic activation
Result: positive

1,4-bis(2,3-epoxypropoxy)butane:

Genotoxicity in vitro : Concentration: 10 - 5000 ug/plate
Metabolic activation: with and without metabolic activation
Method: OECD Test Guideline 471
Result: positive
Remarks: Not classified due to data which are conclusive although insufficient for classification.

Concentration: 1 - 100 µg/L
Metabolic activation: with and without metabolic activation
Method: OECD Test Guideline 473
Result: positive
Remarks: Not classified due to data which are conclusive although insufficient for classification.

p-tert-butylphenyl 1-(2,3-epoxy)propyl ether:

Genotoxicity in vitro : Test Type: Chromosome aberration test in vitro
Test system: Chinese hamster ovary cells
Concentration: 50 ug/plate
Metabolic activation: negative
Method: OECD Test Guideline 473
Result: positive

Test Type: Ames test
Test system: Salmonella typhimurium
Metabolic activation: with and without metabolic activation
Method: OECD Test Guideline 471
Result: positive

Components:

2,2'-[(1-methylethylidene)bis(4,1-phenyleneoxymethylene)]bisoxirane:

Genotoxicity in vivo : Cell type: Germ
Application Route: Oral
Method: OECD Test Guideline 478
Result: negative

Cell type: Somatic
Application Route: Oral

**RENLAM® 4005 US**

Version	Revision Date:	SDS Number:	Date of last issue:
1.2	10/08/2018	400001011875	02/14/2017
			Date of first issue: 10/26/2015

Dose: 0 - 5000 mg/kg
Method: OPPTS 870.5395
Result: negative

Epoxyphenol Novolac Resin:
Genotoxicity in vivo

: Cell type: Germ
Application Route: Oral
Result: negative

Cell type: Somatic
Application Route: Oral
Dose: 0 - 5000 mg/kg
Result: negative

1,4-bis(2,3-epoxypropoxy)butane:
Genotoxicity in vivo

: Test Type: In vivo micronucleus test
Species: Mouse
Cell type: Somatic
Application Route: Oral
Exposure time: 4 d
Dose: 187.5 - 750 mg/kg
Method: OECD Test Guideline 474
Result: negative

Test Type: unscheduled DNA synthesis assay
Species: Rat
Cell type: Liver cells
Application Route: Oral
Method: OECD Test Guideline 486
Result: negative

Components:

1,4-bis(2,3-epoxypropoxy)butane:

Germ cell mutagenicity-
Assessment : Weight of evidence does not support classification as a germ
cell mutagen.

Germ cell mutagenicity-
Assessment : No data available

Carcinogenicity**Components:**

2,2'-[(1-methylethylidene)bis(4,1-phenyleneoxymethylene)]bisoxirane:

Species: Rat, male and female
Application Route: Oral
Exposure time: 24 month(s)
Dose: 15 mg/kg
Frequency of Treatment: 7 days/week
Method: OECD Test Guideline 453
Result: negative

Species: Mouse, male
Application Route: Dermal
Exposure time: 24 month(s)

**RENLAM® 4005 US**

Version	Revision Date:	SDS Number:	Date of last issue: 02/14/2017
1.2	10/08/2018	400001011875	Date of first issue: 10/26/2015

Dose: 0.1 mg/kg
Frequency of Treatment: 3 days/week
Method: OECD Test Guideline 453
Result: negative

Species: Rat, female
Application Route: Dermal
Exposure time: 24 month(s)
Dose: 1 mg/kg
Frequency of Treatment: 5 days/week
Method: OECD Test Guideline 453
Result: negative

Epoxyphenol Novolac Resin:
Species: Rat, male and female
Application Route: Oral
Exposure time: 24 month(s)
Dose: 15 mg/kg
Frequency of Treatment: 7 daily
Method: OECD Test Guideline 453
Result: negative

Species: Mouse, male
Application Route: Dermal
Exposure time: 24 month(s)
Dose: .1 mg/kg
Frequency of Treatment: 3 daily
Method: OECD Test Guideline 453
Result: negative

Species: Rat, female
Application Route: Dermal
Exposure time: 24 month(s)
Dose: 1 mg/kg
Frequency of Treatment: 5 daily
Method: OECD Test Guideline 453
Result: negative

Carcinogenicity - Assessment : No data available

IARC No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

ACGIH No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by ACGIH.

OSHA No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.

NTP No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

**RENLAM® 4005 US**

Version	Revision Date:	SDS Number:	Date of last issue: 02/14/2017
1.2	10/08/2018	400001011875	Date of first issue: 10/26/2015

Reproductive toxicity**Components:**

2,2'-[(1-methylethylidene)bis(4,1-phenyleneoxymethylene)]bisoxirane:

Effects on fertility : Test Type: Two-generation study
 Species: Rat, male and female
 Application Route: Oral
 Dose: >750 milligram per kilogram
 General Toxicity - Parent: No-observed-effect level: 540 mg/kg body weight
 General Toxicity F1: No-observed-effect level: 540 mg/kg body weight
 Symptoms: No adverse effects
 Method: OECD Test Guideline 416
 Result: No effects on fertility and early embryonic development were detected.

Epoxyphenol Novolac Resin:

Species: Rat, male and female
 Application Route: Oral
 Method: OECD Test Guideline 416
 Result: No effects on fertility and early embryonic development were detected.

Components:

2,2'-[(1-methylethylidene)bis(4,1-phenyleneoxymethylene)]bisoxirane:

Effects on foetal development : Species: Rabbit, female
 Application Route: Dermal
 General Toxicity Maternal: No observed adverse effect level: 30 mg/kg body weight
 Method: Other guidelines
 Result: No teratogenic effects

Species: Rabbit, female
 Application Route: Oral
 General Toxicity Maternal: No observed adverse effect level: 60 mg/kg body weight
 Method: OECD Test Guideline 414
 Result: No teratogenic effects

Species: Rat, female
 Application Route: Oral
 General Toxicity Maternal: No observed adverse effect level: 180 mg/kg body weight
 Method: OECD Test Guideline 414
 Result: No teratogenic effects

Epoxyphenol Novolac Resin:

Species: Rabbit, female
 Application Route: Dermal
 General Toxicity Maternal: No observed adverse effect level: 30 mg/kg body weight
 Result: No teratogenic effects

Species: Rabbit, female
 Application Route: Oral

RENLAM® 4005 US

Version	Revision Date:	SDS Number:	Date of last issue:
1.2	10/08/2018	400001011875	02/14/2017
			Date of first issue: 10/26/2015

General Toxicity Maternal: No observed adverse effect level:
60 mg/kg body weight
Method: OECD Test Guideline 414
Result: No teratogenic effects

Species: Rat, female
Application Route: Oral
General Toxicity Maternal: No observed adverse effect level:
180 mg/kg body weight
Method: OECD Test Guideline 414
Result: No teratogenic effects

Reproductive toxicity - : No data available
Assessment

STOT - single exposure

No data available

STOT - repeated exposure

No data available

Repeated dose toxicity**Components:**

2,2'-[(1-methylethylidene)bis(4,1-phenyleneoxymethylene)]bisoxirane:

Species: Rat, male and female

NOAEL: 50 mg/kg

Application Route: Ingestion

Exposure time: 14 Weeks

Number of exposures: 7 d

Method: Subchronic toxicity

Species: Rat, male and female

NOEL: 10 mg/kg

Application Route: Skin contact

Exposure time: 13 Weeks

Number of exposures: 5 d

Method: Subchronic toxicity

Species: Mouse, male

NOAEL: 100 mg/kg

Application Route: Skin contact

Exposure time: 13 Weeks

Number of exposures: 3 d

Method: Subchronic toxicity

Epoxyphenol Novolac Resin:

Species: Rat, male and female

NOAEL: 50 mg/kg

Application Route: Ingestion

Exposure time: 14 Weeks

Number of exposures: 7 d

Method: Subchronic toxicity

SAFETY DATA SHEET

Distributed By
Freeman Manufacturing & Supply Co.
www.freemansupply.com 800-321-8511



HUNTSMAN

Enriching lives through innovation

RENLAM® 4005 US

Version	Revision Date:	SDS Number:	Date of last issue: 02/14/2017
1.2	10/08/2018	400001011875	Date of first issue: 10/26/2015

Species: Rat, male and female
NOEL: 10 mg/kg
Application Route: Skin contact
Exposure time: 13 Weeks
Number of exposures: 5 d
Method: Subchronic toxicity

Species: Mouse, male
NOAEL: 100 mg/kg
Application Route: Skin contact
Exposure time: 13 Weeks
Number of exposures: 3 d
Method: Subchronic toxicity

1,4-bis(2,3-epoxypropoxy)butane:
Species: Rat, male and female
NOAEL: 200 mg/kg
Application Route: Ingestion
Exposure time: 28 d
Number of exposures: 7 d
Method: Subacute toxicity

Repeated dose toxicity - : No data available
Assessment

Aspiration toxicity

No data available

Experience with human exposure

General Information: No data available

Inhalation: No data available

Skin contact: No data available

Eye contact: No data available

Ingestion: No data available

Toxicology, Metabolism, Distribution

No data available

Neurological effects

No data available

**RENLAM® 4005 US**

Version	Revision Date:	SDS Number:	Date of last issue:
1.2	10/08/2018	400001011875	02/14/2017
			Date of first issue: 10/26/2015

Further information**Product:**

Remarks: No data available

SECTION 12. ECOLOGICAL INFORMATION**Ecotoxicity****Components:**

2,2'-[(1-methylethylidene)bis(4,1-phenyleneoxymethylene)]bisoxirane:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 1.5 mg/l
Exposure time: 96 h
Test Type: static test
Test substance: Fresh water
Method: OECD Test Guideline 203

Epoxyphenol Novolac Resin:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 1.5 mg/l
Exposure time: 96 h
Test Type: static test
Test substance: Fresh water
Method: OECD Test Guideline 203

1,4-bis(2,3-epoxypropoxy)butane:

Toxicity to fish : LC50 (Brachydanio rerio (zebrafish)): 24 mg/l
Exposure time: 96 h
Test Type: static test
Test substance: Fresh water
Method: OECD Test Guideline 203

p-tert-butylphenyl 1-(2,3-epoxy)propyl ether:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 7.5 mg/l
Exposure time: 96 h
Test Type: static test
Test substance: Fresh water
Method: OECD Test Guideline 203

Components:

2,2'-[(1-methylethylidene)bis(4,1-phenyleneoxymethylene)]bisoxirane:

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 2.7 mg/l
Exposure time: 48 h
Test Type: static test
Test substance: Fresh water

Epoxyphenol Novolac Resin:

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 1.7 mg/l
Exposure time: 48 h
Test Type: static test
Test substance: Fresh water
Method: OECD Test Guideline 202

**RENLAM® 4005 US**

Version	Revision Date:	SDS Number:	Date of last issue:
1.2	10/08/2018	400001011875	02/14/2017
			Date of first issue: 10/26/2015

EC50 (Daphnia magna (Water flea)): 2.7 mg/l
Exposure time: 48 h
Test Type: static test
Test substance: Fresh water

1,4-bis(2,3-epoxypropoxy)butane:

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 75 mg/l
Exposure time: 24 h
Test Type: static test
Test substance: Fresh water
Method: OECD Test Guideline 202

p-tert-butylphenyl 1-(2,3-epoxy)propyl ether:

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): ca. 67.9 mg/l
Exposure time: 48 h
Test Type: static test
Test substance: Fresh water
Method: OECD Test Guideline 202

Components:**2,2'-[(1-methylethylidene)bis(4,1-phenyleneoxymethylene)]bisoxirane:**

Toxicity to algae : EC50 (Selenastrum capricornutum (green algae)): 9.4 mg/l
Exposure time: 72 h
Test Type: static test
Test substance: Fresh water
Method: EPA-660/3-75-009

Epoxyphenol Novolac Resin:

Toxicity to algae : EC50 (Selenastrum capricornutum (green algae)): 9.4 mg/l
Exposure time: 72 h
Test Type: static test
Test substance: Fresh water

1,4-bis(2,3-epoxypropoxy)butane:

Toxicity to algae : EL50: > 160 mg/l
Exposure time: 72 h
Test Type: static test
Test substance: Fresh water
Method: OECD Test Guideline 201

p-tert-butylphenyl 1-(2,3-epoxy)propyl ether:

Toxicity to algae : EbC50 (Selenastrum capricornutum (green algae)): ca. 9 mg/l
Exposure time: 72 h
Test Type: static test
Test substance: Fresh water
Method: OECD Test Guideline 201

M-Factor (Acute aquatic toxicity) : No data available

Components:**Epoxyphenol Novolac Resin:**

Toxicity to fish (Chronic toxicity) : GLP: yes

**RENLAM® 4005 US**

Version	Revision Date:	SDS Number:	Date of last issue:
1.2	10/08/2018	400001011875	02/14/2017
			Date of first issue: 10/26/2015

Components:

2,2'-[(1-methylethylidene)bis(4,1-phenyleneoxymethylene)]bisoxirane:

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Daphnia magna (Water flea)): 0.3 mg/l
Exposure time: 21 d
Test Type: semi-static test
Test substance: Fresh water
Method: OECD Test Guideline 211

Epoxyphenol Novolac Resin:

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Daphnia magna (Water flea)): 0.3 mg/l
Exposure time: 21 d
Test Type: semi-static test
Test substance: Fresh water
Method: OECD Test Guideline 211

M-Factor (Chronic aquatic toxicity) : No data available

Components:

2,2'-[(1-methylethylidene)bis(4,1-phenyleneoxymethylene)]bisoxirane:

Toxicity to microorganisms : IC50 (activated sludge): > 100 mg/l
Exposure time: 3 h
Test Type: static test
Test substance: Fresh water

Epoxyphenol Novolac Resin:

Toxicity to microorganisms : IC50 (activated sludge): > 100 mg/l
Exposure time: 3 h
Test Type: static test
Test substance: Fresh water

1,4-bis(2,3-epoxypropoxy)butane:

Toxicity to microorganisms : IC50 (activated sludge): > 100 mg/l
Exposure time: 3 h
Test Type: static test
Test substance: Fresh water
Method: OECD Test Guideline 209

p-tert-butylphenyl 1-(2,3-epoxy)propyl ether:

Toxicity to microorganisms : EC50: > 1,000 mg/l
Exposure time: 3 h
Test Type: static test
Test substance: Fresh water
Method: OECD Test Guideline 209

Toxicity to soil dwelling organisms : No data available

Plant toxicity : No data available

Sediment toxicity : No data available

Toxicity to terrestrial organisms : No data available

**RENLAM® 4005 US**

Version	Revision Date:	SDS Number:	Date of last issue:
1.2	10/08/2018	400001011875	02/14/2017
			Date of first issue: 10/26/2015

Ecotoxicology Assessment

Acute aquatic toxicity : No data available

Chronic aquatic toxicity : No data available

Toxicity Data on Soil : No data available

Other organisms relevant to the environment : No data available

Persistence and degradability**Components:**

2,2'-[(1-methylethylidene)bis(4,1-phenyleneoxymethylene)]bisoxirane:

Biodegradability : Inoculum: Sewage (STP effluent)
Concentration: 20 mg/l
Result: Not readily biodegradable.
Biodegradation: 5 %
Exposure time: 28 d
Method: OECD Test Guideline 301F

Epoxyphenol Novolac Resin:

Biodegradability : Inoculum: Sewage (STP effluent)
Concentration: 20 mg/l
Result: Not readily biodegradable.
Biodegradation: 5 %
Exposure time: 28 d
Method: OECD Test Guideline 301F

1,4-bis(2,3-epoxypropoxy)butane:

Biodegradability : Inoculum: activated sludge
Concentration: 20 mg/l
Result: Not readily biodegradable.
Biodegradation: 43 %
Exposure time: 28 d
Method: OECD Test Guideline 301F

p-tert-butylphenyl 1-(2,3-epoxy)propyl ether:

Biodegradability : Test Type: aerobic
Inoculum: activated sludge
Concentration: 5 mg/l
Result: Not readily biodegradable.
Biodegradation: ca. 1.1 %
Exposure time: 28 d
Method: OECD Test Guideline 301D

Biochemical Oxygen Demand (BOD) : No data available

Chemical Oxygen Demand (COD) : No data available

BOD/COD : No data available

ThOD : No data available

**RENLAM® 4005 US**

Version	Revision Date:	SDS Number:	Date of last issue:
1.2	10/08/2018	400001011875	02/14/2017
			Date of first issue: 10/26/2015

BOD/ThOD : No data available

Dissolved organic carbon (DOC) : No data available

Physico-chemical removability : No data available

Components:

2,2'-[(1-methylethylidene)bis(4,1-phenyleneoxymethylene)]bisoxirane:

Stability in water : Degradation half life(DT50): 4.83 d (77 °F / 25 °C) pH: 4
Method: OECD Test Guideline 111
Remarks: Fresh water

Degradation half life(DT50): 7.1 d (77 °F / 25 °C) pH: 9
Method: OECD Test Guideline 111
Remarks: Fresh water

Degradation half life(DT50): 3.58 d (77 °F / 25 °C) pH: 7
Method: OECD Test Guideline 111
Remarks: Fresh water

Epoxyphenol Novolac Resin:

Stability in water : Degradation half life(DT50): 4.83 d (77 °F / 25 °C) pH: 4
Method: OECD Test Guideline 111
Remarks: Fresh water

Degradation half life(DT50): 7.1 d (77 °F / 25 °C) pH: 9
Method: OECD Test Guideline 111
Remarks: Fresh water

Degradation half life(DT50): 3.58 d (77 °F / 25 °C) pH: 7
Method: OECD Test Guideline 111
Remarks: Fresh water

p-tert-butylphenyl 1-(2,3-epoxy)propyl ether:

Stability in water : Degradation half life(DT50): ca. 17 d (77 °F / 25 °C) pH: 7
Method: OECD Test Guideline 111
Remarks: Fresh water

Degradation half life(DT50): ca. 7.98 d (77 °F / 25 °C) pH: 4
Method: OECD Test Guideline 111
Remarks: Fresh water

Degradation half life(DT50): ca. 10.8 d (77 °F / 25 °C) pH: 9
Method: OECD Test Guideline 111
Remarks: Fresh water

Photodegradation : No data available

Impact on Sewage Treatment : No data available

**RENLAM® 4005 US**

Version	Revision Date:	SDS Number:	Date of last issue:
1.2	10/08/2018	400001011875	02/14/2017
			Date of first issue: 10/26/2015

Bioaccumulative potential**Components:**

2,2'-[(1-methylethylidene)bis(4,1-phenyleneoxymethylene)]bisoxirane:
Bioaccumulation : Bioconcentration factor (BCF): 31
Remarks: Does not bioaccumulate.

Epoxyphenol Novolac Resin:

Bioaccumulation : Bioconcentration factor (BCF): 31
Remarks: Does not bioaccumulate.

Components:

2,2'-[(1-methylethylidene)bis(4,1-phenyleneoxymethylene)]bisoxirane:
Partition coefficient: n-octanol/water : log Pow: 3.242 (77 °F / 25 °C)
pH: 7.1
Method: OECD Test Guideline 117

Epoxyphenol Novolac Resin:

Partition coefficient: n-octanol/water : log Pow: 3.242 (77 °F / 25 °C)
pH: 7.1
Method: OECD Test Guideline 117

1,4-bis(2,3-epoxypropoxy)butane:

Partition coefficient: n-octanol/water : log Pow: -0.269 (77 °F / 25 °C)
pH: 6.7
Method: OECD Test Guideline 117

p-tert-butylphenyl 1-(2,3-epoxy)propyl ether:

Partition coefficient: n-octanol/water : log Pow: 3.59 (68 °F / 20 °C)
pH: 7
Method: OECD Test Guideline 107

Mobility in soil

Mobility : No data available

Components:

2,2'-[(1-methylethylidene)bis(4,1-phenyleneoxymethylene)]bisoxirane:
Distribution among environmental compartments : Koc: 445

Epoxyphenol Novolac Resin:

Distribution among environmental compartments : Koc: 445

1,4-bis(2,3-epoxypropoxy)butane:

Distribution among environmental compartments : Koc: 12.59
Method: OECD Test Guideline 121

p-tert-butylphenyl 1-(2,3-epoxy)propyl ether:

Distribution among environmental compartments : OECD Test Guideline 121
Koc: ca. 755, log Koc: ca. 2.88
Method: OECD Test Guideline 121

Stability in soil : No data available

**RENLAM® 4005 US**

Version	Revision Date:	SDS Number:	Date of last issue:
1.2	10/08/2018	400001011875	02/14/2017
			Date of first issue: 10/26/2015

Other adverse effects

Environmental fate and pathways : No data available

Results of PBT and vPvB assessment : No data available

Endocrine disrupting potential : No data available

Adsorbed organic bound halogens (AOX) : No data available

Hazardous to the ozone layer

Ozone-Depletion Potential : Regulation: 40 CFR Protection of Environment; Part 82 Protection of Stratospheric Ozone - CAA Section 602 Class I Substances
Remarks: This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B).

Additional ecological information - Product : There is no data available for this product.

Global warming potential (GWP) : No data available

SECTION 13. DISPOSAL CONSIDERATIONS**Disposal methods**

Waste from residues : Offer surplus and non-recyclable solutions to a licensed disposal company.

Contaminated packaging : Empty remaining contents.
Empty containers should be taken to an approved waste handling site for recycling or disposal.

SECTION 14. TRANSPORT INFORMATION**International Regulations****IATA**

UN/ID No.	: UN 3082
Proper shipping name	: Environmentally hazardous substance, liquid, n.o.s. (BISPHENOL A EPOXY RESIN, EPOXY PHENOL NOVOLAC RESIN)
Class	: 9
Packing group	: III
Labels	: Miscellaneous

SAFETY DATA SHEET

Distributed By
Freeman Manufacturing & Supply Co.
www.freemansupply.com 800-321-8511



HUNTSMAN
Enriching lives through innovation

RENLAM® 4005 US

Version	Revision Date:	SDS Number:	Date of last issue:
1.2	10/08/2018	400001011875	02/14/2017
			Date of first issue: 10/26/2015

Packing instruction (cargo aircraft) : 964

Packing instruction (passenger aircraft) : 964

IMDG

UN number : UN 3082

Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
(BISPHENOL A EPOXY RESIN, EPOXY PHENOL NOVOLAC RESIN)

Class : 9

Packing group : III

Labels : 9

EmS Code : F-A, S-F

Marine pollutant : yes

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

National Regulations

DOT Classification

UN/ID/NA number : UN 3082

Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
(BISPHENOL A EPOXY RESIN, EPOXY PHENOL NOVOLAC RESIN)

Class : 9

Packing group : III

Labels : CLASS 9

ERG Code : 171

Marine pollutant : yes(BISPHENOL A EPOXY RESIN, EPOXY PHENOL NOVOLAC RESIN)

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

SECTION 15. REGULATORY INFORMATION

EPCRA - Emergency Planning and Community Right-to-Know Act

CERCLA Reportable Quantity

Components	CAS-No.	Component RQ (lbs)	Calculated product RQ (lbs)
1-chloro-2,3-epoxypropane	106-89-8	100	*

*: Calculated RQ exceeds reasonably attainable upper limit.

SARA 311/312 Hazards : Skin corrosion or irritation
Serious eye damage or eye irritation
Respiratory or skin sensitisation

**RENLAM® 4005 US**

Version	Revision Date:	SDS Number:	Date of last issue:
1.2	10/08/2018	400001011875	02/14/2017
			Date of first issue: 10/26/2015

SARA 313 : This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

This product does not contain any hazardous air pollutants (HAP), as defined by the U.S. Clean Air Act Section 112 (40 CFR 61).

California Prop. 65

This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

WARNING: This product can expose you to chemicals including 1-chloro-2,3-epoxypropane, which is/are known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

The components of this product are reported in the following inventories:

CH INV	: On the inventory, or in compliance with the inventory
DSL	: All components of this product are on the Canadian DSL
AICS	: On the inventory, or in compliance with the inventory
NZIoC	: not determined
ENCS	: On the inventory, or in compliance with the inventory
KECI	: On the inventory, or in compliance with the inventory
PICCS	: On the inventory, or in compliance with the inventory
IECSC	: On the inventory, or in compliance with the inventory
TCSI	: On the inventory, or in compliance with the inventory
TSCA	: On the inventory, or in compliance with the inventory

Inventories

AICS (Australia), DSL (Canada), IECSC (China), REACH (European Union), ENCS (Japan), ISHL (Japan), KECI (Korea), NZIoC (New Zealand), PICCS (Philippines), TCSI (Taiwan), TSCA (USA)

TSCA - 5(a) Significant New Use Rule List of Chemicals

No substances are subject to a Significant New Use Rule.

US. Toxic Substances Control Act (TSCA) Section 12(b) Export Notification (40 CFR 707, Subpt D)

No substances are subject to TSCA 12(b) export notification requirements.

SAFETY DATA SHEET

Distributed By
Freeman Manufacturing & Supply Co.
www.freemansupply.com 800-321-8511



HUNTSMAN
Enriching lives through innovation


RENLAM® 4005 US

Version	Revision Date:	SDS Number:	Date of last issue:
1.2	10/08/2018	400001011875	02/14/2017
			Date of first issue: 10/26/2015

SECTION 16. OTHER INFORMATION

Further information

NFPA 704:



HMIS® IV:

HEALTH		3
FLAMMABILITY		1
PHYSICAL HAZARD		0

HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. The "*" represents a chronic hazard, while the "/" represents the absence of a chronic hazard.

Revision Date : 10/08/2018

The information and recommendations in this publication are to the best of our knowledge, information and belief accurate at the date of publication, NOTHING HEREIN IS TO BE CONSTRUED AS A WARRANTY, EXPRESS OR OTHERWISE.

IN ALL CASES, IT IS THE RESPONSIBILITY OF THE USER TO DETERMINE THE APPLICABILITY OF SUCH INFORMATION AND RECOMMENDATIONS AND THE SUITABILITY OF ANY PRODUCT FOR ITS OWN PARTICULAR PURPOSE.

THE PRODUCT MAY PRESENT HAZARDS AND SHOULD BE USED WITH CAUTION. WHILE CERTAIN HAZARDS ARE DESCRIBED IN THIS PUBLICATION, NO GUARANTEE IS MADE THAT THESE ARE THE ONLY HAZARDS THAT EXIST.

Hazards, toxicity and behaviour of the products may differ when used with other materials and are dependent upon the manufacturing circumstances or other processes. Such hazards, toxicity and behaviour should be determined by the user and made known to handlers, processors and end users.

The trademarks above are the property of Huntsman Corporation or an affiliate thereof.

NO PERSON OR ORGANIZATION EXCEPT A DULY AUTHORIZED HUNTSMAN EMPLOYEE IS AUTHORIZED TO PROVIDE OR MAKE AVAILABLE DATA SHEETS FOR HUNTSMAN PRODUCTS. DATA SHEETS FROM UNAUTHORIZED SOURCES MAY CONTAIN INFORMATION THAT IS NO LONGER CURRENT OR ACCURATE.

SAFETY DATA SHEET

Distributed By
Freeman Manufacturing & Supply Co.
www.freemansupply.com 800-321-8511



HUNTSMAN
Enriching lives through innovation

REN® 1500 US

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	06/02/2016	400001010557	Date of first issue: 06/02/2016

SECTION 1. IDENTIFICATION

Product name : REN® 1500 US

Manufacturer or supplier's details

Company name of supplier : Huntsman Advanced Materials Americas LLC
Address : P.O. Box 4980
The Woodlands,
TX 77387
United States of America
Telephone : Non-Emergency: (800) 257-5547
E-mail address of person responsible for the SDS : MSDS@huntsman.com
Emergency telephone number : Chemtrec: (800) 424-9300 or (703) 527-3887

Recommended use of the chemical and restrictions on use

Recommended use : Hardener

SECTION 2. HAZARDS IDENTIFICATION

GHS Classification

Acute toxicity (Dermal) : Category 4
Skin corrosion : Category 1B
Serious eye damage : Category 1
Skin sensitisation : Category 1
Acute aquatic toxicity : Category 3
Chronic aquatic toxicity : Category 3

GHS label elements

Hazard pictograms :



Signal word : Danger

Hazard statements : H312 Harmful in contact with skin.
H314 Causes severe skin burns and eye damage.
H317 May cause an allergic skin reaction.
H412 Harmful to aquatic life with long lasting effects.

Precautionary statements : **Prevention:**

SAFETY DATA SHEET

Distributed By
Freeman Manufacturing & Supply Co.
www.freemansupply.com 800-321-8511
FREEMAN

HUNTSMAN
Enriching lives through innovation

REN® 1500 US

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	06/02/2016	400001010557	Date of first issue: 06/02/2016

P261 Avoid breathing dust/ fume/ gas/ mist/ vapours/ spray.
P264 Wash skin thoroughly after handling.
P272 Contaminated work clothing should not be allowed out of the workplace.
P273 Avoid release to the environment.
P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

Response:

P301 + P330 + P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.
P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.
P304 + P340 + P310 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER/doctor.
P305 + P351 + P338 + P310 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/doctor.
P333 + P313 If skin irritation or rash occurs: Get medical advice/ attention.
P363 Wash contaminated clothing before reuse.

Storage:

P405 Store locked up.

Disposal:

P501 Dispose of contents/ container to an approved waste disposal plant.

Other hazards

None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Hazardous components

Chemical name	CAS-No.	Concentration (% w/w)
triethylenetetramine	112-24-3	30 - 60
metaxylenediamine	1477-55-0	13 - 30
1-methylimidazole	616-47-7	3 - 7
2,2,4(or 2,4,4)-trimethylhexane-1,6-diamine	25513-64-8	0.1 - 1

The specific chemical identity and/or exact percentage (concentration) of composition has been withheld as a trade secret.

SECTION 4. FIRST AID MEASURES

General advice : Move out of dangerous area.
Consult a physician.
Show this safety data sheet to the doctor in attendance.
Do not leave the victim unattended.

If inhaled : If unconscious place in recovery position and seek medical

SAFETY DATA SHEET

Distributed By
Freeman Manufacturing & Supply Co.
www.freemansupply.com 800-321-8511
FREEMAN



HUNTSMAN
Enriching lives through innovation

REN® 1500 US

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	06/02/2016	400001010557	Date of first issue: 06/02/2016

- advice.
If symptoms persist, call a physician.
- In case of skin contact : Immediate medical treatment is necessary as untreated wounds from corrosion of the skin heal slowly and with difficulty.
If on skin, rinse well with water.
If on clothes, remove clothes.
- In case of eye contact : Small amounts splashed into eyes can cause irreversible tissue damage and blindness.
In the case of contact with eyes, rinse immediately with plenty of water and seek medical advice.
Continue rinsing eyes during transport to hospital.
Remove contact lenses.
Protect unharmed eye.
Keep eye wide open while rinsing.
If eye irritation persists, consult a specialist.
- If swallowed : Keep respiratory tract clear.
Do NOT induce vomiting.
Do not give milk or alcoholic beverages.
Never give anything by mouth to an unconscious person.
If symptoms persist, call a physician.
Take victim immediately to hospital.
- Most important symptoms and effects, both acute and delayed : None known.
- Notes to physician : Symptomatic and supportive therapy as needed. Following severe exposure medical follow-up should be monitored for at least 48 hours.

SECTION 5. FIREFIGHTING MEASURES

- Suitable extinguishing media : No data is available on the product itself.
- Unsuitable extinguishing media : High volume water jet
- Specific hazards during firefighting : Do not allow run-off from fire fighting to enter drains or water courses.
- Hazardous combustion products : No data is available on the product itself.
- Specific extinguishing methods : No data is available on the product itself.
- Further information : Collect contaminated fire extinguishing water separately. This must not be discharged into drains.

REN® 1500 US

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	06/02/2016	400001010557	Date of first issue: 06/02/2016

Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

Special protective equipment for firefighters : Wear self-contained breathing apparatus for firefighting if necessary.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures : Use personal protective equipment.

Environmental precautions : Prevent product from entering drains. Prevent further leakage or spillage if safe to do so. If the product contaminates rivers and lakes or drains inform respective authorities.

Methods and materials for containment and cleaning up : Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Keep in suitable, closed containers for disposal.

SECTION 7. HANDLING AND STORAGE

Advice on protection against fire and explosion : Normal measures for preventive fire protection.

Advice on safe handling : Do not breathe vapours/dust. Avoid exposure - obtain special instructions before use. Avoid contact with skin and eyes. For personal protection see section 8. Smoking, eating and drinking should be prohibited in the application area. To avoid spills during handling keep bottle on a metal tray. Dispose of rinse water in accordance with local and national regulations. Persons susceptible to skin sensitisation problems or asthma, allergies, chronic or recurrent respiratory disease should not be employed in any process in which this mixture is being used.

Conditions for safe storage : Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Observe label precautions. Electrical installations / working materials must comply with the technological safety standards.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION**Components with workplace control parameters**

Components	CAS-No.	Value type (Form of	Control parameters /	Basis
------------	---------	------------------------	-------------------------	-------

SAFETY DATA SHEET

Distributed By
Freeman Manufacturing & Supply Co.
www.freemansupply.com 800-321-8511
FREEMAN

HUNTSMAN
Enriching lives through innovation

REN® 1500 US

Version 1.0 Revision Date: 06/02/2016 SDS Number: 400001010557 Date of last issue: -
Date of first issue: 06/02/2016

		exposure)	Permissible concentration	
metaxylenediamine	1477-55-0	C	0.1 mg/m3	ACGIH
		C	0.1 mg/m3	OSHA P0

Engineering measures : Maintain air concentrations below occupational exposure standards.

Personal protective equipment

Respiratory protection : When workers are facing concentrations above the exposure limit they must use appropriate certified respirators.

Respiratory protection : No personal respiratory protective equipment normally required.

Hand protection
Remarks : The suitability for a specific workplace should be discussed with the producers of the protective gloves.

Eye protection : Eye wash bottle with pure water
Tightly fitting safety goggles
Wear face-shield and protective suit for abnormal processing problems.

Skin and body protection : Impervious clothing
Choose body protection according to the amount and concentration of the dangerous substance at the work place.

Hygiene measures : When using do not eat or drink.
When using do not smoke.
Wash hands before breaks and at the end of workday.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : liquid

Colour : light yellow

Odour : No data is available on the product itself.

Odour Threshold : No data is available on the product itself.

pH : No data is available on the product itself.

Boiling point : > 204 °C

Flash point : > 110 °C Method: closed cup

Evaporation rate : No data is available on the product itself.

Flammability (solid, gas) : No data is available on the product itself.

Flammability (liquids) : No data is available on the product itself.

SAFETY DATA SHEET

Distributed By
Freeman Manufacturing & Supply Co.
www.freemansupply.com 800-321-8511
FREEMAN



HUNTSMAN
Enriching lives through innovation

REN® 1500 US

Version 1.0	Revision Date: 06/02/2016	SDS Number: 400001010557	Date of last issue: - Date of first issue: 06/02/2016
----------------	------------------------------	-----------------------------	--

Upper explosion limit	: No data is available on the product itself.
Lower explosion limit	: No data is available on the product itself.
Vapour pressure	: No data is available on the product itself.
Relative vapour density	: No data is available on the product itself.
Relative density	: 1.04
Density	: No data is available on the product itself.
Solubility(ies)	
Water solubility	: No data is available on the product itself.
Solubility in other solvents	: No data is available on the product itself.
Partition coefficient: n-octanol/water	: No data is available on the product itself.
Auto-ignition temperature	: No data is available on the product itself.
Thermal decomposition	: No data is available on the product itself.
Self-Accelerating decomposition temperature (SADT)	: No data is available on the product itself.
Viscosity	: No data is available on the product itself.

SECTION 10. STABILITY AND REACTIVITY

Reactivity	: No decomposition if stored and applied as directed.
Chemical stability	: No decomposition if stored and applied as directed.
Possibility of hazardous reactions	: No decomposition if stored and applied as directed.
Conditions to avoid	: No data available

SECTION 11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure	: No data is available on the product itself.
--	---

Acute toxicity

Acute oral toxicity - Product	: Acute toxicity estimate : 2,043 mg/kg Method: Calculation method
-------------------------------	---

Acute inhalation toxicity - Product	: Acute toxicity estimate: 9.31 mg/l Exposure time: 4 h Test atmosphere: dust/mist Method: Calculation method
-------------------------------------	--

Acute dermal toxicity -	: Acute toxicity estimate : 1,477 mg/kg
-------------------------	---

REN® 1500 US

Version 1.0	Revision Date: 06/02/2016	SDS Number: 400001010557	Date of last issue: - Date of first issue: 06/02/2016
----------------	------------------------------	-----------------------------	--

Product Method: Calculation method

Acute toxicity (other routes of administration) : No data available

Skin corrosion/irritation**Product:**

Remarks: Extremely corrosive and destructive to tissue.

Serious eye damage/eye irritation**Product:**

Remarks: May cause irreversible eye damage.

Respiratory or skin sensitisation**Product:**

Remarks: Causes sensitisation.

Components:

metaxylenediamine:

Assessment:

Harmful if swallowed or if inhaled, May be harmful in contact with skin., Causes severe skin burns and eye damage.
May cause an allergic skin reaction.

Germ cell mutagenicity**Components:**

triethylenetetramine:

Genotoxicity in vitro

: Concentration: 0 - 200 µg/L
Metabolic activation: negative
Method: OECD Test Guideline 482
Result: negative

metaxylenediamine:

Genotoxicity in vitro

: Test Type: Ames test
Species: Salmonella typhimurium
Metabolic activation: with and without metabolic activation
Method: OECD Test Guideline 471
Result: negative
GLP: yes

Test Type: Chromosome aberration test in vitro
Species: Chinese hamster lung cells
Metabolic activation: with and without metabolic activation
Method: OECD Test Guideline 473
Result: negative
GLP: yes

Test Type: In vitro mammalian cell gene mutation test
Species: mouse lymphoma cells
Metabolic activation: with and without metabolic activation

REN® 1500 US

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	06/02/2016	400001010557	Date of first issue: 06/02/2016

Method: OECD Test Guideline 476
 Result: negative
 GLP: yes

1-methylimidazole:

Genotoxicity in vitro

: Metabolic activation: with and without metabolic activation
 Result: negative

Metabolic activation: with and without metabolic activation
 Method: OECD Test Guideline 471
 Result: negative

Metabolic activation: with and without metabolic activation
 Method: OECD Test Guideline 476
 Result: negative

2,2,4(or 2,4,4)-trimethylhexane-1,6-diamine:

Genotoxicity in vitro

: Test Type: Ames test
 Species: Salmonella typhimurium
 Concentration: 5000 ug/plate
 Metabolic activation: with and without metabolic activation
 Method: Directive 67/548/EEC, Annex, B.13/14
 Result: negative

Test Type: Chromosome aberration test in vitro
 Species: Chinese hamster ovary cells
 Metabolic activation: with and without metabolic activation
 Method: OECD Test Guideline 473
 Result: negative

Test Type: In vitro mammalian cell gene mutation test
 Species: Chinese hamster ovary cells
 Concentration: 2 mg/ml
 Metabolic activation: with and without metabolic activation
 Method: OECD Test Guideline 476
 Result: negative

Components:**triethylenetetramine:**

Genotoxicity in vivo

: Application Route: Intraperitoneal injection
 Dose: 0 - 600 mg/kg
 Method: OECD Test Guideline 474
 Result: negative

metaxylenediamine:

Genotoxicity in vivo

: Test Type: In vivo micronucleus test
 Species: Mouse (male and female)
 Cell type: Bone marrow
 Application Route: Oral
 Exposure time: single dose
 Dose: 750 mg/kg body weight
 Method: OECD Test Guideline 474
 Result: negative
 GLP: yes

SAFETY DATA SHEET

Distributed By
Freeman Manufacturing & Supply Co.
www.freemansupply.com 800-321-8511 **FREEMAN**



HUNTSMAN
Enriching lives through innovation

REN® 1500 US

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	06/02/2016	400001010557	Date of first issue: 06/02/2016

2,2,4(or 2,4,4)-trimethylhexane-1,6-diamine:

Genotoxicity in vivo : Species: Chinese hamster (male and female)
Cell type: Bone marrow
Application Route: Oral
Dose: 825 - 1000 mg/kg
Method: OECD Test Guideline 474
Result: negative

Test Type: In vivo micronucleus test
Species: Mouse (male and female)
Application Route: Oral
Dose: 850 - 1000 mg/kg
Method: OECD Test Guideline 474
Result: negative

Components:

metaxylenediamine:

Germ cell mutagenicity- : Tests on bacterial or mammalian cell cultures did not show
Assessment mutagenic effects., Animal testing did not show any mutagenic effects.

Germ cell mutagenicity- : No data available
Assessment

Carcinogenicity

Components:

triethylenetetramine:

Species: Mouse, (male)
Application Route: Dermal
Dose: 42 mg/kg
Frequency of Treatment: 3 days/week
Method: OECD Test Guideline 451
Result: negative

Species: Mouse, (male)
Application Route: Dermal
Exposure time: 104 weeks
Dose: 16.8 mg/kg
Frequency of Treatment: 3 days/week
Method: OECD Test Guideline 451

Carcinogenicity - : No data available
Assessment

IARC

No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

OSHA

No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

NTP

No component of this product present at levels greater than or

REN® 1500 US

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	06/02/2016	400001010557	Date of first issue: 06/02/2016

equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

Reproductive toxicity**Components:**

metaxylenediamine:
Effects on fertility

: Species: Rat, male and female
Application Route: Oral
Dose: 0, 50, 150 and 450 mg/kg
General Toxicity - Parent: No-observed-effect level: 50 - 150 mg/kg body weight
General Toxicity F1: No-observed-effect level: 450 mg/kg body weight
Method: OECD Test Guideline 421
Result: No effects on fertility and early embryonic development were detected.
GLP: yes

1-methylimidazole:

Species: Rat, male and female
Application Route: Oral
Method: OECD Test Guideline 422
Result: No effects on fertility and early embryonic development were detected.

2,2,4(or 2,4,4)-trimethylhexane-1,6-diamine:

Species: Rat, male and female
Application Route: Oral
Dose: 10, 60, 120 mg/kg bw/day
Method: OECD Test Guideline 416
Result: No effects on fertility and early embryonic development were detected.

Components:

triethylenetetramine:
Effects on foetal
development

: Species: Rat
Application Route: Oral
General Toxicity Maternal: No observed adverse effect level: > 750 mg/kg body weight
Method: OECD Test Guideline 414
Result: No teratogenic effects

Species: Rabbit
Application Route: Dermal
General Toxicity Maternal: No observed adverse effect level: 125 mg/kg body weight
Method: OECD Test Guideline 414
Result: No teratogenic effects

2,2,4(or 2,4,4)-trimethylhexane-1,6-diamine:

Species: Rabbit, female
Application Route: Oral
General Toxicity Maternal: No observed adverse effect level: 50,000 ppm

SAFETY DATA SHEET

Distributed By
Freeman Manufacturing & Supply Co.
www.freemansupply.com 800-321-8511



HUNTSMAN

Enriching lives through innovation

REN® 1500 US

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	06/02/2016	400001010557	Date of first issue: 06/02/2016

Result: No teratogenic effects

Components:

metaxylenediamine:

Reproductive toxicity -
Assessment

: No evidence of adverse effects on sexual function and fertility,
or on development, based on animal experiments.

STOT - single exposure

No data available

STOT - repeated exposure

No data available

Repeated dose toxicity

Components:

triethylenetetramine:

Species: Rat, male and female

NOAEL: 50 mg/kg/d

Application Route: Ingestion

Exposure time: 26 Weeks

Number of exposures: 7 d

Method: Subchronic toxicity

metaxylenediamine:

Species: Rat, male and female

NOEL: 150 mg/kg

Application Route: oral (gavage)

Exposure time: 672 h

Number of exposures: 7 d

Dose: 0, 10, 40, 150 and 600 mg/kg/d

Method: OECD Test Guideline 407

GLP: yes

Species: Rat, male and female

: 0.6 mg/m³

Application Route: Inhalation

Exposure time: 13 weeks

Number of exposures: 6 hours per day, 5 days per week

Dose: 0, 0.64, 5.1, 31 mg/m³

Method: OECD Test Guideline 413

GLP: yes

Target Organs: Lungs

1-methylimidazole:

Species: Rat, male and female

NOAEL: 30 mg/kg/d

Application Route: Ingestion

Number of exposures: 7 d

Method: Subacute toxicity

SAFETY DATA SHEET

Distributed By
Freeman Manufacturing & Supply Co.
www.freemansupply.com 800-321-8511



HUNTSMAN
Enriching lives through innovation

REN® 1500 US

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	06/02/2016	400001010557	Date of first issue: 06/02/2016

2,2,4(or 2,4,4)-trimethylhexane-1,6-diamine:

Species: Rat, male and female

NOAEL: 10 mg/kg bw/day

Application Route: Ingestion

Exposure time: 13 Weeks

Number of exposures: Daily

Dose: 10, 60, 180mg/kg bw

Target Organs: Liver

Species: Rat, male and female

LOAEL: 60 mg/kg bw/day

Application Route: Ingestion

Exposure time: 13 Weeks

Number of exposures: Daily

Dose: 10, 60, 180mg/kg bw

Target Organs: Liver

Components:

metaxylenediamine:

Repeated dose toxicity -
Assessment

: Harmful if swallowed or if inhaled, May be harmful in contact
with skin., Causes severe skin burns and eye damage.

No adverse effect has been observed in chronic toxicity tests.

Aspiration toxicity

No data available

Experience with human exposure

General Information: No data available

Inhalation: No data available

Skin contact: No data available

Eye contact: No data available

Ingestion: No data available

Toxicology, Metabolism, Distribution

No data available

Neurological effects

No data available

Further information

Product:

Remarks: No data available

REN® 1500 US

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	06/02/2016	400001010557	Date of first issue: 06/02/2016

SECTION 12. ECOLOGICAL INFORMATION**Ecotoxicity****Components:**

triethylenetetramine:

Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): 330 mg/l
Exposure time: 96 h
Test Type: static test
Test substance: Fresh water
Method: Fish Acute Toxicity Test

metaxylenediamine:

Toxicity to fish : LC50 (Oryzias latipes (Orange-red killifish)): 87.6 mg/l
Exposure time: 96 h
Test Type: semi-static test
Method: OECD Test Guideline 203
GLP: yes

1-methylimidazole:

Toxicity to fish : LC50 (Leuciscus idus (Golden orfe)): > 100 - < 215 mg/l
Exposure time: 96 h
Test Type: static test
Test substance: Fresh water
Method: DIN 38412

2,2,4(or 2,4,4)-trimethylhexane-1,6-diamine:

Toxicity to fish : LC50 (Leuciscus idus (Golden orfe)): 174 mg/l
Exposure time: 48 h
Method: DIN 38412

Components:

triethylenetetramine:

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 31.1 mg/l
Exposure time: 48 h
Test Type: static test
Test substance: Fresh water
Method: Directive 67/548/EEC, Annex V, C.2.

metaxylenediamine:

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 15.2 mg/l
Exposure time: 48 h
Test Type: static test
Method: OECD Test Guideline 202
GLP: yes

1-methylimidazole:

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 267.9 mg/l
Exposure time: 48 h
Test Type: static test
Test substance: Fresh water
Method: Directive 67/548/EEC, Annex V, C.2.

SAFETY DATA SHEET

Distributed By
Freeman Manufacturing & Supply Co.
www.freemansupply.com 800-321-8511 **FREEMAN**



HUNTSMAN
Enriching lives through innovation

REN® 1500 US

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	06/02/2016	400001010557	Date of first issue: 06/02/2016

2,2,4(or 2,4,4)-trimethylhexane-1,6-diamine:

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 31.5 mg/l
Exposure time: 24 h
Method: DIN 38412

Components:

triethylenetetramine:

Toxicity to algae : ErC50 (Selenastrum capricornutum (green algae)): 20 mg/l
Exposure time: 72 h
Test Type: semi-static test
Test substance: Fresh water
Method: OECD Test Guideline 201

metaxylenediamine:

Toxicity to algae : ErC50 (Selenastrum capricornutum (green algae)): 32.1 mg/l
Exposure time: 72 h
Test Type: static test
Method: OECD Test Guideline 201
GLP: yes

1-methylimidazole:

Toxicity to algae : ErC50 (Desmodesmus subspicatus (Scenedesmus subspicatus)): 180.7 mg/l
Exposure time: 72 h
Test Type: static test
Test substance: Fresh water
Method: OECD Test Guideline 201

2,2,4(or 2,4,4)-trimethylhexane-1,6-diamine:

Toxicity to algae : ErC50 (Pseudokirchneriella subcapitata (algae)): 43.5 mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201

EC50 (Pseudokirchneriella subcapitata (algae)): 37.1 mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201

NOEC (Pseudokirchneriella subcapitata (algae)): 16 mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201

M-Factor (Acute aquatic toxicity) : No data available

Components:

2,2,4(or 2,4,4)-trimethylhexane-1,6-diamine:

Toxicity to fish (Chronic toxicity) : NOEC (Brachydanio rerio (zebrafish)): 10.9 mg/l
Exposure time: 30 d
Method: OECD Test Guideline 210

Lowest Observed Effect Concentration (Brachydanio rerio (zebrafish)): 10.9 mg/l
Exposure time: 30 d
Method: OECD Test Guideline 210

SAFETY DATA SHEET

Distributed By
Freeman Manufacturing & Supply Co.
www.freemansupply.com 800-321-8511 **FREEMAN**



HUNTSMAN
Enriching lives through innovation

REN® 1500 US

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	06/02/2016	400001010557	Date of first issue: 06/02/2016

Components:

triethylenetetramine:

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : EC10 (Daphnia magna (Water flea)): 1.9 mg/l
Exposure time: 21 d
Test Type: semi-static test
Test substance: Fresh water
Method: OECD Test Guideline 202

metaxylenediamine:

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Daphnia magna (Water flea)): 4.7 mg/l
Exposure time: 21 d
Test Type: semi-static test
Method: OECD Test Guideline 211
GLP: yes

2,2,4(or 2,4,4)-trimethylhexane-1,6-diamine:

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Daphnia magna (Water flea)): 1.02 mg/l
Exposure time: 21 d
Method: OECD Test Guideline 211

Lowest Observed Effect Concentration (Daphnia magna (Water flea)): 1.02 mg/l
Exposure time: 21 d
Method: OECD Test Guideline 211

M-Factor (Chronic aquatic toxicity) : No data available

Components:

triethylenetetramine:

Toxicity to bacteria : EC50 (activated sludge): 800 mg/l
Exposure time: 0.5 h
Test Type: static test
Test substance: Fresh water

metaxylenediamine:

Toxicity to bacteria : EC50 (activated sludge): > 1,000 mg/l
Exposure time: 0.5 h
Test Type: static test
Method: OECD Test Guideline 209
GLP: yes

1-methylimidazole:

Toxicity to bacteria : EC50 (activated sludge): 1,050 mg/l
Exposure time: 7 h
Method: DIN 38 412 Part 8

2,2,4(or 2,4,4)-trimethylhexane-1,6-diamine:

Toxicity to bacteria : IC50 (Pseudomonas putida): 89 mg/l
Exposure time: 17 h

Components:

2,2,4(or 2,4,4)-trimethylhexane-1,6-diamine:

**REN® 1500 US**

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	06/02/2016	400001010557	Date of first issue: 06/02/2016

Toxicity to soil dwelling organisms : NOEC (Eisenia fetida (earthworms)): $\geq 1,000$ mg/kg
 Exposure time: 56 d
 Method: OECD Test Guideline 222

EC50 (Eisenia fetida (earthworms)): $\geq 1,000$ mg/kg
 Exposure time: 56 d
 Method: OECD Test Guideline 222

Plant toxicity : No data available

Sediment toxicity : No data available

Toxicity to terrestrial organisms : No data available

Ecotoxicology Assessment
 Acute aquatic toxicity : No data available

Chronic aquatic toxicity : No data available

Toxicity Data on Soil : No data available

Other organisms relevant to the environment : No data available

Further information:
 No data available

Persistence and degradability**Components:**

triethylenetetramine:

Biodegradability : Inoculum: activated sludge
 Result: Not readily biodegradable.
 Biodegradation: 0 %
 Exposure time: 162 d
 Method: OECD Test Guideline 301D

Inoculum: activated sludge
 Result: Not readily biodegradable.
 Biodegradation: 20 %
 Exposure time: 84 d
 Method: Inherent Biodegradability: Modified SCAS Test

metaxylenediamine:

Biodegradability : Inoculum: activated sludge
 Concentration: 14.2 mg/l
 Result: Not readily biodegradable.
 Biodegradation: 49 %
 Exposure time: 28 d
 Method: OECD Test Guideline 301B
 GLP: yes

1-methylimidazole:

Biodegradability : Inoculum: activated sludge
 Result: Not readily biodegradable.

SAFETY DATA SHEET

Distributed By
Freeman Manufacturing & Supply Co.
www.freemansupply.com 800-321-8511 **FREEMAN**



HUNTSMAN
Enriching lives through innovation

REN® 1500 US

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	06/02/2016	400001010557	Date of first issue: 06/02/2016

Biodegradation: 0 - 10 %
Exposure time: 28 d
Method: OECD Test Guideline 301F

Inoculum: activated sludge
Concentration: 9,000 mg/l
Result: Inherently biodegradable.
Biodegradation: 79 %
Exposure time: 60 d
Method: ISO Method, other

2,2,4(or 2,4,4)-trimethylhexane-1,6-diamine:

Biodegradability : Inoculum: activated sludge
Concentration: 11.4 mg/l
Result: Not readily biodegradable.
Biodegradation: 7 %
Exposure time: 28 d

Biochemical Oxygen Demand (BOD) : No data available

Chemical Oxygen Demand (COD) : No data available

BOD/COD : No data available

ThOD : No data available

BOD/ThOD : No data available

Dissolved organic carbon (DOC) : No data available

Physico-chemical removability : No data available

Stability in water : No data available

Photodegradation : No data available

Impact on Sewage Treatment : No data available

Bioaccumulative potential

Components:

metaxylenediamine:

Bioaccumulation : Species: Cyprinus carpio (Carp)
Bioconcentration factor (BCF): < 0.3
Remarks: Does not bioaccumulate.

Components:

triethylenetetramine:

Partition coefficient: n- : log Pow: -2.65 (20 °C)

SAFETY DATA SHEET

Distributed By
Freeman Manufacturing & Supply Co.
www.freemansupply.com 800-321-8511
FREEMAN



HUNTSMAN
Enriching lives through innovation

REN® 1500 US

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	06/02/2016	400001010557	Date of first issue: 06/02/2016

octanol/water Method: OECD Test Guideline 117

metaxylenediamine:
Partition coefficient: n-octanol/water : log Pow: 0.18 (25 °C)
pH: 10.3 - 10.4
Method: OECD Test Guideline 107
GLP: yes

1-methylimidazole:
Partition coefficient: n-octanol/water : log Pow: -0.19 (25 °C)
pH: 9.25 - 9.85
Method: OECD Test Guideline 107

2,2,4(or 2,4,4)-trimethylhexane-1,6-diamine:
Partition coefficient: n-octanol/water : log Pow: -0.3 (25 °C)
Method: OECD Test Guideline 117

Mobility in soil

Mobility : No data available

Components:

triethylenetetramine:
Distribution among environmental compartments : Koc: 1584.9 - 5012 Method: OECD Test Guideline 106
1-methylimidazole:
Distribution among environmental compartments : Koc: 27 Method: Calculation method
Stability in soil : No data available

Other adverse effects

Environmental fate and pathways : No data available

Results of PBT and vPvB assessment : No data available

Endocrine disrupting potential : No data available

Adsorbed organic bound halogens (AOX) : No data available

Hazardous to the ozone layer

Ozone-Depletion Potential : Regulation: 40 CFR Protection of Environment; Part 82
Protection of Stratospheric Ozone - CAA Section 602 Class I Substances
Remarks: This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B).

Additional ecological information - Product : An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.

SAFETY DATA SHEET

Distributed By
Freeman Manufacturing & Supply Co.
www.freemansupply.com 800-321-8511
FREEMAN



HUNTSMAN
Enriching lives through innovation

REN® 1500 US

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	06/02/2016	400001010557	Date of first issue: 06/02/2016

Harmful to aquatic life with long lasting effects.

Global warming potential (GWP) : No data available

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues : The product should not be allowed to enter drains, water courses or the soil.
Do not contaminate ponds, waterways or ditches with chemical or used container.
Send to a licensed waste management company.

Contaminated packaging : Empty remaining contents.
Dispose of as unused product.
Do not re-use empty containers.

SECTION 14. TRANSPORT INFORMATION

International Regulation

IATA

UN/ID No. : UN 2735
Proper shipping name : Polyamines, liquid, corrosive, n.o.s.
(TRIETHYLENE TETRAMINE, M-XYLYLENE DIAMINE)
Class : 8
Packing group : II
Labels : Corrosive
Packing instruction (cargo aircraft) : 855
Packing instruction (passenger aircraft) : 851

IMDG

UN number : UN 2735
Proper shipping name : POLYAMINES, LIQUID, CORROSIVE, N.O.S.
(TRIETHYLENE TETRAMINE, M-XYLYLENE DIAMINE)
Class : 8
Packing group : II
Labels : 8
EmS Code : F-A, S-B
Marine pollutant : no

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

National Regulations

SAFETY DATA SHEET

Distributed By
Freeman Manufacturing & Supply Co.
www.freemansupply.com 800-321-8511
FREEMAN



HUNTSMAN
Enriching lives through innovation

REN® 1500 US

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	06/02/2016	400001010557	Date of first issue: 06/02/2016

DOT Classification

UN/ID/NA number	: UN 2735
Proper shipping name	: POLYAMINES, LIQUID, CORROSIVE, N.O.S. (TRIETHYLENE TETRAMINE, M-XYLYLENE DIAMINE)
Class	: 8
Packing group	: II
Labels	: CORROSIVE
ERG Code	: 153
Marine pollutant	: no

SECTION 15. REGULATORY INFORMATION

EPCRA - Emergency Planning and Community Right-to-Know Act

SARA 311/312 Hazards : Acute Health Hazard

SARA 313 : This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

This product does not contain any hazardous air pollutants (HAP), as defined by the U.S. Clean Air Act Section 112 (40 CFR 61).

California Prop. 65 This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

The components of this product are reported in the following inventories:

CH INV	: The formulation contains substances listed on the Swiss Inventory, Not in compliance with the inventory
TSCA	: On the inventory, or in compliance with the inventory
DSL	: All components of this product are on the Canadian DSL
AICS	: Not in compliance with the inventory
NZIoC	: not determined
ENCS	: Low volume exemption, On the inventory, or in compliance with the inventory
KECI	: On the inventory, or in compliance with the inventory
PICCS	: On the inventory, or in compliance with the inventory
IECSC	: On the inventory, or in compliance with the inventory
TCSI	: On the inventory, or in compliance with the inventory

Inventories

AICS (Australia), DSL (Canada), IECSC (China), REACH (European Union), ENCS (Japan), ISHL (Japan), KECI (Korea), NZIoC (New Zealand), PICCS (Philippines), TCSI (Taiwan), TSCA (USA)

TSCA - 5(a) Significant New Use Rule List of Chemicals

No substances are subject to a Significant New Use Rule.

US. Toxic Substances Control Act (TSCA) Section 12(b) Export Notification (40 CFR 707, Subpt D)

SAFETY DATA SHEET

Distributed By
Freeman Manufacturing & Supply Co.
www.freemansupply.com 800-321-8511



HUNTSMAN
Enriching lives through innovation

REN® 1500 US


Version 1.0	Revision Date: 06/02/2016	SDS Number: 400001010557	Date of last issue: - Date of first issue: 06/02/2016
----------------	------------------------------	-----------------------------	--

No substances are subject to TSCA 12(b) export notification requirements.

SECTION 16. OTHER INFORMATION

Further information

NFPA:



HMIS III:

HEALTH	3
FLAMMABILITY	1
PHYSICAL HAZARD	1

0 = not significant, 1 = Slight,

2 = Moderate, 3 = High

4 = Extreme, * = Chronic

Revision Date : 06/02/2016

The information and recommendations in this publication are to the best of our knowledge, information and belief accurate at the date of publication, NOTHING HEREIN IS TO BE CONSTRUED AS A WARRANTY, EXPRESS OR OTHERWISE.

IN ALL CASES, IT IS THE RESPONSIBILITY OF THE USER TO DETERMINE THE APPLICABILITY OF SUCH INFORMATION AND RECOMMENDATIONS AND THE SUITABILITY OF ANY PRODUCT FOR ITS OWN PARTICULAR PURPOSE.

THE PRODUCT MAY PRESENT HAZARDS AND SHOULD BE USED WITH CAUTION. WHILE CERTAIN HAZARDS ARE DESCRIBED IN THIS PUBLICATION, NO GUARANTEE IS MADE THAT THESE ARE THE ONLY HAZARDS THAT EXIST.

Hazards, toxicity and behaviour of the products may differ when used with other materials and are dependent upon the manufacturing circumstances or other processes. Such hazards, toxicity and behaviour should be determined by the user and made known to handlers, processors and end users.

The trademarks above are the property of Huntsman Corporation or an affiliate thereof.

NO PERSON OR ORGANIZATION EXCEPT A DULY AUTHORIZED HUNTSMAN EMPLOYEE IS AUTHORIZED TO PROVIDE OR MAKE AVAILABLE DATA SHEETS FOR HUNTSMAN PRODUCTS. DATA SHEETS FROM UNAUTHORIZED SOURCES MAY CONTAIN INFORMATION THAT IS NO LONGER CURRENT OR ACCURATE.

SAFETY DATA SHEET

Distributed By
Freeman Manufacturing & Supply Co.
www.freemansupply.com 800-321-8511



HUNTSMAN
Enriching lives through innovation

REN® 1500 US

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	06/02/2016	400001010557	Date of first issue: 06/02/2016
