

**RENCAST® 6402-1 US** 

Version Revision Date: SDS Number: Date of last issue: 10/12/2021 400001012559 2.0 05/23/2022 Date of first issue: 07/20/2017

Print Date 01/05/2023

#### **SECTION 1. IDENTIFICATION**

: RENCAST® 6402-1 US Product name

Manufacturer or supplier's details

Company name of supplier

: Huntsman Advanced Materials Americas LLC

Address

P.O. Box 4980 The Woodlands,

TX 77387

United States of America (USA) : Non-Emergency: (800) 257-5547

E-mail address of person

Telephone

responsible for the SDS

: Global Product EHS AdMat@huntsman.com

Emergency telephone number : Chemtrec: (800) 424-9300 or (703) 527-3887

Recommended use of the chemical and restrictions on use

Recommended use : Component of a Polyurethane System.

#### **SECTION 2. HAZARDS IDENTIFICATION**

GHS classification in accordance with the OSHA Hazard Communication Standard (29 CFR 1910.1200)

Acute toxicity (Inhalation) : Category 4

Skin irritation : Category 2

Eye irritation : Category 2A

Respiratory sensitisation : Category 1

Skin sensitisation : Category 1

Specific target organ toxicity

- single exposure

: Category 3 (Respiratory system)

Specific target organ toxicity

repeated exposure

(Inhalation)

: Category 2

Short-term (acute) aquatic

hazard

: Category 2

Chronic aquatic toxicity : Category 2

**GHS** label elements



Enriching lives through innovation

# **RENCAST® 6402-1 US**

Version Revision Date: SDS Number: Date of last issue: 10/12/2021 2.0 05/23/2022 400001012559 Date of first issue: 07/20/2017

Print Date 01/05/2023

Hazard pictograms







Signal word : Danger

Hazard statements : H315 Causes skin irritation.

H317 May cause an allergic skin reaction. H319 Causes serious eve irritation.

H332 Harmful if inhaled.

H334 May cause allergy or asthma symptoms or breathing

difficulties if inhaled.

H335 May cause respiratory irritation.

H373 May cause damage to organs through prolonged or

repeated exposure if inhaled.

H411 Toxic to aquatic life with long lasting effects.

#### Precautionary statements

#### : Prevention:

P260 Do not breathe mist or vapours.

P264 Wash skin thoroughly after handling.

P271 Use only outdoors or in a well-ventilated area.

P272 Contaminated work clothing must not be allowed out of the workplace.

P273 Avoid release to the environment.

P280 Wear protective gloves/ eye protection/ face protection.
P285 In case of inadequate ventilation wear respiratory

P285 In case of inadequate ventilation wear respiratory protection.

# Response:

P302 + P352 IF ON SKIN: Wash with plenty of soap and water. P304 + P340 + P312 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER/doctor if you feel unwell.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P333 + P313 If skin irritation or rash occurs: Get medical advice/

P337 + P313 If eye irritation persists: Get medical advice/attention.

P342 + P311 If experiencing respiratory symptoms: Call a POISON CENTER/ doctor.

P362 Take off contaminated clothing and wash before reuse.

P391 Collect spillage.

# Storage:

P403 + P233 Store in a well-ventilated place. Keep container tightly closed.

P405 Store locked up.

#### Disposal:

P501 Dispose of contents/container to an approved facility in accordance with local, regional, national and international regulations.

# Other hazards

None known.



# **RENCAST® 6402-1 US**

Version Revision Date: SDS Number: Date of last issue: 10/12/2021 2.0 05/23/2022 400001012559 Date of first issue: 07/20/2017

Print Date 01/05/2023

#### **SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS**

Substance / Mixture : Mixture

#### **Hazardous components**

| Chemical name                                       | CAS-No.    | Concentration (% w/w) |
|---|------------|-----------------------|
| 4,4'-methylenediphenyl diisocyanate                 | 101-68-8   | 50 - 70               |
| Benzene, 1,1'-methylenebis[isocyanato-, homopolymer | 39310-05-9 | 20 - 30               |
| Terphenyl, hydrogenated                             | 61788-32-7 | 1 - 5                 |
| 2,4'-methylenediphenyl diisocyanate                 | 5873-54-1  | 1 - 5                 |
| triethyl phosphate                                  | 78-40-0    | 1 - 5                 |
| terphenyl   | 26140-60-3 | 0.1 - 1               |

The specific chemical identity and/or exact percentage (concentration) of composition may be withheld as a trade secret.

#### **SECTION 4. FIRST AID MEASURES**

General advice : Move out of dangerous area.

Do not leave the victim unattended.

Get medical attention immediately if symptoms occur. Show this safety data sheet to the doctor in attendance.

If inhaled : If breathed in, move person into fresh air.

Call a physician or poison control centre immediately.

Keep patient warm and at rest. Keep respiratory tract clear.

If breathing is difficult, give oxygen.

If breathing is irregular or stopped, administer artificial

respiration.

If unconscious, place in recovery position and seek medical

advice.

Consult a physician immediately if symptoms such as

shortness of breath or asthma are observed.

A hyper-reactive response to even minimal concentrations of

diisocyanates may develop in sensitised persons.

The exposed person may need to be kept under medical

surveillance for 48 hours.

LC50 (rat): ca. 490 mg/m³ (4 hours): using experimentally produced respirable aerosol having aerodynamic diameter

<5microns.

Methods used to generate the exposure concentrations in the animal studies use extreme laboratory conditions and does



# **RENCAST® 6402-1 US**

Version Revision Date: SDS Number: Date of last issue: 10/12/2021 2.0 05/23/2022 400001012559 Date of first issue: 07/20/2017

Print Date 01/05/2023

not represent actual exposure conditions of the material in the workplace, storage, transportation or expected use on the market due to the very low vapor pressure. Therefore, these test results cannot be used to for hazard classification of the material. Rather, an acute toxicity estimate is calculated based on weight of evidence and expert judgement and is used to justify a modified classification for acute inhalation toxicity.

In case of skin contact

In case of contact, immediately flush skin with soap and plenty

of water.

Take off contaminated clothing and shoes immediately.

Wash contaminated clothing before reuse. Thoroughly clean shoes before reuse.

Call a physician if irritation develops or persists.

An MDI study has demonstrated that a polyglycol-based skin cleanser (such as D-Tam $^{TM}$ , PEG-400) or corn oil may be

more effective than soap and water.

In case of eye contact

: Rinse immediately with plenty of water, also under the eyelids,

for at least 15 minutes.

If easy to do, remove contact lens, if worn.

Protect unharmed eye.

Keep eye wide open while rinsing.

Seek medical advice.

If swallowed

Gently wipe or rinse the inside of the mouth with water. DO NOT induce vomiting unless directed to do so by a

physician or poison control center. Keep respiratory tract clear.

Keep at rest.

If a person vomits when lying on his back, place him in the

recovery position.

Never give anything by mouth to an unconscious person.

Take victim immediately to hospital. If symptoms persist, call a physician.

Most important symptoms and effects, both acute and delayed

Severe allergic skin reactions, bronchiospasm and anaphylactic shock

This product is a respiratory irritant and potential respiratory

sensitiser: repeated inhalation of vapour or aerosol at levels above the occupational exposure limit could cause respiratory sensitisation.

Symptoms may include irritation to the eyes, nose, throat and lungs, possibly combined with dryness of the throat, tightness

of chest and difficulty in breathing.

The onset of the respiratory symptoms may be delayed for

several hours after exposure.

A hyper-reactive response to even minimal concentrations of

MDI may develop in sensitised persons.

Protection of first-aiders

No action shall be taken involving any personal risk or without

suitable training.

It may be dangerous to the person providing aid to give

mouth-to-mouth resuscitation.

If potential for exposure exists refer to Section 8 for specific



# **RENCAST® 6402-1 US**

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 10/12/2021

 2.0
 05/23/2022
 400001012559
 Date of first issue: 07/20/2017

Print Date 01/05/2023

personal protective equipment.

First Aid responders should pay attention to self-protection

and use the recommended protective clothing

Notes to physician : Symptomatic and supportive therapy as needed. Following

severe exposure medical follow-up should be monitored for at

least 48 hours.

The first aid procedure should be established in consultation

with the doctor responsible for industrial medicine.

#### **SECTION 5. FIREFIGHTING MEASURES**

Suitable extinguishing media : Use extinguishing measures that are appropriate to local

circumstances and the surrounding environment.

Foam

Carbon dioxide (CO2)

Dry powder

Unsuitable extinguishing

media

Water may be used if no other available and then in copious

quantities. Reaction between water and hot isocyanate may

be vigorous.

Specific hazards during

firefighting

Do not allow run-off from fire fighting to enter drains or water

courses.

The pressure in sealed containers can increase under the

influence of heat.

Exposure to decomposition products may be a hazard to

health.

Hazardous combustion

products

Combustion products may include: carbon monoxide, carbon

dioxide, nitrogen oxides, hydrocarbons and HCN. In the event of extreme heat (>500 degrees C), aniline is suspected of

being formed.

Specific extinguishing

methods

Cool containers/tanks with water spray.

Further information : Standard procedure for chemical fires.

Due to reaction with water producing CO2-gas, a hazardous build-up of pressure could result if contaminated containers

are re-sealed.

Collect contaminated fire extinguishing water separately. This

must not be discharged into drains.

Prevent fire extinguishing water from contaminating surface

water or the ground water system.

Fire residues and contaminated fire extinguishing water must

be disposed of in accordance with local regulations.

Special protective equipment :

for firefighters

Wear an approved positive pressure self-contained breathing

apparatus in addition to standard fire fighting gear.

#### **SECTION 6. ACCIDENTAL RELEASE MEASURES**



# **RENCAST® 6402-1 US**

Version Revision Date: SDS Number: Date of last issue: 10/12/2021 2.0 05/23/2022 400001012559 Date of first issue: 07/20/2017

Print Date 01/05/2023

Personal precautions, protective equipment and emergency procedures Immediately evacuate personnel to safe areas.

Use personal protective equipment.

If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials.

Ensure adequate ventilation.

Keep people away from and upwind of spill/leak.

Only qualified personnel equipped with suitable protective

equipment may intervene.

For additional precautions and advice on safe handling, see

section 7.

Never return spills in original containers for re-use.

Make sure that there is a sufficient amount of neutralizing/

absorbent material near the storage area.

The danger areas must be delimited and identified using

relevant warning and safety signs.

Treat recovered material as described in the section "Disposal

considerations".

For disposal considerations see section 13.

Environmental precautions

Do not allow uncontrolled discharge of product into the

environment.

Do not allow material to contaminate ground water system.

Prevent product from entering drains.

Prevent further leakage or spillage if safe to do so.

Local authorities should be advised if significant spillages

cannot be contained.

If the product contaminates rivers and lakes or drains inform

respective authorities.

Methods and materials for containment and cleaning up

Clean-up methods - small spillage

Contain spillage, soak up with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and transfer to a container for disposal according to local /

national regulations (see section 13). Clean contaminated surface thoroughly.

Sweep up or vacuum up spillage and collect in suitable

container for disposal.

Neutralize small spillages with decontaminant.

The compositions of liquid decontaminants are given in

Section 16.

Remove and dispose of residues. Clean-up methods - large spillage If the product is in its solid form:

Spilled MDI flakes should be picked up carefully.

The area should be vacuum cleaned to remove remaining

dust particles completely.

If the product is in its liquid form:

Soak up with inert absorbent material (e.g. sand, silica gel,

acid binder, universal binder, sawdust). Leave to react for at least 30 minutes.

Shovel into open-top drums for further decontamination.

Wash the spillage area with water. Test atmosphere for MDI vapour.

Keep in suitable, closed containers for disposal.



**RENCAST® 6402-1 US** 

Version Revision Date: SDS Number: Date of last issue: 10/12/2021 2.0 05/23/2022 400001012559 Date of first issue: 07/20/2017

Print Date 01/05/2023

#### **SECTION 7. HANDLING AND STORAGE**

Technical measures : Ensure that eyewash stations and safety showers are close to

the workstation location.

Local/Total ventilation : Use only with adequate ventilation.

Advice on protection against

fire and explosion

Normal measures for preventive fire protection.

Advice on safe handling : For personal protection see section 8.

Avoid formation of aerosol.

Do not breathe vapours or spray mist.

Do not breathe vapours/dust.

Do not swallow.

Do not get in eyes or mouth or on skin.

Do not get on skin or clothing.

Avoid exposure - obtain special instructions before use. Smoking, eating and drinking should be prohibited in the

application area.

Provide sufficient air exchange and/or exhaust in work rooms.

Keep container closed when not in use.

Open drum carefully as content may be under pressure.

Dispose of rinse water in accordance with local and national

regulations.

Persons susceptible to skin sensitisation problems or asthma, allergies, chronic or recurrent respiratory disease should not be employed in any process in which this mixture is being

used.

Industrial use of aprotic polar solvents for cleaning can release hazardous primary aromatic amines (>0.1%)

Conditions for safe storage

Keep containers tightly closed in a dry, cool and well-

ventilated place.

Keep in properly labelled containers.

Observe label precautions. Protect from moisture.

Electrical installations / working materials must comply with

the technological safety standards.

Containers which are opened must be carefully resealed and

kept upright to prevent leakage.

Materials to avoid : For incompatible materials please refer to Section 10 of this

SDS.

Recommended storage

temperature

: 36 - 104 °F / 2 - 40 °C

Further information on

storage stability

: No decomposition if stored and applied as directed.



# **RENCAST® 6402-1 US**

Version Revision Date: SDS Number: Date of last issue: 10/12/2021 400001012559 2.0 05/23/2022 Date of first issue: 07/20/2017

Print Date 01/05/2023

#### **SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION**

#### Components with workplace control parameters

| Components                          | CAS-No.    | Value type<br>(Form of<br>exposure) | Control parameters / Permissible concentration | Basis     |
|-------------------------------------|------------|-------------------------------------|--|-----------|
| 4,4'-methylenediphenyl diisocyanate | 101-68-8   | TWA                                 | 0.005 ppm                                      | ACGIH     |
|                                     |            | TWA                                 | 0.005 ppm<br>0.05 mg/m3                        | NIOSH REL |
|                                     |            | С                                   | 0.02 ppm<br>0.2 mg/m3                          | NIOSH REL |
|                                     |            | С                                   | 0.02 ppm<br>0.2 mg/m3                          | OSHA Z-1  |
|                                     |            | С                                   | 0.02 ppm<br>0.2 mg/m3                          | OSHA P0   |
| Terphenyl, hydrogenated             | 61788-32-7 | TWA                                 | 0.5 ppm  | ACGIH     |
|                                     |            | TWA                                 | 0.5 ppm<br>5 mg/m3                             | NIOSH REL |
|                                     |            | TWA                                 | 0.5 ppm<br>5 mg/m3                             | OSHA P0   |
| 2,4'-methylenediphenyl diisocyanate | 5873-54-1  | С                                   | 0.02 ppm<br>0.2 mg/m3                          | OSHA Z-1  |
|                                     |            | TWA                                 | 0.005 ppm<br>0.05 mg/m3                        | NIOSH REL |
|                                     |            | С                                   | 0.02 ppm<br>0.2 mg/m3                          | NIOSH REL |
|                                     |            | С                                   | 0.02 ppm<br>0.2 mg/m3                          | OSHA P0   |
| terphenyl                           | 26140-60-3 | С                                   | 1 ppm<br>9 mg/m3                               | OSHA Z-1  |
|                                     |            | С                                   | 5 mg/m3  | ACGIH     |
|                                     |            | С                                   | 0.5 ppm<br>5 mg/m3                             | OSHA P0   |

# Personal protective equipment

Respiratory protection

: Use a properly fitted, air-purifying or air-fed respirator complying with an approved standard if a risk assessment

indicates this is necessary.

Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe

working limits of the selected respirator.

In emergency, non-routine and unknown exposure situations, including confined space entries, a NIOSH-certified full facepiece pressure demand self-contained breathing apparatus (SCBA)or a full facepiece pressure demand supplied air respirator (SAR) with auxiliary self-contained air

supply, should be used.

Hand protection

: The suitability for a specific workplace should be discussed Remarks



# **RENCAST® 6402-1 US**

Version 2.0

Revision Date: 05/23/2022

SDS Number: 400001012559

Date of last issue: 10/12/2021 Date of first issue: 07/20/2017

Print Date 01/05/2023

with the producers of the protective gloves.

Protective gloves should be worn when handling freshly made polyurethane products to avoid contact with trace residual materials which may be hazardous in contact with skin.

Use chemical resistant gloves classified under Standard EN374: protective gloves against chemicals and microorganisms. Examples of glove materials that might provide suitable protection include: Butyl rubber, Chlorinated polyethylene, Polyethylene, Ethyl vinyl alcohol copolymers laminated ("EVAL"), Polychloroprene (Neoprene\*), Nitrile/butadiene rubber ("nitrile" or "NBR"), Polyvinyl chloride ("PVC" or "vinyl"), Fluoroelastomer (Viton\*).

When prolonged or frequently repeated contact may occur, a glove with protection class of 5 or higher (breakthrough time greater than 240 minutes according to EN374) is recommended.

When only brief contact is expected, a glove with protection class of 3 or higher (breakthrough time greater than 60 minutes according to EN374) is recommended.

Notice: The selection of a specific glove for a particular application and duration of use in a workplace should also take into account all requisite workplace factors such as, but not limited to: other chemicals that may be handled, physical requirements (cut/puncture protection, dexterity, thermal protection), as well as instructions/specifications provided by the glove supplier

By industrial use of aprotic polar solvents for cleaning: Butyl rubber (0.7mm), Nitrile rubber (0.4mm), Chloroprene (0.5mm)

Eye protection

Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists or dusts.

Chemical splash goggles.

Always wear eye protection when the potential for inadvertent eye contact with the product cannot be excluded.

eye contact with the product cannot be excluded.

Please follow all applicable local/national requirements when selecting protective measures for a specific workplace. Ensure that eyewash stations and safety showers are close

to the workstation location.

Skin and body protection

Impervious clothing

Choose body protection according to the amount and concentration of the dangerous substance at the work place.

Recommended:

Overall (preferably heavy cotton) or Tyvek-Pro Tech 'C',

Tyvek Pro 'F' disposable coverall.

Protective measures

: Personal protective equipment comprising: suitable protective

gloves, safety goggles and protective clothing

The type of protective equipment must be selected according to the concentration and amount of the dangerous substance

at the specific workplace.



# **RENCAST® 6402-1 US**

Version Revision Date: SDS Number: Date of last issue: 10/12/2021 2.0 05/23/2022 400001012559 Date of first issue: 07/20/2017

Print Date 01/05/2023

Ensure that eye flushing systems and safety showers are

located close to the working place.

Hygiene measures : Handle in accordance with good industrial hygiene and safety

practice.

Wash face, hands and any exposed skin thoroughly after

handling.

Remove contaminated clothing and protective equipment

before entering eating areas.

When using do not eat, drink or smoke.

Contaminated work clothing should not be allowed out of the

workplace.

Wash hands before breaks and immediately after handling

the product.

Wash hands before breaks and at the end of workday.

#### **SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES**

Appearance : liquid

Colour : amber

Odour : aromatic

Odour Threshold : No data is available on the product itself.

pH : substance/mixture reacts with water

Melting point/freezing point : No data is available on the product itself.

Boiling point : No data is available on the product itself.

Flash point :  $> 230 \, ^{\circ}\text{F} \, / > 110 \, ^{\circ}\text{C}$ 

Method: closed cup

Evaporation rate : No data is available on the product itself.

Flammability (solid, gas) : No data is available on the product itself.

Flammability (liquids) : No data is available on the product itself.

Upper explosion limit / Upper

flammability limit

: No data is available on the product itself.

Lower explosion limit / Lower

flammability limit

: No data is available on the product itself.

Vapour pressure : 0.14663 hPa (160 °F / 71 °C)

Relative vapour density : 0.01

Relative density : 1.17 - 1.21

Density : 1.17 - 1.21 g/cm3



# **RENCAST® 6402-1 US**

Version Revision Date: SDS Number: Date of last issue: 10/12/2021 2.0 05/23/2022 400001012559 Date of first issue: 07/20/2017

Print Date 01/05/2023

Solubility(ies)

Water solubility : Water reactive

Solubility in other solvents : No data is available on the product itself.

Partition coefficient: n-

octanol/water

: No data is available on the product itself.

Auto-ignition temperature : No data is available on the product itself.

Decomposition temperature : No data is available on the product itself.

Self-Accelerating

decomposition temperature

(SADT)

No data is available on the product itself.

Viscosity : No data is available on the product itself.

Explosive properties : No data is available on the product itself.

Oxidizing properties : No data is available on the product itself.

Particle size : No data is available on the product itself.

## **SECTION 10. STABILITY AND REACTIVITY**

Reactivity : No dangerous reaction known under conditions of normal use.

Chemical stability : Stable under normal conditions.

Possibility of hazardous

reactions

Reaction with water (moisture) produces CO2-gas.

Exothermic reaction with materials containing active hydrogen

groups.

The reaction becomes progressively more vigorous and can be violent at higher temperatures if the miscibility of the reaction partners is good or is supported by stirring or by the

presence of solvents.

MDI is insoluble with, and heavier than water and sinks to the

bottom but reacts slowly at the interface.

A solid water-insoluble layer of polyurea is formed at the

interface by liberating carbon dioxide gas.

Conditions to avoid : Extremes of temperature and direct sunlight.

Exposure to air or moisture over prolonged periods.

Incompatible materials : Acids

Amines Bases Metals water

Hazardous decomposition

products

Combustion products may include: carbon monoxide, carbon dioxide, nitrogen oxides, hydrocarbons and HCN. In the event



**RENCAST® 6402-1 US** 

Version Revision Date: SDS Number: Date of last issue: 10/12/2021 400001012559 2.0 05/23/2022 Date of first issue: 07/20/2017

Print Date 01/05/2023

of extreme heat (>500 degrees C), aniline is suspected of

being formed.

# **SECTION 11. TOXICOLOGICAL INFORMATION**

#### **Acute toxicity**

**Product:** 

Acute toxicity estimate: > 5,000 mg/kg Acute oral toxicity

Method: Calculation method

Acute inhalation toxicity Assessment: The substance/mixture is not toxic on inhalation

as defined by dangerous goods regulations.

Remarks: Methods used to generate the exposure

concentrations in the animal studies use extreme laboratory conditions and does not represent actual exposure conditions of the material in the workplace, storage, transportation or expected use on the market due to the very low vapor pressure. Therefore, these test results cannot be used to for hazard classification of the material. Rather, an acute toxicity estimate is calculated based on weight of evidence and expert judgement and is used to justify a modified classification for

acute inhalation toxicity.

Acute toxicity estimate: 1.61 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist Method: Calculation method

#### Components:

# 4,4'-methylenediphenyl diisocyanate:

Acute inhalation toxicity : LC50 (Rat, male and female): 431.18 mg/m3

Exposure time: 4 h

Test atmosphere: dust/mist

Method: OECD Test Guideline 403

Assessment: The component/mixture is moderately toxic after

short term inhalation.

Acute dermal toxicity LD50 (Rabbit): > 9,400 mg/kg

Remarks: Information given is based on data obtained from

similar substances.

#### Benzene, 1,1'-methylenebis[isocyanato-, homopolymer:

LD50 (Rat, female): > 5,000 mg/kg Acute oral toxicity

Method: OECD Test Guideline 425

Assessment: The substance or mixture has no acute oral

toxicity

LC50 (Rat, male and female): 0.49 mg/l Acute inhalation toxicity

Exposure time: 4 h

Test atmosphere: dust/mist

Method: OECD Test Guideline 403

Assessment: The component/mixture is moderately toxic after



# **RENCAST® 6402-1 US**

Version Revision Date: SDS Number: Date of last issue: 10/12/2021 2.0 05/23/2022 400001012559 Date of first issue: 07/20/2017

Print Date 01/05/2023

short term inhalation.

Acute dermal toxicity : LD50 (Rabbit, male and female): > 9,400 mg/kg

Method: OECD Test Guideline 402

Terphenyl, hydrogenated:

Acute oral toxicity : LD50 (Rat, male and female): > 10,000 mg/kg

Method: OECD Test Guideline 401

Acute inhalation toxicity : LC50 (Rat, male and female): > 4.7 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist

Method: OECD Test Guideline 403

GLP: yes

Assessment: The substance or mixture has no acute

inhalation toxicity

Acute dermal toxicity : LD50 (Rabbit, male and female): > 2,000 mg/kg

Method: OECD Test Guideline 402

GLP: no

Assessment: The substance or mixture has no acute dermal

toxicity

2,4'-methylenediphenyl diisocyanate:

Acute inhalation toxicity : LC50 (Rat): 0.49 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist

Assessment: The component/mixture is moderately toxic after

short term inhalation.

Acute dermal toxicity : LD50 (Rabbit, male and female): > 9,400 mg/kg

Method: OECD Test Guideline 402

triethyl phosphate:

Acute oral toxicity : LD50 (Rat): 1,600 mg/kg

Assessment: The component/mixture is moderately toxic after

single ingestion.

Acute inhalation toxicity : LC50 (Rat, male and female): > 8817 mg/m3

Exposure time: 4 h

Test atmosphere: dust/mist

Method: OECD Test Guideline 403

Acute dermal toxicity : LD50 (Rabbit): > 20,000 mg/kg

terphenyl:

Acute oral toxicity : LD50 (Rat, male and female): 2,604 mg/kg

Method: OECD Test Guideline 401

GLP: yes

Acute inhalation toxicity : LC50 (Rat, male and female): > 3.8 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist



# **RENCAST® 6402-1 US**

Version Revision Date: SDS Number: Date of last issue: 10/12/2021 2.0 05/23/2022 400001012559 Date of first issue: 07/20/2017

Print Date 01/05/2023

Method: OECD Test Guideline 403

GLP: yes

Acute dermal toxicity : LD50 (Rabbit, male and female): > 5,000 mg/kg

Method: OECD Test Guideline 402

GLP: yes

#### Skin corrosion/irritation

#### **Components:**

#### 4,4'-methylenediphenyl diisocyanate:

Species : Rabbit

Assessment : Irritating to skin.

Method : OECD Test Guideline 404

Result : Irritating to skin.

# Benzene, 1,1'-methylenebis[isocyanato-, homopolymer:

Species : Rabbit Result : Skin irritation

#### Terphenyl, hydrogenated:

Species : Rabbit Exposure time : 24 h

Method : Other guidelines
Result : No skin irritation

#### 2,4'-methylenediphenyl diisocyanate:

Species : Rabbit Assessment : Irritant

Method : OECD Test Guideline 404

Result : Irritating to skin.

# triethyl phosphate:

Species : Rabbit

Assessment : No skin irritation

Method : OECD Test Guideline 404

Result : No skin irritation

# terphenyl:

Species : Rabbit

Assessment : No skin irritation

Method : OECD Test Guideline 404

Result : No skin irritation

GLP : yes

# Serious eye damage/eye irritation

#### **Components:**

#### 4,4'-methylenediphenyl diisocyanate:

Species : Rabbit

Result : Irritating to eyes.



# **RENCAST® 6402-1 US**

Version Revision Date: SDS Number: Date of last issue: 10/12/2021 2.0 05/23/2022 400001012559 Date of first issue: 07/20/2017

Print Date 01/05/2023

Assessment : Irritating to eyes.

Method : OECD Test Guideline 405

Benzene, 1,1'-methylenebis[isocyanato-, homopolymer:

Species : Rabbit

Result : Mild eye irritation

Method : OECD Test Guideline 405

Terphenyl, hydrogenated:

Species : Rabbit

Result : No eye irritation Method : Draize Test

GLP : no

2,4'-methylenediphenyl diisocyanate:

Species : Humans

Result : Irritation to eyes, reversing within 7 days

Assessment : Mild eye irritant

Method : OECD Test Guideline 405

Remarks : Mild eye irritation

triethyl phosphate:

Species : Rabbit Result : Eye irritation

Method : OECD Test Guideline 405

terphenyl:

Species : Rabbit

Result : No eye irritation Assessment : No eye irritation

Method : OECD Test Guideline 405

GLP : yes

Respiratory or skin sensitisation

Components:

4,4'-methylenediphenyl diisocyanate:

Exposure routes : Skin Species : Guinea pig

Assessment : May cause sensitisation by skin contact.

Method : OECD Test Guideline 406

Result : May cause sensitisation by skin contact.

Test Type : Local lymph node assay (LLNA)

Exposure routes : Respiratory Tract
Species : Guinea pig

Assessment : May cause sensitisation by inhalation. Result : May cause sensitisation by inhalation.

Assessment : May cause allergy or asthma symptoms or breathing

difficulties if inhaled., May cause an allergic skin



# **RENCAST® 6402-1 US**

Version Revision Date: SDS Number: Date of last issue: 10/12/2021 2.0 05/23/2022 400001012559 Date of first issue: 07/20/2017

Print Date 01/05/2023

reaction.

#### Benzene, 1,1'-methylenebis[isocyanato-, homopolymer:

Exposure routes : Skin Species : Guinea pig

Method : OECD Test Guideline 406

Result : May cause sensitisation by skin contact.

Exposure routes : Respiratory Tract

Species : Guinea pig

Result : May cause sensitisation by inhalation.

Assessment : May cause sensitisation by inhalation and skin contact.

#### Terphenyl, hydrogenated:

Exposure routes : Skin Species : Humans

Method : Patch Test 24 Hrs.

Result : Does not cause skin sensitisation.

Assessment : Does not cause skin sensitisation.

# 2,4'-methylenediphenyl diisocyanate:

Exposure routes : Skin Species : Mouse

Assessment : May cause sensitisation by skin contact.

Result : Causes sensitisation.

Exposure routes : Respiratory Tract

Species : Guinea pig

Assessment : May cause sensitisation by inhalation.

Result : Causes sensitisation.

Assessment : Mild eye irritation

#### triethyl phosphate:

Exposure routes : Skin Species : Mouse

Method : OECD Test Guideline 429

Result : Does not cause skin sensitisation.

#### Germ cell mutagenicity

# Components:

## 4,4'-methylenediphenyl diisocyanate:

Genotoxicity in vitro : Test Type: reverse mutation assay

Test system: Salmonella typhimurium

Metabolic activation: with and without metabolic activation

Method: Directive 67/548/EEC, Annex, B.13/14

Result: negative

Genotoxicity in vivo : Test Type: Micronucleus test



# **RENCAST® 6402-1 US**

Version Revision Date: SDS Number: Date of last issue: 10/12/2021 2.0 05/23/2022 400001012559 Date of first issue: 07/20/2017

Print Date 01/05/2023

Species: Rat (male) Cell type: Somatic

Application Route: Inhalation Exposure time: 3 Weeks

Method: OECD Test Guideline 474

Result: negative

Test Type: comet assay Species: Rat (male) Cell type: Liver cells

Application Route: inhalation (dust/mist/fume)

Dose: 2.5/4.9/12 mg/m3

Method: OECD Test Guideline 489

Result: negative

#### Benzene, 1,1'-methylenebis[isocyanato-, homopolymer:

Genotoxicity in vitro : Concentration: ca 50 ug/plate

Metabolic activation: with and without metabolic activation

Method: OECD Test Guideline 471

Result: negative

Genotoxicity in vivo : Application Route: Inhalation

Exposure time: 3 Weeks

Dose: 118 mg/m3

Method: OECD Test Guideline 474

Result: negative

Germ cell mutagenicity -

Assessment

Animal testing did not show any mutagenic effects.

# Terphenyl, hydrogenated:

Genotoxicity in vitro : Metabolic activation: with and without metabolic activation

Method: OECD Test Guideline 482

Result: negative

Test Type: Ames test

Metabolic activation: with and without metabolic activation

Result: negative

Metabolic activation: with and without metabolic activation

Method: In vitro mammalian cell gene mutation test

Result: negative

Genotoxicity in vivo : Species: Rat

Cell type: Bone marrow

Dose: 250, 1250, 2500 mg/kg bw Method: OECD Test Guideline 475

Result: negative

# 2,4'-methylenediphenyl diisocyanate:

Genotoxicity in vitro : Metabolic activation: with and without metabolic activation

Method: OECD Test Guideline 471

Result: negative



**RENCAST® 6402-1 US** 

Version Revision Date: SDS Number: Date of last issue: 10/12/2021 400001012559 2.0 05/23/2022 Date of first issue: 07/20/2017

Print Date 01/05/2023

Genotoxicity in vivo Application Route: Inhalation

> Exposure time: 3 w Dose: 118 mg/m3

Method: OECD Test Guideline 474

Result: negative

triethyl phosphate:

Genotoxicity in vitro Metabolic activation: with and without metabolic activation

Method: OECD Test Guideline 476

Result: negative

Method: OECD Test Guideline 482

Result: negative

Application Route: Intraperitoneal injection Genotoxicity in vivo

Method: OECD Test Guideline 478

Result: negative

terphenyl:

Genotoxicity in vitro Test Type: reverse mutation assay

> Test system: Salmonella typhimurium Metabolic activation: Metabolic activation Method: OECD Test Guideline 471

Result: positive GLP: yes

Test Type: gene mutation test

Test system: Chinese hamster ovary cells

Metabolic activation: with and without metabolic activation

Method: OECD Test Guideline 476

Result: negative GLP: yes

Test Type: Chromosome aberration test in vitro Test system: Chinese hamster ovary cells

Metabolic activation: with and without metabolic activation

Method: OECD Test Guideline 473

Result: negative GLP: yes

Genotoxicity in vivo Test Type: in vivo assay

Species: Rat (male and female)

Cell type: Bone marrow

Application Route: Intraperitoneal injection

Exposure time: 6-24 h

Dose: 0, 500, 2500, 5000 mg/kg bw Method: OECD Test Guideline 475

Result: negative

GLP: yes

Carcinogenicity

**Product:** 

Remarks Rats have been exposed for two years to a respirable aerosol



# **RENCAST® 6402-1 US**

Version Revision Date: SDS Number: Date of last issue: 10/12/2021 2.0 05/23/2022 400001012559 Date of first issue: 07/20/2017

Print Date 01/05/2023

of polymeric MDI which resulted in a chronic pulmonary irritation at high concentrations. Only at the top level (6 mg/m3), there was a significant incidence of a benign tumour

of the lung (adenoma) and one malignant tumour

(adenocarcinoma). There were no lung tumours at 1 mg/m3 and no effects at 0.2 mg/m3. Overall, the tumour incidence, both benign and malignant, and the number of animals with the tumours were not different from controls. The increased incidence of lung tumours is associated with prolonged respiratory irritation and the concurrent accumulation of yellow material in the lung, which occurred throughout the study. In the absence of prolonged exposure to high concentrations leading to chronic irritation and lung damage, it is highly

unlikely that tumour formation will occur.

Remarks : Industrial use of aprotic polar solvents for cleaning can

release hazardous primary aromatic amines (>0.1%) Based on animal studies, primary aromatic amines are considered as potential carcinogen to humans. Some of those

chemicals are proven carcinogens to humans

Provided the recommended personal protective equipment and hygiene measures are applied, no adverse effects to

human health are to be expected

#### Components:

#### 4,4'-methylenediphenyl diisocyanate:

Species : Rat, female
Application Route : Inhalation
Exposure time : 24 month(s)

Activity duration : 17 h

Dose : 0, 0.2, 0.7, 2.1 mg/m3 mg/m³

Frequency of Treatment : 5 days/week NOEL : 0.7 mg/m³ LOAEL : 0.23 mg/m³ Result : positive Target Organs : Lungs

# Benzene, 1,1'-methylenebis[isocyanato-, homopolymer:

Species : Rat, male and female

Application Route : Inhalation
Exposure time : 24 month(s)
Dose : 1 mg/m³
Frequency of Treatment : 5 daily

Method : OECD Test Guideline 453

Result : negative

# 2,4'-methylenediphenyl diisocyanate:

Species : Rat, male and female

Application Route : Inhalation

Exposure time : 24 month(s)

Dose : 1 mg/m³

Frequency of Treatment : 5 daily

Method : OECD Test Guideline 453



# **RENCAST® 6402-1 US**

Version Revision Date: SDS Number: Date of last issue: 10/12/2021 2.0 05/23/2022 400001012559 Date of first issue: 07/20/2017

Print Date 01/05/2023

Result : positive Target Organs : Lungs

IARC No component of this product present at levels greater than or equal to 0.1% is

identified as probable, possible or confirmed human carcinogen by IARC.

**OSHA**No component of this product present at levels greater than or equal to 0.1% is

on OSHA's list of regulated carcinogens.

NTP No component of this product present at levels greater than or equal to 0.1% is

identified as a known or anticipated carcinogen by NTP.

#### Reproductive toxicity

#### **Components:**

# Benzene, 1,1'-methylenebis[isocyanato-, homopolymer:

Effects on foetal : Species: Rat, female

development Application Route: Inhalation

General Toxicity Maternal: NOAEL: 4 mg/m<sup>3</sup>

Method: OECD Test Guideline 414 Result: No teratogenic effects

Reproductive toxicity -

No evidence of adverse effects on sexual function and fertility,

Assessment

or on development, based on animal experiments.

#### Terphenyl, hydrogenated:

Effects on fertility : Test Type: Two-generation study

Species: Rat, male and female

Application Route: Oral

Frequency of Treatment: 7 days/week General Toxicity - Parent: NOAEL: 1,000 ppm General Toxicity F1: NOAEL: 1,000 ppm

Method: OECD Test Guideline 416

Result: Animal testing did not show any effects on fertility.

GLP: yes

Effects on foetal

development

Species: Rat, female

Application Route: Oral

Dose: 125, 500, 1500 mg/kg bw/d Frequency of Treatment: 1 daily

General Toxicity Maternal: NOAEL: 125 mg/kg body weight Embryo-foetal toxicity: NOAEL: 500 mg/kg body weight

Method: OECD Test Guideline 414

GLP: yes

Reproductive toxicity -

No evidence of adverse effects on sexual function and fertility,

Assessment or on development, based on animal experiments.

#### 2,4'-methylenediphenyl diisocyanate:

Effects on fertility : Species: Rat, female

Application Route: Inhalation Method: OECD Test Guideline 414

Result: Animal testing did not show any effects on fertility.



# **RENCAST® 6402-1 US**

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 10/12/2021

 2.0
 05/23/2022
 400001012559
 Date of first issue: 07/20/2017

Print Date 01/05/2023

Species: Rat, male and female Application Route: Inhalation Method: OECD Test Guideline 414

Result: Animal testing did not show any effects on fertility.

Effects on foetal : Species: Rat, male and female development : Application Route: Inhalation

General Toxicity Maternal: NOAEL: 4 mg/m<sup>3</sup>

Method: OECD Test Guideline 414 Result: No teratogenic effects

triethyl phosphate:

Effects on foetal : Species: Rat

development Application Route: Oral

General Toxicity Maternal: NOAEL: 125 mg/kg body weight

Method: OECD Test Guideline 414 Result: No teratogenic effects

#### STOT - single exposure

#### **Components:**

# 4,4'-methylenediphenyl diisocyanate:

Exposure routes : Inhalation

Target Organs : Respiratory system

Assessment : May cause respiratory irritation., The substance or mixture is

classified as specific target organ toxicant, single exposure,

category 3 with respiratory tract irritation.

#### Benzene, 1,1'-methylenebis[isocyanato-, homopolymer:

Exposure routes : inhalation (dust/mist/fume)

Target Organs : Respiratory Tract

Assessment : May cause respiratory irritation.

# 2,4'-methylenediphenyl diisocyanate:

Exposure routes : Inhalation

Target Organs : Respiratory system

Assessment : The substance or mixture is classified as specific target organ

toxicant, single exposure, category 3 with respiratory tract

irritation.

# STOT - repeated exposure

#### Components:

#### 4,4'-methylenediphenyl diisocyanate:

Exposure routes : Inhalation

Target Organs : Respiratory system

Assessment : May cause damage to organs through prolonged or repeated

exposure., The substance or mixture is classified as specific

target organ toxicant, repeated exposure, category 2.



# **RENCAST® 6402-1 US**

Version Revision Date: SDS Number: Date of last issue: 10/12/2021 2.0 05/23/2022 400001012559 Date of first issue: 07/20/2017

Print Date 01/05/2023

#### Repeated dose toxicity

#### Components:

#### 4,4'-methylenediphenyl diisocyanate:

Species : Rat, female
LOEC : 1 mg/m3
Application Route : Inhalation
Test atmosphere : dust/mist
Exposure time : 2 years 17 h
Number of exposures : 5 days/week

Dose : 0, 0.2, 0.7, 2.1 mg/m3 Method : Chronic toxicity

Assessment : The substance or mixture is classified as specific target organ

toxicant, repeated exposure, category 2.

#### Benzene, 1,1'-methylenebis[isocyanato-, homopolymer:

Species : Rat, male and female

NOEC : 0.2 mg/m3
Test atmosphere : dust/mist
Exposure time : 2 yr
Number of exposures : 5 d

Method : OECD Test Guideline 453

Repeated dose toxicity - : No adverse effect has been observed in chronic toxicity

Assessment tests.

#### Terphenyl, hydrogenated:

Species : Rat, male and female

NOAEL : 12 mg/kg
LOAEL : 120 mg/kg
Application Route : oral (feed)
Exposure time : 14 weeks
Number of exposures : 7 days/week

Method : OECD Test Guideline 408

Species : Rat, male and female

NOAEL : 0.1 mg/l LOAEL : 0.5 mg/l Application Route : Inhalation Exposure time : 90 days

Number of exposures : 6 hours/day, 5 days/week (67 n

Dose : 0, 10, 100, 500 mg/m³
Method : OECD Test Guideline 413

Species : Rabbit, male and female

NOAEL : 2,000 mg/kg Application Route : Dermal Exposure time : 21 days

Number of exposures : 6 hours/day, 5 days/week
Dose : 125, 500, 2000 mg/kg bw/d

Method : Subacute toxicity

Target Organs : Skin

Repeated dose toxicity - : No adverse effect has been observed in chronic toxicity



# **RENCAST® 6402-1 US**

Version Revision Date: SDS Number: Date of last issue: 10/12/2021 2.0 05/23/2022 400001012559 Date of first issue: 07/20/2017

Print Date 01/05/2023

Assessment tests.

#### 2,4'-methylenediphenyl diisocyanate:

Species : Rat, male and female

NOEC : 0.2 mg/m3

Exposure time : 2 yr Number of exposures : 5 d

Method : OECD Test Guideline 453

Repeated dose toxicity - :

Assessment

: Mild eye irritation

# triethyl phosphate:

Species : Rat, male and female

NOAEL : 1000 mg/kg
Application Route : Ingestion
Exposure time : 4 Weeks
Number of exposures : 7 d

Method : Subacute toxicity

# **Aspiration toxicity**

No data available

#### **Experience with human exposure**

No data available

#### Toxicology, Metabolism, Distribution

No data available

# **Neurological effects**

No data available

# **Further information**

No data available

# **SECTION 12. ECOLOGICAL INFORMATION**

#### **Ecotoxicity**

#### **Components:**

#### 4,4'-methylenediphenyl diisocyanate:

Toxicity to fish : LC50 (Brachydanio rerio (zebrafish)): > 100 mg/l

End point: mortality Exposure time: 96 h

Test substance: Fresh water Method: OECD Test Guideline 203

Toxicity to daphnia and other :

aquatic invertebrates

EL50 (Daphnia magna (Water flea)): 9 mg/l

End point: Immobilization Exposure time: 48 h Test Type: semi-static test Test substance: Fresh water

Method: OECD Test Guideline 202



**RENCAST® 6402-1 US** 

Version Revision Date: SDS Number: Date of last issue: 10/12/2021 2.0 05/23/2022 400001012559 Date of first issue: 07/20/2017

Print Date 01/05/2023

Toxicity to algae/aquatic

plants

EC50 (Desmodesmus subspicatus (green algae)): > 100 mg/l

Exposure time: 72 h

Test Type: static test

Test substance: Fresh water Method: OECD Test Guideline 201

GLP: yes

Toxicity to daphnia and other :

aquatic invertebrates (Chronic toxicity)

NOEC (Daphnia magna (Water flea)): >= 10 mg/l

Exposure time: 21 d
Test Type: semi-static test

Test substance: Fresh water Method: OECD Test Guideline 211

Remarks: Information given is based on data obtained from

similar substances.

Toxicity to microorganisms : EC50 (activated sludge): > 1,000 mg/l

Exposure time: 3 h Test Type: static test

Method: OECD Test Guideline 209

Toxicity to soil dwelling

organisms

NOEC (Eisenia fetida (earthworms)): >= 1,000 mg/kg

Exposure time: 336 h

Plant toxicity : EC50: >1000 milligram per kilogram

Exposure time: 14 d

Species: Avena sativa (oats)

EC50: >1000 milligram per kilogram

Exposure time: 14 d

Species: Lactuca sativa (lettuce)

**Ecotoxicology Assessment** 

Acute aquatic toxicity : Toxic to aquatic life.

Benzene, 1,1'-methylenebis[isocyanato-, homopolymer:

Toxicity to fish : LC50 (Brachydanio rerio (zebrafish)): > 1,000 mg/l

Exposure time: 96 h
Test Type: static test
Test substance: Fresh water

Method: OECD Test Guideline 203

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): > 1,000 mg/l

Exposure time: 24 h
Test Type: static test
Test substance: Fresh water
Method: OECD Test Guideline 202

Toxicity to algae/aquatic

plants

EC50 (Desmodesmus subspicatus (green algae)): > 1,640

mg/l

Exposure time: 72 h
Test Type: static test
Test substance: Fresh water
Method: OECD Test Guideline 201

Toxicity to daphnia and other : NOEC (Daphnia magna (Water flea)): >= 10 mg/l



# **RENCAST® 6402-1 US**

Version Revision Date: SDS Number: Date of last issue: 10/12/2021 2.0 05/23/2022 400001012559 Date of first issue: 07/20/2017

Print Date 01/05/2023

aquatic invertebrates (Chronic toxicity)

Exposure time: 21 d
Test Type: semi-static test
Test substance: Fresh water
Method: OECD Test Guideline 211

Toxicity to microorganisms : EC50 (activated sludge): > 100 mg/l

Exposure time: 3 h
Test Type: static test
Test substance: Fresh water
Method: OECD Test Guideline 209

Toxicity to soil dwelling

organisms

EC50 (Eisenia fetida (earthworms)): > 1,000 mg/kg

Exposure time: 336 h

Method: OECD Test Guideline 207

Terphenyl, hydrogenated:

Toxicity to fish : LC50: > 100 mg/l

Exposure time: 96 h

Toxicity to algae/aquatic

plants

EC50 (Pseudokirchneriella subcapitata (green algae)): 56 mg/l

Exposure time: 96 h

Method: OECD Test Guideline 201

Toxicity to daphnia and other :

aquatic invertebrates (Chronic toxicity)

NOELR (Daphnia magna (Water flea)): < 1 mg/l

Exposure time: 21 d
Test Type: semi-static test

Method: OECD Test Guideline 211

GLP: yes

Toxicity to microorganisms : NOEC (activated sludge): 103 mg/l

Exposure time: 3 h
Test Type: static test

Method: OECD Test Guideline 209

GLP: yes

**Ecotoxicology Assessment** 

Acute aquatic toxicity : This product has no known ecotoxicological effects.

Chronic aquatic toxicity : May cause long lasting harmful effects to aquatic life.

2,4'-methylenediphenyl diisocyanate:

Toxicity to fish : LC50 (Brachydanio rerio (zebrafish)): > 1,000 mg/l

Exposure time: 96 h
Test Type: static test
Test substance: Fresh water
Method: OECD Test Guideline 203

Toxicity to daphnia and other :

aquatic invertebrates

EL50 (Daphnia magna (Water flea)): 3.7 mg/l

Exposure time: 48 h
Test Type: semi-static test
Test substance: Fresh water
Method: OECD Test Guideline 202

Toxicity to daphnia and other : NOEC (Daphnia magna (Water flea)): >= 10 mg/l



**RENCAST® 6402-1 US** 

Version Revision Date: SDS Number: Date of last issue: 10/12/2021 2.0 05/23/2022 400001012559 Date of first issue: 07/20/2017

Print Date 01/05/2023

aquatic invertebrates (Chronic toxicity)

Exposure time: 21 d
Test Type: semi-static test
Test substance: Fresh water
Method: OECD Test Guideline 211

Toxicity to microorganisms

EC50 (activated sludge): > 100 mg/l

Exposure time: 3 h
Test Type: static test
Test substance: Fresh water
Method: OECD Test Guideline 209

Toxicity to soil dwelling

organisms

NOEC (Eisenia fetida (earthworms)): >= 1,000 mg/kg

Exposure time: 336 h

Method: OECD Test Guideline 207

**Ecotoxicology Assessment** 

Acute aquatic toxicity : Toxic to aquatic life.

triethyl phosphate:

Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): > 100 mg/l

Exposure time: 96 h Test Type: static test

Test substance: Fresh water

Toxicity to daphnia and other :

aquatic invertebrates

LC50: > 100 mg/l Exposure time: 96 h Test Type: static test

Test substance: Fresh water

Toxicity to algae/aquatic

plants

EC50 (Desmodesmus subspicatus (green algae)): 901 mg/l

Exposure time: 72 h Test Type: static test

Test substance: Fresh water

Toxicity to daphnia and other :

aquatic invertebrates (Chronic toxicity)

NOEC (Daphnia magna (Water flea)): 31.6 mg/l

Exposure time: 21 d

Test substance: Fresh water Method: OECD Test Guideline 211

Toxicity to microorganisms : (Pseudomonas putida): 2,985 mg/l

Exposure time: 0.5 h
Test Type: static test
Test substance: Fresh water

terphenyl:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 27 mg/l

End point: mortality Exposure time: 96 h Test Type: static test

Test substance: Fresh water

GLP: yes

NOEC (Oncorhynchus mykiss (rainbow trout)): 10 mg/l

End point: mortality



# **RENCAST® 6402-1 US**

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 10/12/2021

 2.0
 05/23/2022
 400001012559
 Date of first issue: 07/20/2017

Print Date 01/05/2023

Exposure time: 96 h
Test Type: static test
Test substance: Fresh water

GLP: yes

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): 0.022 mg/l End point: Immobilization

Exposure time: 48 h
Test Type: static test
Test substance: Fresh water
Method: OECD Test Guideline 202

GLP: yes

M-Factor (Acute aquatic

toxicity)

: 10

Toxicity to fish (Chronic

toxicity)

(Pimephales promelas (fathead minnow)): 0.049 mg/l

End point: mortality Exposure time: 34 d

Test Type: flow-through test Test substance: Fresh water

GLP: yes

Toxicity to daphnia and other :

aquatic invertebrates (Chronic toxicity)

(Daphnia magna (Water flea)): 0.005 mg/L

Exposure time: 21 d Test Type: flow-through test Analytical monitoring: yes

Test substance: Fresh water

GLP: yes

M-Factor (Chronic aquatic

toxicity)

10

**Ecotoxicology Assessment** 

Acute aquatic toxicity : Very toxic to aquatic life.

Chronic aquatic toxicity : Very toxic to aquatic life with long lasting effects.

#### Persistence and degradability

# **Components:**

#### 4,4'-methylenediphenyl diisocyanate:

Biodegradability : aerobic

Inoculum: activated sludge, non-adapted Result: Not readily biodegradable.

Biodegradation: 0 %

Exposure time: 28 d

Method: OECD Test Guideline 301F

Test substance: Fresh water

Stability in water : Degradation half life (DT50): 20 hrs (25 °C)

Remarks: Fresh water

# Benzene, 1,1'-methylenebis[isocyanato-, homopolymer:



**RENCAST® 6402-1 US** 

Version Revision Date: SDS Number: Date of last issue: 10/12/2021 2.0 05/23/2022 400001012559 Date of first issue: 07/20/2017

Print Date 01/05/2023

Biodegradability : Inoculum: Domestic sewage

Concentration: 30 mg/l Result: Not biodegradable Biodegradation: 0 % Exposure time: 28 d

Method: Inherent Biodegradability: Modified MITI Test (II)

2,4'-methylenediphenyl diisocyanate:

Biodegradability : Inoculum: Domestic sewage

Concentration: 30 mg/l Result: Not biodegradable Biodegradation: 0 % Exposure time: 28 d

Method: Inherent Biodegradability: Modified MITI Test (II)

triethyl phosphate:

Biodegradability : Inoculum: activated sludge

Result: Not readily biodegradable.

Biodegradation: 0 % Exposure time: 28 d

Method: OECD Test Guideline 301C

Inoculum: activated sludge Result: Inherently biodegradable.

Biodegradation: 98 % Exposure time: 28 d

Method: OECD Test Guideline 302B

Stability in water : Degradation half life (DT50): 5.5 yr (25 °C) pH: 7

Remarks: Fresh water

terphenyl:

Biodegradability : Result: Not biodegradable

**Bioaccumulative potential** 

Components:

4,4'-methylenediphenyl diisocyanate:

Bioaccumulation : Species: Cyprinus carpio (Carp)

Bioconcentration factor (BCF): 200

Exposure time: 28 d Concentration: 0.08 µg/l

Method: OECD Test Guideline 305 Remarks: Bioaccumulation is unlikely.

Partition coefficient: n-

log Pow: 4.51 (72 °F / 22 °C)

octanol/water

pH: 7

Method: OECD Test Guideline 117



# **RENCAST® 6402-1 US**

Version Revision Date: SDS Number: Date of last issue: 10/12/2021 2.0 05/23/2022 400001012559 Date of first issue: 07/20/2017

Print Date 01/05/2023

Benzene, 1,1'-methylenebis[isocyanato-, homopolymer:

Bioaccumulation : Species: Cyprinus carpio (Carp)

Bioconcentration factor (BCF): 200 Remarks: Bioaccumulation is unlikely.

Partition coefficient: n-

octanol/water

log Pow: 8.56 (68 °F / 20 °C)

Terphenyl, hydrogenated:

Partition coefficient: n-

octanol/water

log Pow: 6.5

2,4'-methylenediphenyl diisocyanate:

Bioaccumulation : Species: Cyprinus carpio (Carp)

Bioconcentration factor (BCF): 200 Remarks: Bioaccumulation is unlikely.

Partition coefficient: n-

octanol/water

log Pow: 4.51 (68 °F / 20 °C)

pH: 7

Method: OECD Test Guideline 117

triethyl phosphate:

Bioaccumulation : Species: Cyprinus carpio (Carp)

Bioconcentration factor (BCF): 0.5 - 0.8

Exposure time: 42 d

Test substance: Fresh water Method: semi-static test

Partition coefficient: n-

octanol/water

log Pow: 1.11

Method: Partition coefficient

Mobility in soil

Components:

4,4'-methylenediphenyl diisocyanate:

Distribution among : log Koc: 4.5 environmental compartments Method: QSAR

Stability in soil : Soil temperature: 72 °F / 22 °C

Dissipation time: 24 h

Method: OECD Test Guideline 307

Other adverse effects

**Product:** 

Ozone-Depletion Potential : Regulation: 40 CFR Protection of Environment; Part 82

Protection of Stratospheric Ozone - CAA Section 602 Class I

Substances

Remarks: This product neither contains, nor was

manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A +

B).



# **RENCAST® 6402-1 US**

Version Revision Date: SDS Number: Date of last issue: 10/12/2021 2.0 05/23/2022 400001012559 Date of first issue: 07/20/2017

Print Date 01/05/2023

#### **SECTION 13. DISPOSAL CONSIDERATIONS**

**Disposal methods** 

Waste from residues : Do not dispose of waste into sewer.

Do not contaminate ponds, waterways or ditches with

chemical or used container.

Send to a licensed waste management company.

Contaminated packaging : Empty remaining contents.

Dispose of as unused product. Do not re-use empty containers.

#### **SECTION 14. TRANSPORT INFORMATION**

#### International Regulations

**IATA-DGR** 

UN/ID No. : UN 3082

Proper shipping name : Environmentally hazardous substance, liquid, n.o.s.

(Terphenyl)

Class : 9 Packing group : III

Labels : Miscellaneous

Packing instruction (cargo : 964

aircraft)

Packing instruction : 964

(passenger aircraft)

Environmentally hazardous : yes

**IMDG-Code** 

UN number : UN 3082

Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S.

(Terphenyl)

Class : 9
Packing group : III
Labels : 9
EmS Code : F-A, S-F
Marine pollutant : yes

#### Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

# **National Regulations**

**49 CFR** 

UN/ID/NA number : UN 3082

Proper shipping name : Environmentally hazardous substance, liquid, n.o.s.

(Terphenyl)

Class : 9
Packing group : III
Labels : CLASS 9
ERG Code : 171
Marine pollutant : yes

Remarks : Shipment by ground under DOT is non-regulated; however it

may be shipped per the applicable hazard classification to



# **RENCAST® 6402-1 US**

Version Revision Date: SDS Number: Date of last issue: 10/12/2021 400001012559 2.0 05/23/2022 Date of first issue: 07/20/2017

Print Date 01/05/2023

facilitate multi-modal transport involving ICAO (IATA) or IMO.

#### Special precautions for user

Remarks 49CFR: no dangerous good in non-bulk packaging

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

#### **SECTION 15. REGULATORY INFORMATION**

#### **CERCLA Reportable Quantity**

| Components             | CAS-No.  | Component RQ | Calculated product RQ |
|------------------------|----------|--------------|-----------------------|
|                        |          | (lbs)        | (lbs)                 |
| 4,4'-methylenediphenyl | 101-68-8 | 5000         | 7974                  |
| diisocyanate           |          |              |                       |

SARA 311/312 Hazards : Acute toxicity (any route of exposure)

Respiratory or skin sensitisation

Skin corrosion or irritation

Serious eye damage or eye irritation

Specific target organ toxicity (single or repeated exposure)

**SARA 313** The following components are subject to reporting levels

established by SARA Title III, Section 313:

4,4'-methylenediphenyl

101-68-8 >= 50 - < 70 %

diisocyanate

The following chemical(s) are listed as HAP under the U.S. Clean Air Act, Section 112 (40 CFR 61):

> 4,4'-methylenediphenyl 101-68-8

diisocyanate

#### California Prop. 65

This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

#### The components of this product are reported in the following inventories:

DSL : All components of this product are on the Canadian DSL

AIIC : On the inventory, or in compliance with the inventory

**NZIoC** : On the inventory, or in compliance with the inventory

**ENCS** : Not in compliance with the inventory

**KECI** On the inventory, or in compliance with the inventory

**PICCS** On the inventory, or in compliance with the inventory

**IECSC** : On the inventory, or in compliance with the inventory



# **RENCAST® 6402-1 US**

Version Revision Date: SDS Number: Date of last issue: 10/12/2021 2.0 05/23/2022 400001012559 Date of first issue: 07/20/2017

Print Date 01/05/2023

TCSI : On the inventory, or in compliance with the inventory

TSCA : All substances listed as active on the TSCA inventory

#### **Inventories**

AIIC (Australia), DSL (Canada), IECSC (China), REACH (European Union), ENCS (Japan), ISHL (Japan), KECI (Korea), NZIoC (New Zealand), PICCS (Philippines), TCSI (Taiwan), TECI (Thailand), TSCA (USA)

# TSCA - 5(a) Significant New Use Rule List of Chemicals

No substances are subject to a Significant New Use Rule.


# US. Toxic Substances Control Act (TSCA) Section 12(b) Export Notification (40 CFR 707, Subpt D)

No substances are subject to TSCA 12(b) export notification requirements.

#### **SECTION 16. OTHER INFORMATION**

#### **Further information**

#### NFPA 704:



Special hazard

#### HMIS® IV:



HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. The "\*" represents a chronic hazard, while the "/" represents the absence of a chronic hazard

Liquid decontaminants (percentages by weight or volume):

Decontaminant 1 : \*- sodium carbonate : 5 - 10 % \*- liquid detergent : 0.2 - 2 % \*- water : to make up to 100 %

Decontaminant 2 : \*- concentrated ammonia solution : 3 - 8 % \*- liquid detergent : 0.2 - 2 % \*- water : to make up to 100 %

Decontaminant 1 reacts slower with diisocyanates but is more environmentally friendly than decontaminant 2.

Decontaminant 2 contains ammonia. Ammonia presents health hazards. (See supplier safety information.)

Revision Date : 05/23/2022

ACGIH : USA. ACGIH Threshold Limit Values (TLV)
NIOSH REL : USA. NIOSH Recommended Exposure Limits

OSHA P0 : USA. Table Z-1-A Limits for Air Contaminants (1989 vacated



# **RENCAST® 6402-1 US**

Version Revision Date: SDS Number: Date of last issue: 10/12/2021 2.0 05/23/2022 400001012559 Date of first issue: 07/20/2017

Print Date 01/05/2023

values)

OSHA Z-1 : USA. Occupational Exposure Limits (OSHA) - Table Z-1

Limits for Air Contaminants

ACGIH / TWA : 8-hour, time-weighted average

ACGIH / C : Ceiling limit

NIOSH REL / TWA : Time-weighted average concentration for up to a 10-hour

workday during a 40-hour workweek

NIOSH REL / C : Ceiling value not be exceeded at any time.

OSHA P0 / TWA : 8-hour time weighted average

OSHA P0 / C : Ceiling limit OSHA Z-1 / C : Ceiling

The information and recommendations in this publication are to the best of our knowledge, information and belief accurate at the date of publication, NOTHING HEREIN IS TO BE CONSTRUED AS A WARRANTY, EXPRESS OR OTHERWISE.

IN ALL CASES, IT IS THE RESPONSIBILITY OF THE USER TO DETERMINE THE APPLICABILITY OF SUCH INFORMATION AND RECOMMENDATIONS AND THE SUITABILITY OF ANY PRODUCT FOR ITS OWN PARTICULAR PURPOSE.

THE PRODUCT MAY PRESENT HAZARDS AND SHOULD BE USED WITH CAUTION. WHILE CERTAIN HAZARDS ARE DESCRIBED IN THIS PUBLICATION, NO GUARANTEE IS MADE THAT THESE ARE THE ONLY HAZARDS THAT EXIST.

Hazards, toxicity and behaviour of the products may differ when used with other materials and are dependent upon the manufacturing circumstances or other processes. Such hazards, toxicity and behaviour should be determined by the user and made known to handlers, processors and end users.

The trademarks above are the property of Huntsman Corporation or an affiliate thereof.

NO PERSON OR ORGANIZATION EXCEPT A DULY AUTHORIZED HUNTSMAN EMPLOYEE IS AUTHORIZED TO PROVIDE OR MAKE AVAILABLE DATA SHEETS FOR HUNTSMAN PRODUCTS. DATA SHEETS FROM UNAUTHORIZED SOURCES MAY CONTAIN INFORMATION THAT IS NO LONGER CURRENT OR ACCURATE.



# **REN® 6402-3 US**

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 02/10/2016

 2.0
 08/11/2021
 400000002062
 Date of first issue: 02/10/2016

Print Date 01/05/2023

#### **SECTION 1. IDENTIFICATION**

Product name : REN® 6402-3 US

#### Manufacturer or supplier's details

Company name of supplier

: Huntsman Advanced Materials Americas LLC

Address

Telephone

P.O. Box 4980 The Woodlands,

TX 77387

United States of America (USA)
: Non-Emergency: (800) 257-5547

E-mail address of person responsible for the SDS

: Global Product EHS AdMat@huntsman.com

Emergency telephone number : Chemtrec: (800) 424-9300 or (703) 527-3887

#### **SECTION 2. HAZARDS IDENTIFICATION**

# GHS classification in accordance with the OSHA Hazard Communication Standard (29 CFR 1910.1200)

Eye irritation : Category 2A

Skin sensitisation : Category 1

Specific target organ toxicity

- single exposure

: Category 1 (Blood)

#### **GHS** label elements

Hazard pictograms





Signal word : Danger

Hazard statements : H317 May cause an allergic skin reaction.

H319 Causes serious eye irritation. H370 Causes damage to organs (Blood).

Precautionary statements : **Prevention:** 

P260 Do not breathe mist or vapours. P264 Wash skin thoroughly after handling.

P270 Do not eat, drink or smoke when using this product. P272 Contaminated work clothing must not be allowed out of

the workplace.

P280 Wear protective gloves/ eye protection/ face protection.

Response:

P302 + P352 IF ON SKIN: Wash with plenty of soap and water. P305 + P351 + P338 IF IN EYES: Rinse cautiously with water



**REN® 6402-3 US** 

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 02/10/2016

 2.0
 08/11/2021
 400000002062
 Date of first issue: 02/10/2016

Print Date 01/05/2023

for several minutes. Remove contact lenses, if present and easy

to do. Continue rinsina.

P307 + P311 IF exposed: Call a POISON CENTER or doctor/

physician.

P333 + P313 If skin irritation or rash occurs: Get medical advice/

attention.

P337 + P313 If eye irritation persists: Get medical advice/

attention

P363 Wash contaminated clothing before reuse.

Storage:

P405 Store locked up.

Disposal:

P501 Dispose of contents/container to an approved facility in accordance with local, regional, national and international

regulations.

Other hazards

None known.

#### **SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS**

# **Hazardous components**

| Chemical name             | CAS-No.      | Concentration (% w/w) |
|---------------------------|--------------|-----------------------|
| butane-1,4-diol           | 110-63-4     | 5 - 10                |
| 2,2'-phenyliminodiethanol | 120-07-0     | 1 - 5                 |
| PHENYLMERCURIC SUBSTANCE  | Not Assigned | 0.1 - 1               |

The specific chemical identity and/or exact percentage (concentration) of composition may be withheld as a trade secret.

#### **SECTION 4. FIRST AID MEASURES**

General advice : Move out of dangerous area.

Consult a physician.

Show this safety data sheet to the doctor in attendance.

Treat symptomatically.

Get medical attention if symptoms occur.

If inhaled : If inhaled, remove to fresh air.

Get medical attention if symptoms occur.

In case of skin contact : If on skin, rinse well with water.

In case of eye contact : Immediately flush eye(s) with plenty of water.

Remove contact lenses.

Keep eye wide open while rinsing.

If eye irritation persists, consult a specialist.

If swallowed : Induce vomiting immediately and call a physician.

Keep respiratory tract clear.



**REN® 6402-3 US** 

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 02/10/2016

 2.0
 08/11/2021
 400000002062
 Date of first issue: 02/10/2016

Print Date 01/05/2023

Never give anything by mouth to an unconscious person.

If symptoms persist, call a physician. Take victim immediately to hospital.

Most important symptoms and effects, both acute and delayed

None known.

Protection of first-aiders : First Aid responders should pay attention to self-protection

and use the recommended protective clothing

If potential for exposure exists refer to Section 8 for specific

personal protective equipment.

Avoid inhalation, ingestion and contact with skin and eyes. No action shall be taken involving any personal risk or without

suitable training.

It may be dangerous to the person providing aid to give

mouth-to-mouth resuscitation.

Notes to physician : Treat symptomatically.

#### **SECTION 5. FIREFIGHTING MEASURES**

Suitable extinguishing media : Water spray

Alcohol-resistant foam Carbon dioxide (CO2)

Dry chemical

Unsuitable extinguishing

media

Exercise caution when using a high volume water jet as it may

scatter and spread fire

Specific hazards during

firefighting

No information available.

Hazardous combustion

products

Carbon oxides

Specific extinguishing

methods

Use extinguishing measures that are appropriate to local

circumstances and the surrounding environment.

Further information : No action shall be taken involving any personal risk or without

suitable training.

Special protective equipment:

for firefighters

Wear self-contained breathing apparatus for firefighting if

necessary.

#### **SECTION 6. ACCIDENTAL RELEASE MEASURES**

Personal precautions, protective equipment and emergency procedures Use personal protective equipment.

Refer to protective measures listed in sections 7 and 8.

Environmental precautions : Prevent product from entering drains.



**REN® 6402-3 US** 

Version Revision Date: SDS Number: Date of last issue: 02/10/2016 40000002062 2.0 08/11/2021 Date of first issue: 02/10/2016

Print Date 01/05/2023

Prevent further leakage or spillage if safe to do so.

If the product contaminates rivers and lakes or drains inform

respective authorities.

Methods and materials for containment and cleaning up Soak up with inert absorbent material (e.g. sand, silica gel,

acid binder, universal binder, sawdust).

Keep in suitable, closed containers for disposal.

#### **SECTION 7. HANDLING AND STORAGE**

fire and explosion

Advice on protection against : Normal measures for preventive fire protection.

Advice on safe handling Repeated or prolonged skin contact may cause skin irritation

> and/or dermatitis and sensitisation of susceptible persons. Persons suffering from asthma, eczema or skin problems should avoid contact, including dermal contact, with this

product.

Do not breathe vapours/dust.

Avoid exposure - obtain special instructions before use.

Avoid contact with skin and eves. For personal protection see section 8.

Smoking, eating and drinking should be prohibited in the

application area.

Dispose of rinse water in accordance with local and national

regulations.

Conditions for safe storage Keep container tightly closed in a dry and well-ventilated

place.

Observe label precautions.

Keep in properly labelled containers.

For incompatible materials please refer to Section 10 of this Materials to avoid

SDS.

Recommended storage

temperature

36 - 104 °F / 2 - 40 °C

Further information on

storage stability

Stable under normal conditions.

## SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Components with workplace control parameters

Contains no substances with occupational exposure limit values.

#### Personal protective equipment

: General and local exhaust ventilation is recommended to Respiratory protection

maintain vapor exposures below recommended limits. Where

concentrations are above recommended limits or are unknown, appropriate respiratory protection should be worn. Follow OSHA respirator regulations (29 CFR 1910.134) and



**REN® 6402-3 US** 

Version Revision Date: SDS Number: Date of last issue: 02/10/2016 2.0 08/11/2021 400000002062 Date of first issue: 02/10/2016

Print Date 01/05/2023

use NIOSH/MSHA approved respirators. Protection provided

by air purifying respirators against exposure to any

hazardous chemical is limited. Use a positive pressure air supplied respirator if there is any potential for uncontrolled release, exposure levels are unknown, or any other

circumstance where air purifying respirators may not provide

adequate protection.

Hand protection

Material : butyl-rubber

Break through time : > 8 h

Material : Nitrile rubber Break through time : 10 - 480 min

Material : Ethyl Vinyl Alcohol Laminate (EVAL)

Break through time : > 8 h

Remarks : The selected protective gloves have to satisfy the

specifications of Regulation (EU) 2016/425 and the standard

EN 374 derived from it.

Gloves should be discarded and replaced if there is any indication of degradation or chemical breakthrough. Take note of the information given by the producer concerning permeability and break through times, and of special workplace conditions (mechanical strain, duration of

contact).

Eye protection : Eye wash bottle with pure water

Tightly fitting safety goggles

Wear face-shield and protective suit for abnormal processing

problems.

Skin and body protection : Impervious clothing

Choose body protection according to the amount and

concentration of the dangerous substance at the work place.

Hygiene measures : When using do not eat or drink.

When using do not smoke.

Wash hands before breaks and at the end of workday.

#### **SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES**

Appearance : liquid

Colour : white

Odour : No data is available on the product itself.

Odour Threshold : No data is available on the product itself.

pH : No data is available on the product itself.

Melting point/freezing point : No data is available on the product itself.



# **REN® 6402-3 US**

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 02/10/2016

 2.0
 08/11/2021
 400000002062
 Date of first issue: 02/10/2016

Print Date 01/05/2023

Boiling point : No data is available on the product itself.

Flash point :  $> 273 \, ^{\circ}\text{F} / > 134 \, ^{\circ}\text{C}$ 

Evaporation rate : No data is available on the product itself.

Flammability (solid, gas) : No data is available on the product itself.

Flammability (liquids) : No data is available on the product itself.

Upper explosion limit / Upper

flammability limit

: No data is available on the product itself.

Lower explosion limit / Lower

flammability limit

: No data is available on the product itself.

Vapour pressure : No data is available on the product itself.

Relative vapour density : No data is available on the product itself.

Relative density : No data is available on the product itself.

Density : No data is available on the product itself.

Solubility(ies)

Water solubility : No data is available on the product itself.

Solubility in other solvents : No data is available on the product itself.

Partition coefficient: n-

octanol/water

: No data is available on the product itself.

Auto-ignition temperature : No data is available on the product itself.

Thermal decomposition : No data is available on the product itself.

Self-Accelerating

decomposition temperature

(SADT)

No data is available on the product itself.

Viscosity : No data is available on the product itself.

Explosive properties : No data is available on the product itself.

Oxidizing properties : No data is available on the product itself.

Particle size : No data is available on the product itself.

#### **SECTION 10. STABILITY AND REACTIVITY**

Reactivity : No dangerous reaction known under conditions of normal use.

Chemical stability : Stable under normal conditions.



**REN® 6402-3 US** 

Version Revision Date: SDS Number: Date of last issue: 02/10/2016 08/11/2021 40000002062 2.0 Date of first issue: 02/10/2016

Print Date 01/05/2023

Possibility of hazardous

reactions

No hazards to be specially mentioned.

Conditions to avoid None known.

Incompatible materials None known.

Hazardous decomposition

products

No decomposition if stored and applied as directed.

#### **SECTION 11. TOXICOLOGICAL INFORMATION**

exposure

Information on likely routes of : No data is available on the product itself.

**Acute toxicity** 

Acute oral toxicity - Product

: Acute toxicity estimate : > 5,000 mg/kg

Method: Calculation method

**Components:** 

butane-1,4-diol:

: LC50 (Rat, male): > 15 mg/l Acute inhalation toxicity

Exposure time: 4 h

Test atmosphere: dust/mist

Method: Acute Inhalation Toxicity: Fixed Concentration

Procedure

Assessment: The substance or mixture has no acute

inhalation toxicity

PHENYLMERCURIC SUBSTANCE:

: Assessment: The component/mixture is highly toxic after short Acute inhalation toxicity

term inhalation.

Acute dermal toxicity -

**Product** 

: Acute toxicity estimate : 3,472 mg/kg

Method: Calculation method

Acute toxicity (other routes of : No data available

administration)

Skin corrosion/irritation

Components:

butane-1,4-diol: Species: Rabbit

Assessment: No skin irritation Result: No skin irritation

2,2'-phenyliminodiethanol:

Species: Rabbit

Result: No skin irritation



**REN® 6402-3 US** 

Version Revision Date: SDS Number: Date of last issue: 02/10/2016 2.0 08/11/2021 400000002062 Date of first issue: 02/10/2016

Print Date 01/05/2023

PHENYLMERCURIC SUBSTANCE:

Result: Corrosive after 4 hours or less of exposure

## Serious eye damage/eye irritation

#### **Components:**

butane-1,4-diol: Species: Rabbit

Result: No eye irritation Assessment: No eye irritation

2,2'-phenyliminodiethanol:

Species: Rabbit

Assessment: Risk of serious damage to eyes.

PHENYLMERCURIC SUBSTANCE:

Result: Corrosive

## Respiratory or skin sensitisation

#### Components:

butane-1,4-diol: Exposure routes: Skin Species: Guinea pig

Result: Does not cause skin sensitisation.

2,2'-phenyliminodiethanol:

Test Type: Local lymph node assay (LLNA)

Exposure routes: Skin contact Method: OECD Test Guideline 442B

Result: May cause sensitisation by skin contact.

Assessment: No data available

#### Germ cell mutagenicity

## **Components:**

butane-1,4-diol:

Genotoxicity in vitro : Metabolic activation: with and without metabolic activation

Method: OECD Test Guideline 476

Result: negative

Metabolic activation: with and without metabolic activation

Method: OECD Test Guideline 473

Result: negative

Metabolic activation: with and without metabolic activation

Method: OECD Test Guideline 471

Result: negative

2,2'-phenyliminodiethanol:

Genotoxicity in vitro : Result: negative

Genotoxicity in vivo : No data available



**REN® 6402-3 US** 

Version Revision Date: SDS Number: Date of last issue: 02/10/2016 2.0 08/11/2021 400000002062 Date of first issue: 02/10/2016

Print Date 01/05/2023

Germ cell mutagenicity-

Assessment

: No data available

## Carcinogenicity

## **Components:**

butane-1,4-diol: Species: Rat, female Application Route: Oral Exposure time: 103 weeks

Dose: 225 mg/kg

Frequency of Treatment: 5 daily

Result: negative

Carcinogenicity -

Assessment

: No data available

IARC No component of this product present at levels greater than or

equal to 0.1% is identified as probable, possible or confirmed

human carcinogen by IARC.

ACGIH No component of this product present at levels greater than or

equal to 0.1% is identified as a carcinogen or potential

carcinogen by ACGIH.

**OSHA**No component of this product present at levels greater than or

equal to 0.1% is on OSHA's list of regulated carcinogens.

NTP No component of this product present at levels greater than or

equal to 0.1% is identified as a known or anticipated carcinogen

by NTP.

#### Reproductive toxicity

## Components:

butane-1,4-diol:

Effects on fertility : Species: Rat, male and female

Application Route: Oral

Method: OECD Test Guideline 422

Result: negative

#### **Components:**

butane-1,4-diol:

Effects on foetal : Species: Rat

development Application Route: Oral

General Toxicity Maternal: No observed adverse effect level:

500 mg/kg body weight

Method: OECD Test Guideline 414 Result: No teratogenic effects

Species: Rat

Application Route: Oral

General Toxicity Maternal: No observed adverse effect level:

800 mg/kg body weight



Enriching lives through innovation

# **REN® 6402-3 US**

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 02/10/2016

 2.0
 08/11/2021
 400000002062
 Date of first issue: 02/10/2016

Print Date 01/05/2023

Method: OECD Test Guideline 422 Result: No teratogenic effects

Reproductive toxicity -

Assessment

: No data available

#### STOT - single exposure

#### **Components:**

butane-1,4-diol:

Exposure routes: Ingestion Target Organs: Narcotic effects

Assessment: The substance or mixture is classified as specific target organ toxicant, single

exposure, category 3 with narcotic effects.

#### 2,2'-phenyliminodiethanol:

Target Organs: Blood

Assessment: The substance or mixture is classified as specific target organ toxicant, single

exposure, category 1.

## STOT - repeated exposure

#### Components:

PHENYLMERCURIC SUBSTANCE:

Target Organs: Central nervous system, Kidney

Assessment: May cause damage to organs through prolonged or repeated exposure.

#### Repeated dose toxicity

## **Components:**

butane-1,4-diol: Species: Rat, male NOEC: 1100 mg/m3

Application Route: Inhalation Test atmosphere: dust/mist Exposure time: 14 d Number of exposures: 6 h

Method: OECD Test Guideline 412

Species: Rat, male NOAEL: 225 mg/kg

Application Route: Ingestion Exposure time: 91 d Number of exposures: 5 d Method: Subchronic toxicity

Repeated dose toxicity -

: No data available

Assessment

## **Aspiration toxicity**

No data available



**REN® 6402-3 US** 

Version Revision Date: Date of last issue: 02/10/2016 SDS Number: 40000002062 2.0 08/11/2021 Date of first issue: 02/10/2016

Print Date 01/05/2023

**Experience with human exposure** 

General Information: No data available

Inhalation: No data available

Skin contact: No data available

Eye contact: No data available

No data available Ingestion:

Toxicology, Metabolism, Distribution

No data available

**Neurological effects** 

No data available

**Further information** 

Ingestion: No data available

## **SECTION 12. ECOLOGICAL INFORMATION**

## **Ecotoxicity**

Components:

butane-1.4-diol:

: LC50 (Pimephales promelas (fathead minnow)): > 30,000 mg/l Toxicity to fish

> Exposure time: 96 h Test Type: static test Test substance: Fresh water Method: OECD Test Guideline 203

2,2'-phenyliminodiethanol:

Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): 735 mg/l

Exposure time: 96 h

Components:

butane-1.4-diol:

Toxicity to daphnia and other

aquatic invertebrates

: EC50 (Daphnia magna (Water flea)): 813 mg/l

Exposure time: 48 h Test Type: static test

Test substance: Fresh water Method: OECD Test Guideline 202

2,2'-phenyliminodiethanol:

Toxicity to daphnia and other aquatic invertebrates

: EC50 (Daphnia magna (Water flea)): 94.4 mg/l Exposure time: 48 h



**REN® 6402-3 US** 

Version Revision Date: Date of last issue: 02/10/2016 SDS Number: 40000002062 2.0 08/11/2021 Date of first issue: 02/10/2016

Print Date 01/05/2023

Method: OECD Test Guideline 202

**Components:** 

butane-1,4-diol:

Toxicity to algae/aquatic

plants

: ErC50 (Desmodesmus subspicatus (green algae)): > 500 mg/l

Exposure time: 72 h Test Type: static test

Test substance: Fresh water

Method: DIN 38412

2,2'-phenyliminodiethanol:

Toxicity to algae/aquatic

plants

: EC50 (Desmodesmus subspicatus (green algae)): 393 mg/l

Exposure time: 72 h

Method: DIN 38 412 Part 8

M-Factor (Acute aquatic

toxicity)

: No data available

Toxicity to fish (Chronic

toxicity)

: No data available

**Components:** 

butane-1,4-diol:

aquatic invertebrates (Chronic toxicity)

Toxicity to daphnia and other : NOEC (Daphnia magna (Water flea)): > 85 mg/l

Exposure time: 21 d

Test substance: Fresh water

Method: OECD Test Guideline 211

M-Factor (Chronic aquatic

toxicity)

: No data available

Toxicity to microorganisms : No data available

Toxicity to soil dwelling

organisms

: No data available

Plant toxicity : No data available

: No data available Sediment toxicity

Toxicity to terrestrial

organisms

: No data available

**Ecotoxicology Assessment** 

Components:

PHENYLMERCURIC SUBSTANCE:

Acute aquatic toxicity : Very toxic to aquatic life.

**Components:** 

PHENYLMERCURIC SUBSTANCE:

Chronic aquatic toxicity : Very toxic to aquatic life with long lasting effects.

Toxicity Data on Soil : No data available



**REN® 6402-3 US** 

Version Revision Date: SDS Number: Date of last issue: 02/10/2016 40000002062 2.0 08/11/2021 Date of first issue: 02/10/2016

Print Date 01/05/2023

Other organisms relevant to

the environment

: No data available

#### Persistence and degradability

**Components:** 

butane-1,4-diol:

Biodegradability : Inoculum: activated sludge

Concentration: 100 mg/l Result: Readily biodegradable. Biodegradation: 93 - 96 %

Exposure time: 14 d

Method: OECD Test Guideline 301C

2,2'-phenyliminodiethanol:

Biodegradability : Result: Not biodegradable

**Components:** 

butane-1,4-diol:

Biochemical Oxygen : 102 mg/g

Demand (BOD) Incubation time: 5 d

**Components:** 

butane-1,4-diol:

Chemical Oxygen Demand

: 1,892 mg/g (COD)

BOD/COD : No data available

ThOD : No data available

BOD/ThOD : No data available

Dissolved organic carbon

(DOC)

: No data available

Physico-chemical

removability

: No data available

Stability in water : No data available

Components:

butane-1,4-diol:

Photodegradation : Test Type: Air

Rate constant: < .00001

Impact on Sewage

**Treatment** 

: No data available

Bioaccumulative potential

**Components:** 



**REN® 6402-3 US** 

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 02/10/2016

 2.0
 08/11/2021
 400000002062
 Date of first issue: 02/10/2016

Print Date 01/05/2023

butane-1,4-diol:

Bioaccumulation : Bioconcentration factor (BCF): 3.16

Remarks: Bioaccumulation is unlikely.

Species: Fish

Bioconcentration factor (BCF): 3.16 Test substance: Fresh water

**Components:** 

butane-1,4-diol:

Partition coefficient: n- : log Pow: -0.88 (77 °F / 25 °C) octanol/water : Method: OECD Test Guideline 107

Mobility in soil

Mobility : No data available

**Components:** 

butane-1,4-diol:

Distribution among : Koc: 0.41 - 1

environmental compartments

Stability in soil : No data available

Other adverse effects

Environmental fate and

pathways

: No data available

Results of PBT and vPvB

assessment

: No data available

Endocrine disrupting

potential

: No data available

Adsorbed organic bound

halogens (AOX)

: No data available

Hazardous to the ozone layer

Ozone-Depletion Potential : Regulation: 40 CFR Protection of Environment; Part 82

Protection of Stratospheric Ozone - CAA Section 602 Class I

Substances

Remarks: This product neither contains, nor was

manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A +

B).

Additional ecological

information

: No data available

Global warming potential

(GWP)

: No data available



**REN® 6402-3 US** 

Version Revision Date: SDS Number: Date of last issue: 02/10/2016 2.0 08/11/2021 400000002062 Date of first issue: 02/10/2016

Print Date 01/05/2023

#### **SECTION 13. DISPOSAL CONSIDERATIONS**

**Disposal methods** 

Waste from residues : Dispose of contents and container in accordance with all local,

regional, national and international regulations.

Do not dispose of waste into sewer.

Do not contaminate ponds, waterways or ditches with

chemical or used container.

Contaminated packaging : Empty remaining contents.

Dispose of as unused product. Do not re-use empty containers.

#### **SECTION 14. TRANSPORT INFORMATION**

#### International Regulations

#### **UNRTDG**

Not regulated as dangerous goods

#### IATA-DGR

Not regulated as dangerous goods

#### **IMDG-Code**

Not regulated as dangerous goods

## Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

# **National Regulations**

#### **49 CFR**

Not regulated as dangerous goods

## Special precautions for user

Remarks : Not classified as dangerous in the meaning of transport

regulations.

## **SECTION 15. REGULATORY INFORMATION**

#### **CERCLA Reportable Quantity**

| Components     | CAS-No.      | Component RQ | Calculated product RQ |
|----------------|--------------|--------------|-----------------------|
|                |              | (lbs)        | (lbs)                 |
| PHENYLMERCURIC | Not Assigned | 1            | 694                   |
| SUBSTANCE      |              |              |                       |

SARA 311/312 Hazards : Respiratory or skin sensitisation

Specific target organ toxicity (single or repeated exposure)

Serious eye damage or eye irritation

SARA 313 : This material does not contain any chemical components with

known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.



# **REN® 6402-3 US**

Version Revision Date: SDS Number: Date of last issue: 02/10/2016 2.0 08/11/2021 400000002062 Date of first issue: 02/10/2016

Print Date 01/05/2023

This product does not contain any hazardous air pollutants (HAP), as defined by the U.S. Clean Air Act Section 112 (40 CFR 61).

#### California Prop. 65

WARNING: This product can expose you to chemicals including aniline, styrene, acrylonitrile, acetaldehyde, 1,4-dioxane, ethylene oxide, which is/are known to the State of California to cause cancer, and

ethylene oxide, which is/are known to the State of California to cause birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

## The components of this product are reported in the following inventories:

DSL : All components of this product are on the Canadian DSL

AIIC : Not in compliance with the inventory

NZIoC : Not in compliance with the inventory

ENCS : Not in compliance with the inventory

KECI : Not in compliance with the inventory

PICCS : Not in compliance with the inventory

IECSC : Not in compliance with the inventory

TCSI : Not in compliance with the inventory

TSCA : All substances listed as active on the TSCA inventory

#### **Inventories**

AIIC (Australia), DSL (Canada), IECSC (China), REACH (European Union), ENCS (Japan), ISHL (Japan), KECI (Korea), NZIoC (New Zealand), PICCS (Philippines), TCSI (Taiwan), TECI (Thailand), TSCA (USA)

## TSCA - 5(a) Significant New Use Rule List of Chemicals

No substances are subject to a Significant New Use Rule.

# US. Toxic Substances Control Act (TSCA) Section 12(b) Export Notification (40 CFR 707, Subpt D)

No substances are subject to TSCA 12(b) export notification requirements.



## **REN® 6402-3 US**


Version Revision Date: SDS Number: Date of last issue: 02/10/2016 2.0 08/11/2021 400000002062 Date of first issue: 02/10/2016

Print Date 01/05/2023

#### **SECTION 16. OTHER INFORMATION**

#### **Further information**

#### NFPA 704:



Special hazard

#### HMIS® IV:



HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. The "\*" represents a chronic hazard, while the "/" represents the absence of a chronic hazard

Revision Date : 08/11/2021

The information and recommendations in this publication are to the best of our knowledge, information and belief accurate at the date of publication, NOTHING HEREIN IS TO BE CONSTRUED AS A WARRANTY, EXPRESS OR OTHERWISE.

IN ALL CASES, IT IS THE RESPONSIBILITY OF THE USER TO DETERMINE THE APPLICABILITY OF SUCH INFORMATION AND RECOMMENDATIONS AND THE SUITABILITY OF ANY PRODUCT FOR ITS OWN PARTICULAR PURPOSE.

THE PRODUCT MAY PRESENT HAZARDS AND SHOULD BE USED WITH CAUTION. WHILE CERTAIN HAZARDS ARE DESCRIBED IN THIS PUBLICATION, NO GUARANTEE IS MADE THAT THESE ARE THE ONLY HAZARDS THAT EXIST.

Hazards, toxicity and behaviour of the products may differ when used with other materials and are dependent upon the manufacturing circumstances or other processes. Such hazards, toxicity and behaviour should be determined by the user and made known to handlers, processors and end users.

The trademarks above are the property of Huntsman Corporation or an affiliate thereof.

NO PERSON OR ORGANIZATION EXCEPT A DULY AUTHORIZED HUNTSMAN EMPLOYEE IS AUTHORIZED TO PROVIDE OR MAKE AVAILABLE DATA SHEETS FOR HUNTSMAN PRODUCTS. DATA SHEETS FROM UNAUTHORIZED SOURCES MAY CONTAIN INFORMATION THAT IS NO LONGER CURRENT OR ACCURATE.