

P.O. Box 4980
The Woodlands, TX 77387-4980

8 am to 5 pm Phone: (800) 257-5547
24-Hour Emergency Phone: (800) 328-8501
International Emergency Phone: (409) 727-0831
Asia Pacific Emergency Phone: (65) 6336-6011

Effective Date: 11/17/10


Material Safety Data Sheet

MSDS No: 31769

1. PRODUCT IDENTIFICATION

Trade Name: RenPIM 6486 Isocyanate

Chemical Family: Isocyanate



NFPA RATING

Health:	2
Flammability:	1
Reactivity:	1
Personal Protection:	

HMIS RATING

Synonyms:
RP 6486 Resin

Intended Use or Product Type: Fast setting polyurethane

2. COMPOSITION / INFORMATION ON INGREDIENTS

O S H A	CAS No.	CHEMICAL IDENTITY	EXPOSURE LIMITS				CARCINOGEN STATUS			
			ACGIH		OSHA		MFR.	IARC	NTP	OSHA
			TWA	STEL	PEL	STEL				
*	28182-81-2	Hexane, 1,6-Diisocyanato-, Homopolymer Common Name: Homopolymer of hexamethylene diisocyanate Concentration: 10.00 - 30.00 % by wt	NE	NE	NE	NE	NE	NR	NR	NR
	Held confidential by our supplier Concentration	Polyurethane 60.00 - 90.00 % by wt	NE	NE	NE	NE	NE	NR	NR	NR

NE = Not Established NR = Not Reviewed * = OSHA Hazardous Ingredient

3. HAZARDS IDENTIFICATION

Emergency Overview: Can cause skin irritation, eye irritation, allergic respiratory reaction, and allergic skin reaction. Can be harmful if inhaled.

Primary Route(s) of Entry: Dermal; heated product may produce inhalable vapors.

4. FIRST AID MEASURES



Effective Date: 11/17/10

Ingestion: Do not induce vomiting unless directed to do so by medical personnel. Never give anything by mouth to an unconscious person. Seek immediate medical attention.

Skin: Immediately wash with soap and water. Remove contaminated clothing and launder before reuse. Destroy contaminated shoes. Seek immediate medical attention.

Inhalation: Remove to fresh air. Seek immediate medical attention.

Eyes: Immediately flush eyes with water for at least 15 minutes. Seek immediate medical attention.

Overexposure Effects: Contact with liquid causes eye and skin irritation. If inhaled causes breathlessness, chest discomfort, and reduced pulmonary function. May cause allergic skin and respiratory reactions in some individuals, leading to asthma type spasms of the bronchial tubes and difficulty in breathing.

Medical Conditions Aggravated by Exposure: Persons with asthmatic-type conditions, chronic bronchitis, other chronic respiratory diseases, eye conditions or recurrent skin eczema or sensitization should be excluded from working with isocyanates.

Additional Information: Referral to a physician is recommended if there is any question about the seriousness of any injury.

5. FIRE FIGHTING MEASURES

Flash Point:	> 200°C (> 392 °F)
Flash Point Method Used:	Estimated
Flammable Limits in Air (Lower - % by volume):	Not established
Flammable Limits in Air (Upper - % by volume):	Not established

Fire Fighting Extinguishing Media: Carbon dioxide, dry chemical, foam, water.

Fire Fighting Equipment: Use self-contained breathing apparatus.

Fire and Explosion Hazards: Decomposition and combustion products may be toxic. Avoid water contamination in closed containers or confined spaces. Carbon dioxide evolved.

6. ACCIDENTAL RELEASE MEASURES

Accidental Release Measures: Remove spillage by absorbing in absorbent material.

7. HANDLING AND STORAGE

Signal Word: Warning!

Precautions: Can cause skin irritation, eye irritation, allergic respiratory reaction, and allergic skin reaction. Can be harmful if inhaled. Avoid breathing vapor or mist. Avoid contact with eyes, skin, and clothing. Keep container closed when not in use. Use with adequate ventilation. Wash thoroughly after handling.

Other Handling Information: Nuisance dust may be generated when sanding or sawing cured material.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Effective Date: 11/17/10

Skin Protection: Wear impermeable gloves.

Respiratory Protection: If a person is concerned with exposure to isocyanates, an organic respirator can provide protection at less than the TLV. It is not a requirement at an exposure level less than the TLV. For exposures in excess of the TLV, an air supplied respirator would be required. Conditions that may create exposures above the TLV are spray applications, the material being strongly heated in excess of 125F before application, or the use of material in poorly ventilated areas.

Eye Protection: Wear splash-proof chemical goggles.

Engineering Controls: General mechanical and local exhaust in accordance with ACGIH recommendations.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance:	Clear
Color:	Amber
Odor:	Isocyanate
Physical State:	Liquid
Solubility in Water:	Reacts with water
Vapor Pressure:	Not Determined
Specific Gravity:	1.12 (water = 1)
Boiling Point:	Not Determined
Evaporation Rate:	Not Determined
Vapor Density:	Not Evaluated
VOC:	Negligible
pH:	Not Evaluated
Coefficient of water/oil:	Not Evaluated

10. STABILITY AND REACTIVITY

Conditions to Avoid: Contamination with moisture and other products that react with isocyanates. Avoid prolonged heating over 160f or storing below 75f. Avoid water contamination.

Stability: Stable.

Incompatibility: Strong oxidizers, acids and bases.

Hazardous Decomposition Products: Combustion may form toxic materials, such as carbon dioxide, carbon monoxide.

Hazardous Polymerization: May occur.

11. TOXICOLOGICAL INFORMATION

Sensitization: May cause allergic skin reaction and respiratory sensitivity in some people.

Skin Irritation: Irritant.

Eye Irritation: Irritant.

12. ECOLOGICAL INFORMATION

Effective Date: 11/17/10

13. DISPOSAL CONSIDERATIONS

Waste Disposal Method: Consult qualified local or corporate personnel for method that will comply with local, state and federal health and environmental regulations.

Additional Information: DECONTAMINANT LIQUID: Water - 90 %, Ammonium hydroxide - 8 %, and Detergent - 2 %.

14. TRANSPORT INFORMATION**DOT: Non-Bulk**

Proper Shipping Name: Not Regulated

IATA: Non-Bulk

Proper Shipping Name: Not Regulated

IMDG: Non-Bulk

Proper Shipping Name: Not Regulated

TDG: Non-Bulk

Proper Shipping Name: Not Regulated

15. REGULATORY INFORMATION**US Federal Regulations:**

Occupational Safety and Health Act (OSHA): This Material Safety Data Sheet (MSDS) has been prepared in compliance with the federal OSHA Hazard Communication Standard 29 CFR 1910.1200. This product is considered to be a hazardous chemical under that standard.

Resource Conservation and Recovery Act (RCRA): Not specifically listed as hazardous waste under RCRA (40 CFR 261). However, it is strongly recommended that compound be treated as a hazardous waste and disposed of accordingly.

SARA Title III: Section 313 Toxic Chemical List (TCL): This product does not contain any chemicals for routine annual toxic chemical release reporting under Section 313 (40 CFR 372).

TSCA Section 8(b) - Inventory Status: All chemical components of this product are in compliance with TSCA inventory requirements.

TSCA Section 12(b) - Export Notification: This product does not contain any chemical(s) that are subject to a Section 12(b) export notification.

International Regulations:

Australian Inventory Status: This product contains one or more chemicals currently not on the Australian Inventory of Chemical Substances.

Canadian Inventory Status: This product contains one or more chemicals currently not on the Canadian Domestic Substance List.

Canadian WHMIS: This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations and the MSDS contains all the information required by the Controlled Products Regulations. D2A, D2B

Effective Date: 11/17/10

European Inventory Status (EINECS): This product contains only chemicals that are currently listed on the European Inventory of Existing Commercial Chemical Substances (EINECS).

Japanese Inventory Status: This product contains one or more chemicals currently not on the Japanese Ministry of International Trade and Industry List of Existing and New Chemical Substances.

State Regulations:

California Proposition 65: The following is required composition information. This product contains the following chemical(s) which are currently listed on the California list of Known Carcinogens and Reproductive Toxins:

Chemical Name: Benzene, 2,4-Diisocyanato-1-Methyl-

Common Name: 2,4-Toluenediisocyanate

CAS Number: 584-84-9

Percent in Composition: 0.0222 % by wt

Comment: Warning! This chemical is known to the State of California to cause cancer.

Chemical Name: Benzene, 1,3-diisocyanato-2-methyl-

Common Name: 2,6-Toluenediisocyanate

CAS Number: 91-08-7

Percent in Composition: 0.01 - 0.03 % by wt

Comment: Warning! This chemical is known to the State of California to cause cancer.

Pennsylvania Right-to-Know: The following is required composition information:

Chemical Name: Polyurethane

CAS Number: Held confidential by our supplier

Comment: Not on Pennsylvania Hazardous Substance List

Chemical Name: Hexane, 1,6-Diisocyanato-, Homopolymer

Common Name: Homopolymer of hexamethylene diisocyanate

CAS Number: 28182-81-2

Comment: Not on Pennsylvania Hazardous Substance List

16. OTHER INFORMATION

MSDS No: 31769

Reason Issued: 11/10 update

Other Information: CLW/CA1 (C10020031) [C31]

Disclaimer: The information and recommendations contained herein are based upon tests in controlled laboratory conditions, are believed to be correct, and are provided for the sole purpose of hazard communication as part of Huntsman's product safety program. This product has not been tested for, and therefore is not recommended or suitable for, uses for which prolonged contact with mucous membranes, abraded skin, or blood is intended or likely, or for uses for which implantation within the human body is intended, and Huntsman assumes no liability for any such uses.

The information and recommendations contained herein are not intended to constitute performance information concerning the product, which is available in separate technical data sheets available from Huntsman upon request. Users are urged, and are urged to urge others who may come in contact with the product, to obtain and consult data sheets prior to purchase, use, transportation or storage of the product.

Effective Date: 11/17/10

HUNTSMAN MAKES NO REPRESENTATION OR WARRANTY, EXPRESS OR IMPLIED, INCLUDING WARRANTIES OF MERCHANTABILITY, QUALITY, OR FITNESS FOR A PARTICULAR PURPOSE. HUNTSMAN'S LIABILITY IS STRICTLY LIMITED TO REIMBURSEMENT OF BUYER'S PURCHASE PRICE, OR IN HUNTSMAN'S DISCRETION REPLACEMENT, OF THE PRODUCT IN RESPECT OF WHICH SUCH CLAIM IS MADE. HUNTSMAN'S LIABILITY IS STRICTLY LIMITED BY LEGAL NOTICES IN TECHNICAL DATA SHEETS, PRODUCT LITERATURE, AND/OR SALE DOCUMENTS. The foregoing DISCLAIMERS and LIMITATION OF LIABILITY supercede inconsistent or contradictory provisions in Buyer's documents.

USER SHOULD CONSULT A LEGAL ADVISOR OR THE APPROPRIATE GOVERNMENTAL AGENCY TO DETERMINE THE APPLICABILITY OR EFFECT OF ANY LAW OR REGULATION WITH RESPECT TO THE PRODUCT. HUNTSMAN DOES NOT UNDERTAKE TO FURNISH ADVICE ON SUCH MATTERS.

NO PERSON OR ORGANIZATION EXCEPT A DULY AUTHORIZED HUNTSMAN EMPLOYEE IS AUTHORIZED TO PROVIDE OR MAKE AVAILABLE DATA SHEETS FOR HUNTSMAN PRODUCTS. DATA SHEETS FROM UNAUTHORIZED SOURCES MAY CONTAIN INFORMATION THAT IS NO LONGER CURRENT OR ACCURATE. NO PART OF THIS DATA SHEET MAY BE REPRODUCED OR TRANSMITTED IN ANY FORM, OR BY ANY MEANS, WITHOUT PERMISSION IN WRITING FROM HUNTSMAN. ALL REQUESTS FOR PERMISSION TO REPRODUCE MATERIAL FROM THIS DATA SHEET SHOULD BE DIRECTED TO HUNTSMAN, MANAGER, PRODUCT SAFETY AT THE ABOVE ADDRESS.

P.O. Box 4980
The Woodlands, TX 77387-4980

8 am to 5 pm Phone: (800) 257-5547
24-Hour Emergency Phone: (800) 328-8501
International Emergency Phone: (409) 727-0831
Asia Pacific Emergency Phone: (65) 6336-6011

Effective Date: 11/16/10


Material Safety Data Sheet

MSDS No: 31772

1. PRODUCT IDENTIFICATION

Trade Name: RenPIM 6486 Slow Polyol

Chemical Family: Polyol



NFPA RATING

Health:	2*
Flammability:	1
Reactivity:	0
Personal Protection:	

HMIS RATING

Synonyms:

RP 6486 Slow Hardener

Intended Use or Product Type: resin hardener

2. COMPOSITION / INFORMATION ON INGREDIENTS

O S H A	CAS No.	CHEMICAL IDENTITY	EXPOSURE LIMITS				CARCINOGEN STATUS			
			ACGIH		OSHA		MFR.	IARC	NTP	OSHA
			TWA	STEL	PEL	STEL				
*	103-23-1 Common Name: Concentration	Hexanedioic acid, bis(2-ethylhexyl) ester Dioctyl adipate 10.00 - 30.00 % by wt	NE	NE	NE	NE	NE	NR	NR	NR
*	8002-26-4 Concentration	Tall Oil 1.00 - 3.00 % by wt	NE	NE	NE	NE	NE	NR	NR	NR
*	85-68-7 Common Name: Concentration	1,2- Benzenedicarboxylic acid, butyl phenylmethyl ester Butyl benzyl phthalate 10.00 - 20.00 % by wt	NE	NE	NE	NE	NE	NR	NR	NR
*	106264-79-3 Common Name: Concentration	1,3-Benzenediamine, 2(or 4)-methyl-4,6(or 2,6)-bis(methylthio)- Di(methylthio)toluenediamine 30.00 - 60.00 % by wt	NE	NE	NE	NE	NE	NR	NR	NR

NE = Not Established NR = Not Reviewed * = OSHA Hazardous Ingredient

3. HAZARDS IDENTIFICATION

Emergency Overview: Can cause skin irritation, eye irritation, and allergic skin reaction. May be harmful if swallowed.



Effective Date: 11/16/10

Primary Route(s) of Entry: Dermal; heated product may produce inhalable vapors.

4. FIRST AID MEASURES

Ingestion: Do not induce vomiting unless directed to do so by medical personnel. Never give anything by mouth to an unconscious person. Seek immediate medical attention.

Skin: Immediately wash with soap and water. Remove contaminated clothing and launder before reuse. Destroy contaminated shoes. Seek immediate medical attention.

Inhalation: Remove to fresh air. Seek immediate medical attention.

Eyes: Immediately flush eyes with water for at least 15 minutes. Seek immediate medical attention.

Overexposure Effects: Can cause skin irritation, eye irritation, and allergic skin reaction. May be harmful if swallowed.

Medical Conditions Aggravated by Exposure: Skin and eye conditions.

Additional Information: Referral to a physician is recommended if there is any question about the seriousness of any injury.

5. FIRE FIGHTING MEASURES

Flash Point: > 99°C (> 210 °F)

Flammable Limits in Air (Lower - % by volume): Not established

Flammable Limits in Air (Upper - % by volume): Not established

Fire Fighting Extinguishing Media: Carbon dioxide, dry chemical, foam, water.

Fire Fighting Equipment: Use self-contained breathing apparatus.

Fire and Explosion Hazards: Decomposition and combustion products may be toxic.

6. ACCIDENTAL RELEASE MEASURES

Accidental Release Measures: Remove spillage by absorbing in absorbent material.

7. HANDLING AND STORAGE

Signal Word: Warning!

Precautions: Can cause skin irritation, eye irritation, and allergic skin reaction. May be harmful if swallowed. Avoid contact with eyes, skin, and clothing. Avoid tasting or swallowing. Wash thoroughly after handling. Notice! Overexposure may have effects on kidney and liver.

Other Handling Information: Nuisance dust may be generated when sanding or sawing cured material.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Effective Date: 11/16/10

Skin Protection: Wear impermeable gloves.**Respiratory Protection:** Use NIOSH approved organic vapor cartridge respirator when vapor/mist exposure is likely.**Eye Protection:** Wear splash-proof chemical goggles.**Engineering Controls:** General mechanical and local exhaust in accordance with ACGIH recommendations.

9. PHYSICAL AND CHEMICAL PROPERTIES

Color:	Dark Green/Amber
Odor:	Characteristic
Physical State:	Liquid
Solubility in Water:	Slight
Vapor Pressure:	Not Determined
Specific Gravity:	1.12 (water = 1)
Boiling Point:	Not Determined
Evaporation Rate:	Not Determined
Vapor Density:	Not Determined
VOC:	Negligible
pH:	Not Evaluated
Coefficient of water/oil:	Not Evaluated

10. STABILITY AND REACTIVITY

Conditions to Avoid: Excessive heat for prolonged periods of time.**Stability:** Stable.**Incompatibility:** Strong oxidizers, acids and bases.**Hazardous Decomposition Products:** Combustion may form toxic materials, such as carbon dioxide, carbon monoxide.**Hazardous Polymerization:** Will not occur.

11. TOXICOLOGICAL INFORMATION

Sensitization: Possible in susceptible individuals.**Skin Irritation:** Irritant.**Eye Irritation:** Irritant.**Sub-Chronic:** Butyl benzyl phthalate (BBP) produced liver necrosis and pancreatic lesions at a dose of approximately 675 mg/kg/day and 275 mg/kg/day, respectively, during a 90-day oral administration study with rats. The no observable effect levels (NOEL) were approximately 275 and 110 mg/kg/day, respectively.

12. ECOLOGICAL INFORMATION

Effective Date: 11/16/10

13. DISPOSAL CONSIDERATIONS

Waste Disposal Method: Consult qualified local or corporate personnel for method that will comply with local, state and federal health and environmental regulations.

14. TRANSPORT INFORMATION**DOT: Non-Bulk**

Proper Shipping Name: Environmentally hazardous substance, liquid, n.o.s.
Technical Shipping Name (If n.o.s.): di(methylthio)toluenediamine, Butyl Benzyl Phthalate
Hazard Class: 9
ID Number: UN 3082
Packing Group: PG III
Marine Pollutant: Marine Pollutant

IATA: Non-Bulk

Proper Shipping Name: Environmentally hazardous substance, liquid, n.o.s.
Technical Shipping Name (If n.o.s.): di(methylthio)toluenediamine, Butyl Benzyl Phthalate
Hazard Class: 9
ID Number: UN 3082
Packing Group: PG III
Marine Pollutant: Marine Pollutant

IMDG: Non-Bulk

Proper Shipping Name: Environmentally hazardous substance, liquid, n.o.s.
Technical Shipping Name (If n.o.s.): di(methylthio)toluenediamine, Butyl Benzyl Phthalate
Hazard Class: 9
ID Number: UN 3082
Packing Group: PG III
Marine Pollutant: Marine Pollutant

TDG: Non-Bulk

Proper Shipping Name: Environmentally hazardous substance, liquid, n.o.s.
Technical Shipping Name (If n.o.s.): di(methylthio)toluenediamine, Butyl Benzyl Phthalate
Hazard Class: 9
ID Number: UN 3082
Packing Group: PG III
Marine Pollutant: Marine Pollutant

Department of Transportation: Not regulated as a hazardous material by the U.S. Dept. of Transportation (DOT) 49 CFR 172.101 hazardous materials table.

15. REGULATORY INFORMATION**US Federal Regulations:**

Occupational Safety and Health Act (OSHA): This Material Safety Data Sheet (MSDS) has been prepared in compliance with the federal OSHA Hazard Communication Standard 29 CFR 1910.1200. This product is considered to be a hazardous chemical under that standard.

Resource Conservation and Recovery Act (RCRA): Not a hazardous waste under RCRA (40 CFR 261).

Effective Date: 11/16/10

SARA Title III: Section 304 - CERCLA: This product contains the following chemicals regulated under Section 304 (40 CFR 302) as hazardous substance(s) for emergency release notification ("CERCLA" List):

Chemical Name: 1,2- Benzenedicarboxylic acid, butyl phenylmethyl ester
Common Name: Butyl benzyl phthalate
CAS Number: 85-68-7
Percent in Composition: 10 - 20 % by wt
Component RQ: 100

SARA Title III: Section 313 Toxic Chemical List (TCL): This product does not contain any chemicals for routine annual toxic chemical release reporting under Section 313 (40 CFR 372).

TSCA Section 8(b) - Inventory Status: All chemical components of this product are in compliance with TSCA inventory requirements.

TSCA Section 12(b) - Export Notification: This product does not contain any chemical(s) that are subject to a Section 12(b) export notification.

International Regulations:

Australian Inventory Status: This product contains only chemicals which are currently listed on the Australian Inventory of Chemical Substances.

Canadian Inventory Status: This product contains only chemicals that are currently listed on the Canadian Domestic Substance List.

Canadian WHMIS: This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations and the MSDS contains all the information required by the Controlled Products Regulations. D2B

European Inventory Status (EINECS): This product contains only chemicals that are currently listed on the European Inventory of Existing Commercial Chemical Substances (EINECS).

Japanese Inventory Status: This product contains only chemicals currently listed on the Japanese Ministry of International Trade and Industry List of Existing and New Chemical Substances.

State Regulations:

California Proposition 65: The following is required composition information. This product contains the following chemical(s) which are currently listed on the California list of Known Carcinogens and Reproductive Toxins:

Chemical Name: 1,2- Benzenedicarboxylic acid, butyl phenylmethyl ester
Common Name: Butyl benzyl phthalate
CAS Number: 85-68-7
Percent in Composition: 10 - 20 % by wt
Comment: Warning! This chemical is known to the State of California to cause birth defects or other reproductive harm.

Pennsylvania Right-to-Know: The following is required composition information:

Chemical Name: 1,3-Benzenediamine, 2(or 4)-methyl-4,6(or 2,6)-bis(methylthio)-
Common Name: Di(methylthio)toluenediamine
CAS Number: 106264-79-3
Comment: Not on Pennsylvania Hazardous Substance List

Effective Date: 11/16/10

Chemical Name: 1,2- Benzenedicarboxylic acid, butyl phenylmethyl ester
Common Name: Butyl benzyl phthalate
CAS Number: 85-68-7
Comment: Environmental Hazardous Substance

Chemical Name: Hexanedioic acid, bis(2-ethylhexyl) ester
Common Name: Dioctyl adipate
CAS Number: 103-23-1
Comment: Environmental Hazardous Substance

16. OTHER INFORMATION

MSDS No: 31772
Approved By: Dianne Blessing
Title: EH&S Specialist

Disclaimer: The information and recommendations contained herein are based upon tests in controlled laboratory conditions, are believed to be correct, and are provided for the sole purpose of hazard communication as part of Huntsman's product safety program. This product has not been tested for, and therefore is not recommended or suitable for, uses for which prolonged contact with mucous membranes, abraded skin, or blood is intended or likely, or for uses for which implantation within the human body is intended, and Huntsman assumes no liability for any such uses.

The information and recommendations contained herein are not intended to constitute performance information concerning the product, which is available in separate technical data sheets available from Huntsman upon request. Users are urged, and are urged to urge others who may come in contact with the product, to obtain and consult data sheets prior to purchase, use, transportation or storage of the product.

HUNTSMAN MAKES NO REPRESENTATION OR WARRANTY, EXPRESS OR IMPLIED, INCLUDING WARRANTIES OF MERCHANTABILITY, QUALITY, OR FITNESS FOR A PARTICULAR PURPOSE. HUNTSMAN'S LIABILITY IS STRICTLY LIMITED TO REIMBURSEMENT OF BUYER'S PURCHASE PRICE, OR IN HUNTSMAN'S DISCRETION REPLACEMENT, OF THE PRODUCT IN RESPECT OF WHICH SUCH CLAIM IS MADE. HUNTSMAN'S LIABILITY IS STRICTLY LIMITED BY LEGAL NOTICES IN TECHNICAL DATA SHEETS, PRODUCT LITERATURE, AND/OR SALE DOCUMENTS. The foregoing DISCLAIMERS and LIMITATION OF LIABILITY supercede inconsistent or contradictory provisions in Buyer's documents.

USER SHOULD CONSULT A LEGAL ADVISOR OR THE APPROPRIATE GOVERNMENTAL AGENCY TO DETERMINE THE APPLICABILITY OR EFFECT OF ANY LAW OR REGULATION WITH RESPECT TO THE PRODUCT. HUNTSMAN DOES NOT UNDERTAKE TO FURNISH ADVICE ON SUCH MATTERS.

NO PERSON OR ORGANIZATION EXCEPT A DULY AUTHORIZED HUNTSMAN EMPLOYEE IS AUTHORIZED TO PROVIDE OR MAKE AVAILABLE DATA SHEETS FOR HUNTSMAN PRODUCTS. DATA SHEETS FROM UNAUTHORIZED SOURCES MAY CONTAIN INFORMATION THAT IS NO LONGER CURRENT OR ACCURATE. NO PART OF THIS DATA SHEET MAY BE REPRODUCED OR TRANSMITTED IN ANY FORM, OR BY ANY MEANS, WITHOUT PERMISSION IN WRITING FROM HUNTSMAN. ALL REQUESTS FOR PERMISSION TO REPRODUCE MATERIAL FROM THIS DATA SHEET SHOULD BE DIRECTED TO HUNTSMAN, MANAGER, PRODUCT SAFETY AT THE ABOVE ADDRESS.



