

# Material Safety Data Sheet

Freeman 1090 SLOW Part B

MSDS No.

Date of Preparation: January 3, 2007

Revision:

## Section 1 - Chemical Product and Company Identification

**Product/Chemical Name:** Freeman 1090 SLOW Part B

**Chemical Family:** Polyol

**CAS Number:** N/A

**Other Designations:** N/A

**General Use:** Polyurethane Elastomer

**Manufacturer:** Freeman Manufacturing and Supply Company, 1101 Moore Road, Avon, OH 44011,

Phone (440)934-1902, FAX (440)934-7200, Hours of Operation 8-5, Emergency Phone Number 800-424-9300

**HMIS**

**H** 2

**F** 1

**R** 1

**PPE**†

†Sec. 8

### ☆☆☆☆☆ Emergency Overview ☆☆☆☆☆

Irritant

## Section 2 - Composition / Information on Ingredients

Ingredient Name	CAS Number	% wt or % vol
New Jersey #221290880-5006P	Proprietary	40 - 45
New Jersey #221290880-5050P	Proprietary	55 - 60
Phenylmercuric neodecanoate	26545-49-3	0.4

Ingredient	OSHA PEL		ACGIH TLV	
	TWA	STEL	TWA	STEL
#221290880-5006P	none estab.	none estab.	none estab.	none estab.
#221290880-5050P	none estab.	none estab.	none estab.	none estab.
Phenylmercuric neodecanoate	0.01mg/m3	none estab.	0.01mg/m3	none estab.

## Section 3 - Physical and Chemical Properties

**Physical State:** Liquid

**Appearance and Odor:** Clear colorless, Mild odor

**Viscosity:** 700-900 cps

**Vapor Pressure:** None (Polymeric Resin)

**Vapor Density (Air=1):** >1

**Specific Gravity (H<sub>2</sub>O=1, at 4 °C):** 1.03

**pH:** N/A

**Water Solubility:** Negligible

**Boiling Point:** None (Polymeric Resin)

**Freezing/Melting Point:** None determined

**Refractive Index:** N/A

**Surface Tension:** N/A

**% Volatile:** Nil

**Evaporation Rate:** None (Polymeric Resin)

## Section 4 - Fire-Fighting Measures

**Flash Point:** >365 °F (185 °C)

**Flash Point Method:** TCC

**Burning Rate:** N/A

**Autoignition Temperature:** N/A

**LEL:** Not established

**UEL:** Not established

**Flammability Classification:** Non-Flammable

**Extinguishing Media:** Water fog, dry chemical, and carbon dioxide foam.


**Unusual Fire or Explosion Hazards:** None

**Hazardous Combustion Products:** N/A

**Fire-Fighting Instructions:** Fire fighters should wear self-contained breathing apparatus. Do not release runoff from fire control methods to sewers or waterways.

**Fire-Fighting Equipment:** Because fire may produce toxic thermal decomposition products, wear a self-contained breathing apparatus (SCBA) with a full facepiece operated in pressure-demand or positive-pressure mode.

NFPA



## Section 5 - Stability and Reactivity

**Stability:** This product is stable at room temperature in closed containers under normal storage and handling conditions.

**Polymerization:** Hazardous polymerization cannot occur.

**Chemical Incompatibilities:** Strong acids and oxidizers.

**Conditions to Avoid:** Avoid contamination with water and other materials that react with amines.

**Hazardous Decomposition Products:** Oxides of nitrogen, carbon monoxide and carbon dioxide.

## Section 6 - Health Hazard Information

### Potential Health Effects

**Primary Entry Routes:** Dermal

**Target Organs:** Skin and eyes

#### Acute Effects

**Inhalation:** Vapors, which are not significant unless heated or sprayed can cause irritation to respiratory tract.

**Eye:** May cause irritation, redness, tearing.

**Skin:** Contact will cause irritation, reddening, swelling.

**Ingestion:** Effects are unknown.

**Carcinogenicity:** IARC, NTP, and OSHA do not list any components of this product as a carcinogen.

**Medical Conditions Aggravated by Long-Term Exposure:** Pre-existing skin disorders.

**Chronic Effects:** This product contains an organo-mercury catalyst below the reportable level required by OSHA 1910.1200; however, due to the chronic toxicity of organo-mercury compounds careful handling of this product is required.

### Emergency and First Aid Procedures

**Inhalation:** Remove source(s) of contamination and move victim to fresh air.

**Eye Contact:** Flush eyes with plenty of water. If irritation persists, seek medical attention.

**Skin Contact:** In case of skin contact, wash thoroughly with soap and water; remove contaminated clothing and launder before reuse; seek medical attention if rash develops.

**Ingestion:** Do not induce vomiting unless instructed by a physician. Contact physician immediately.

*After first aid, get appropriate in-plant, paramedic, or community medical support.*

**Note to Physicians:** N/A

**Special Precautions/Procedures:** N/A

## Section 7 - Spill, Leak, and Disposal Procedures

**Spill /Leak Procedures:** Dike and contain spill; absorb or scrape up excess into suitable container for disposal. Stop or reduce discharge if it can be done safely.

#### Small Spills:

#### Large Spills

**Containment:** For large spills, dike far ahead of liquid spill for later disposal. Do not release into sewers or waterways.

**Regulatory Requirements:** Follow applicable OSHA regulations (29 CFR 1910.120).

**Disposal:** Contact your supplier or a licensed contractor for detailed recommendations. Follow applicable Federal, state, and local regulations.

**Disposal Regulatory Requirements:** This material must be disposed of in accordance with applicable Federal, state and local regulations.

**Toxicological Information:** None established

**Ecological Information:** None established.

#### EPA Regulations:

**RCRA Hazardous Waste Number:** Not listed (40 CFR 261.33)

**RCRA Hazardous Waste Classification** (40 CFR 261.??): Not classified

**CERCLA Hazardous Substance** (40 CFR 302.4) listed/unlisted specific per RCRA, Sec. 3001; CWA, Sec. 311 (b)(4); CWA, Sec. 307(a), CAA, Sec. 112: None

**SARA Toxic Chemical** (40 CFR 372.65): This product contains the following chemicals that are subject to release reporting requirements under Section 313 of SARA Title III.

<u>Components That Require Reporting</u>	<u>RQ</u>	<u>% of Reportable Component</u>
Mercury (as part of catalyst)	1 lb.	0.37

**SARA EHS (Extremely Hazardous Substance)** (40 CFR 355): None

**TSCA Inventory Status** (40 CFR 710): All components of this product are listed in the TSCA inventory.

**State Regulations:**

**California Proposition 65:** This product has trace amounts of an organo-mercury compound that is listed as a reproductive hazard.

## Section 8 - Exposure Controls / Personal Protection

**Engineering Controls:**

**Ventilation:** Provide general or local exhaust ventilation systems to maintain airborne concentrations below OSHA PELs (Sec. 2). Local exhaust ventilation is preferred because it prevents contaminant dispersion into the work area by controlling it at its source.

**Administrative Controls:**

**Respiratory Protection:** Seek professional advice prior to respirator selection and use. Follow OSHA respirator regulations (29 CFR 1910.134) and, if necessary, wear a MSHA/NIOSH-approved respirator. Select respirator based on its suitability to provide adequate worker protection for given working conditions, level of airborne contamination, and presence of sufficient

**Protective Clothing/Equipment:** Wear chemically protective gloves, boots, aprons, and gauntlets to prevent prolonged or repeated skin contact. Wear protective eyeglasses or chemical safety goggles, per OSHA eye- and face-protection regulations (29 CFR 1910.133). Contact lenses are not eye protective devices. Appropriate eye protection must be worn instead of, or in conjunction with contact lenses.

**Safety Stations:** Make emergency eyewash stations, safety/quick-drench showers, and washing facilities available in work area.

**Contaminated Equipment:** Separate contaminated work clothes from street clothes. Launder before reuse. Remove this material from your shoes and clean personal protective equipment.

**Comments:** Never eat, drink, or smoke in work areas. Practice good personal hygiene after using this material, especially before eating, drinking, smoking, using the toilet, or applying cosmetics.

## Section 9 - Special Precautions and Comments

**Handling Precautions:** Minimize breathing of vapors and avoid prolonged or repeated contact with skin. Wear proper protective equipment. If ventilation is not sufficient, wear proper respiratory equipment. Use good general housekeeping procedures.

**Storage Requirements:** Store in cool dry, well-ventilated area.

---

**DOT Transportation Data (49 CFR 172.101): Not Classified**

---

**Prepared By:**

**Revision Notes:**

**Disclaimer:** The following supersedes Buyer's documents. SELLER MAKES NO REPRESENTATION OR WARRANTY, EXPRESSED OR IMPLIED, INCLUDING ANY WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. No statements herein are to be construed as inducements to infringe any relevant patent. Under no circumstances shall Seller be liable for incidental, consequential or indirect damages for alleged negligence, breach of warranty, strict of liability arising in connection with the product(s). Buyer's sole remedy and Seller's sole liability for any claims shall be Buyer's purchase price. Data and results are based on controlled lab work and must be confirmed by Buyer by testing for its intended conditions of use. The product(s) has not been tested for, and is therefore not recommended for, uses for which prolonged contact with mucous membranes, abraded skin, or blood is intended; or for uses for which implantation within the human body is intended.