



Clay Modeling Products
Since 1892, the finest name in modeling clay

Chavant, Inc.
5043 Industrial Road
Farmingdale, NJ 07727

1-800-CHAVANT
Fax: (732) 842-3621
Internet: <http://www.chavant.com>
E-mail: mail@chavant.com

MATERIAL SAFETY DATA SHEET

March 7, 2012

HAZARD RATING

	FLAMMABILITY		<u>HAZARD RATING</u>
TOXICITY		REACTIVITY	N 4 - EXTREME F 3 - HIGH P 2 - MODERATE A 1 - SLIGHT 0 - INSIGNIFICANT
	SPECIAL		

SECTION 1. PRODUCT IDENTIFICATION

TRADE NAMES: CM-50, CM-70, DaVinci, H-525, I-305, I-307, J-88, J-525, Professional Plasteline

CHEMICAL NAME: Sulfur-Based Modeling Clay

EMERGENCY PHONE: 1-800-242-8268
1-732-751-0003

EMERGENCY FAX: 1-732-751-1982

SECTION 2. HAZARDOUS INGREDIENT INFORMATION

This product is not hazardous as defined in 29 CFR1900.1200. The composition of this clay is a trade secret as allowed by 29 CFR 1910. 1200-48. In the event of a medical emergency, compositional information will be provided to a physician or nurse.

Product labeling conforms to ASTM D-4236 (no special label required).

SECTION 3. PHYSICAL AND CHEMICAL DATA

Appearance and Odor: Brown or green, pliable solid, varying degree of odor.

Specific Gravity: Varies between 1.47 and 1.76 g/cm³ depending on formula.

Solubility in Water: Negligible (<1%)

Evaporation Rate: N/A

Vapor Pressure: N/A

Vapor Density: N/A

Melting Point: 180 - 200 °F

SECTION 4. HEALTH INFORMATION AND PROTECTION

NATURE OF HAZARD

EYE CONTACT: Direct contact may irritate but will not injure eye tissue.

SKIN CONTACT: Clay is regularly used with no skin protection. Hypersensitive users may experience slight irritation.

INHALATION: N/A

INGESTION: May induce laxative effects.

FIRST AID

EYE CONTACT: Flush with water.

SKIN CONTACT: Modeling clay is normally used with no skin protection. If irritation appears, it is an allergic reaction and use should be discontinued.

INHALATION: Normally not required.

INGESTION: Normally not required.

SECTION 5. FIRE AND EXPLOSION HAZARD

FLASHPOINT: > 200 °F.

FLAMMABLE LIMITS: N/A

SPECIAL FIRE FIGHTING INFORMATION: Firefighters should use self-contained breathing apparatus to avoid exposure to smoke and vapor. A component, SULFUR, often burns in air to form Sulfur Dioxide.

SECTION 6. REACTIVITY DATA

STABILITY: Stable

INCOMPATIBILITY: N/A

HAZARDOUS DECOMPOSITION: Sulfur burns in air to form Sulfur Dioxide.

HAZARDOUS POLYMERIZATION: N/A

SECTION 7. SAFE HANDLING PROCEDURES

SPILL: Waste Disposal - According to local ordinances

STORAGE: Away from possible ignition sources

PERSONAL: (Eyes, Skin, Respiratory, Ingestion): Common sense, good housekeeping practices.

Disclaimer of Liability

This information is furnished without warranty, expressed or implied, except that it is accurate to the best knowledge of Chavant, Inc. The conditions or methods of handling, storage, use and disposal of the product are beyond our control and may be beyond our knowledge. Chavant, Inc. assumes no legal responsibility for the use or reliance upon these data.