

Distributed by Freeman Mfg & Supply Co.
800.321.8511 www.freemansupply.com

24-Hour Emergency Phone: (800) 328-8501

Effective Date: 1/22/07


Material Safety Data Sheet

MSDS No: 6762

1. PRODUCT IDENTIFICATION

Trade Name: RP 802 Green Sealer

Chemical Family: Vinyl Lacquer



NFPA RATING

Health:	1
Flammability:	3
Reactivity:	0
Personal Protection:	

HMIS RATING

Intended Use or Product Type:

Sealer

2. COMPOSITION / INFORMATION ON INGREDIENTS

O S H A	CAS No.	CHEMICAL IDENTITY	EXPOSURE LIMITS				CARCINOGEN STATUS			
			ACGIH		OSHA		MFR.	IARC	NTP	OSHA
			TWA	STEL	PEL	STEL				
*	108-10-1	2-Pentanone, 4-methyl- Common Name: Methyl isobutyl ketone	50 ppm	75 ppm	100 ppm	75 ppm	NE	NR	NR	NR
*	108-88-3	Benzene, methyl- Common Name: Toluene	50 ppm	NE	NE	150 ppm	NE	NR	NR	NR
*	78-93-3	2-Butanone Common Name: Methyl ethyl ketone	200 ppm	300 ppm	200 ppm	300 ppm	NE	NR	NR	NR
*	9003-22-9	Acetic Acid Ethenyl Ester, Polymer with Chloroethene Common Name: Vinyl chloride-vinyl acetate resin	NE	NE	NE	NE	NE	NR	NR	NR

NE = Not Established NR = Not Reviewed * = OSHA Hazardous Ingredient

3. HAZARDS IDENTIFICATION

Emergency Overview: Flammable. Causes skin and eye irritation.

Effective Date: 1/22/07

Primary Route(s) of Entry: Dermal; heated product may produce inhalable vapors.

4. FIRST AID MEASURES

Ingestion: Do not induce vomiting unless directed to do so by medical personnel. Never give anything by mouth to an unconscious person. Seek immediate medical attention.

Skin: Immediately wash with soap and water. Remove contaminated clothing and launder before reuse. Destroy contaminated shoes. Seek immediate medical attention.

Inhalation: Remove to fresh air. Seek immediate medical attention.

Eyes: Immediately flush eyes with water for at least 15 minutes. Seek immediate medical attention.

Overexposure Effects: Causes skin and eye irritation.

Medical Conditions Aggravated by Exposure: Skin and eye conditions.

Additional Information: Referral to a physician is recommended if there is any question about the seriousness of any injury.

5. FIRE FIGHTING MEASURES

Flash Point:	39°F (4 °C)
Flash Point Method Used:	TCC
Flammable Limits in Air (Lower - % by volume):	1.2
Flammable Limits in Air (Upper - % by volume):	Not established

Fire Fighting Extinguishing Media: Carbon dioxide, dry chemical, foam, water.

Fire Fighting Equipment: Use self-contained breathing apparatus.

Fire and Explosion Hazards: Decomposition and combustion products may be toxic.

6. ACCIDENTAL RELEASE MEASURES

Accidental Release Measures: Remove spillage by absorbing in absorbent material.

7. HANDLING AND STORAGE

Signal Word: Warning!

Precautions: Flammable liquid. Keep away from heat, sparks, and flame. Keep container closed when not in use. Use with adequate ventilation. Can cause skin and eye irritation. Avoid contact with eyes, skin, and clothing. Wash thoroughly after handling.

Other Handling Information: Nuisance dust may be generated when sanding or sawing cured material.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Effective Date: 1/22/07

Skin Protection: Wear impermeable gloves.

Respiratory Protection: Use NIOSH approved organic vapor cartridge respirator when vapor/mist exposure is likely.

Eye Protection: Wear splash-proof chemical goggles.

Engineering Controls: General mechanical and local exhaust in accordance with ACGIH recommendations.

9. PHYSICAL AND CHEMICAL PROPERTIES

Color:	Green
Odor:	Ketone
Physical State:	Liquid
Solubility in Water:	Nil
Vapor Pressure:	70 mm Hg at 25°C (77 °F)
Specific Gravity:	0.9 - 0.91 (water = 1)
Boiling Point:	174 - 243°F (79 - 117 °C)
Evaporation Rate:	Slower than Ether
Vapor Density:	Not Determined
VOC:	360 - 540 g/L
pH:	Not Determined

Percent Volatile: Negligible.

10. STABILITY AND REACTIVITY

Conditions to Avoid: Excessive heat for prolonged periods of time.

Stability: Stable.

Hazardous Decomposition Products: Combustion may form toxic materials, such as carbon dioxide, carbon monoxide.

Hazardous Polymerization: Will not occur.

11. TOXICOLOGICAL INFORMATION

Skin Irritation: Irritant.

Eye Irritation: Irritant.

12. ECOLOGICAL INFORMATION

13. DISPOSAL CONSIDERATIONS

Waste Disposal Method: Consult qualified local or corporate personnel for method that will comply with local, state and federal health and environmental regulations.

Effective Date: 1/22/07

14. TRANSPORT INFORMATION**DOT: Non-Bulk**

Proper Shipping Name:	Flammable Liquid, n.o.s.
Technical Shipping Name (If n.o.s.):	Methyl Isobutyl Ketone, Methyl ethyl ketone
Hazard Class:	3
ID Number:	UN 1993
Packing Group:	PG II
Label:	Flammable liquid

15. REGULATORY INFORMATION**US Federal Regulations:**

Occupational Safety and Health Act (OSHA): This Material Safety Data Sheet (MSDS) has been prepared in compliance with the federal OSHA Hazard Communication Standard 29 CFR 1910.1200. This product is considered to be a hazardous chemical under that standard.

Resource Conservation and Recovery Act (RCRA): D 001 ignitable.

SARA Title III: Section 313 Toxic Chemical List (TCL): This product contains a toxic chemical(s) for routine annual toxic chemical release reporting under section 313 (40 CFR 372). This information must be included in all MSDS's copied or distributed for this material.

Chemical Name: 2-Pentanone, 4-methyl-
Common Name: Methyl isobutyl ketone
Percent in Composition: 36.97 % by wt
Comment:

Chemical Name: Benzene, methyl-
Common Name: Toluene
Percent in Composition: 36.43 % by wt
Comment:

Chemical Name: 2-Butanone
Common Name: Methyl ethyl ketone
Percent in Composition: 7.37 % by wt
Comment:

TSCA Section 8(b) - Inventory Status: All chemical components of this product are in compliance with TSCA inventory requirements.

TSCA Section 12(b) - Export Notification: This product does not contain any chemical(s) that are subject to a Section 12(b) export notification.

State Regulations:

California Proposition 65: The following is required composition information. This product contains the following chemical(s) which are currently listed on the California list of Known Carcinogens and Reproductive Toxins:

Chemical Name: Benzene, methyl-

Effective Date: 1/22/07

Common Name: Toluene

CAS Number: 108-88-3

Percent in Composition: 36.43 % by wt

Comment: Warning! This chemical is known to the State of California to cause birth defects or other reproductive harm.

Pennsylvania Right-to-Know: The following is required composition information:

Chemical Name: 2-Pentanone, 4-methyl-

Common Name: Methyl isobutyl ketone

CAS Number: 108-10-1

Comment: Environmental Hazardous Substance

Chemical Name: Benzene, methyl-

Common Name: Toluene

CAS Number: 108-88-3

Comment: Environmental Hazardous Substance

Chemical Name: Acetic Acid Ethenyl Ester, Polymer with Chloroethene

Common Name: Vinyl chloride-vinyl acetate resin

CAS Number: 9003-22-9

Comment: Not on Pennsylvania Hazardous Substance List

Chemical Name: 2-Butanone

Common Name: Methyl ethyl ketone

CAS Number: 78-93-3

Comment: Environmental Hazardous Substance

16. OTHER INFORMATION

MSDS No:	6762
Approved By:	Dianne Blessing
Title:	EH&S Specialist

Disclaimer: The information and recommendations contained herein are based upon tests in controlled laboratory conditions, are believed to be correct, and are provided for the sole purpose of hazard communication as part of Huntsman's product safety program. This product has not been tested for, and therefore is not recommended or suitable for, uses for which prolonged contact with mucous membranes, abraded skin, or blood is intended or likely, or for uses for which implantation within the human body is intended, and Huntsman assumes no liability for any such uses.

The information and recommendations contained herein are not intended to constitute performance information concerning the product, which is available in separate technical data sheets available from Huntsman upon request. Users are urged, and are urged to urge others who may come in contact with the product, to obtain and consult data sheets prior to purchase, use, transportation or storage of the product.

HUNTSMAN MAKES NO REPRESENTATION OR WARRANTY, EXPRESS OR IMPLIED, INCLUDING WARRANTIES OF MERCHANTABILITY, QUALITY, OR FITNESS FOR A PARTICULAR PURPOSE. HUNTSMAN'S LIABILITY IS STRICTLY LIMITED TO REIMBURSEMENT OF BUYER'S PURCHASE PRICE, OR IN HUNTSMAN'S DISCRETION REPLACEMENT, OF THE PRODUCT IN RESPECT OF WHICH SUCH CLAIM IS MADE. HUNTSMAN'S LIABILITY IS STRICTLY LIMITED BY LEGAL NOTICES IN TECHNICAL DATA SHEETS, PRODUCT LITERATURE, AND/OR SALE DOCUMENTS. The foregoing DISCLAIMERS and LIMITATION OF LIABILITY supercede inconsistent or contradictory provisions in Buyer's documents.

Effective Date: 1/22/07

USER SHOULD CONSULT A LEGAL ADVISOR OR THE APPROPRIATE GOVERNMENTAL AGENCY TO DETERMINE THE APPLICABILITY OR EFFECT OF ANY LAW OR REGULATION WITH RESPECT TO THE PRODUCT. HUNTSMAN DOES NOT UNDERTAKE TO FURNISH ADVICE ON SUCH MATTERS.

NO PERSON OR ORGANIZATION EXCEPT A DULY AUTHORIZED HUNTSMAN EMPLOYEE IS AUTHORIZED TO PROVIDE OR MAKE AVAILABLE DATA SHEETS FOR HUNTSMAN PRODUCTS. DATA SHEETS FROM UNAUTHORIZED SOURCES MAY CONTAIN INFORMATION THAT IS NO LONGER CURRENT OR ACCURATE. NO PART OF THIS DATA SHEET MAY BE REPRODUCED OR TRANSMITTED IN ANY FORM, OR BY ANY MEANS, WITHOUT PERMISSION IN WRITING FROM HUNTSMAN. ALL REQUESTS FOR PERMISSION TO REPRODUCE MATERIAL FROM THIS DATA SHEET SHOULD BE DIRECTED TO HUNTSMAN, MANAGER, PRODUCT SAFETY AT THE ABOVE ADDRESS.