


DISTRIBUTED BY FREEMAN MFG & SUPPLY CO. 800-321-8511

24-Hour Emergency Phone: 1-888-354-3323

Effective Date: 9/29/04**Material Safety Data Sheet**

MSDS No: 6011

1. PRODUCT IDENTIFICATION**Trade Name:** Ren 1510**Chemical Family:** Amine

NFPA RATING

Health:	3
Flammability:	1
Reactivity:	0
Personal Protection:	

HMIS RATING

Synonyms:

RP 1510 HARDENER

Intended Use or Product Type: Heat resistant hardener**2. COMPOSITION / INFORMATION ON INGREDIENTS**

O S H A	CAS No.	CHEMICAL IDENTITY	EXPOSURE LIMITS				MFR.	CARCINOGEN STATUS		
			ACGIH		OSHA			IARC	NTP	OSHA
			TWA	STEL	PEL	STEL				
*	1477-55-0	1,3-Benzenedimethanamine Common Name: m-Xylenediamine	NE	0.1 mg/m3	NE	NE	NE	NR	NR	NR
*	2855-13-2	Cyclohexanemethanamine, 5-Amino-1,3,3-Trimethyl-Isophorone diamine Common Name:	NE	NE	NE	NE	NE	NR	NR	NR
*	616-47-7	1H-Imidazole, 1-Methyl-1-Methylimidazole Common Name:	NE	NE	NE	NE	NE	NR	NR	NR
*	68738-77-2	1,3-Benzenedimethanamine, Polymer with 2,2'-[(1-Methylethylidene)Bis(4,1-Phenyleneoxymethylene)]Bis[Oxirane] and 2,2,4-Trimethyl-1,6-Hexanediamine Common Name: MXDA/TMD/DGEBA adduct	NE	NE	NE	NE	NE	NR	NR	NR

* = OSHA Hazardous Ingredient

3. HAZARDS IDENTIFICATION

Emergency Overview: Corrosive - Causes skin and eye burns. Harmful if absorbed through skin. May cause allergic skin and respiratory reactions.

Primary Route(s) of Entry: Dermal; heated product may produce inhalable vapors.

Acute Exposure: Corrosive. Causes skin and eye burns.

4. FIRST AID MEASURES

Ingestion: If conscious, give 2 - 4 glasses of water to drink. Do not induce vomiting. Call a physician.

Skin: Immediately wash with soap and water. Remove contaminated clothing and launder before reuse. Destroy contaminated shoes.

Inhalation: Remove to fresh air. Call a physician.

Eyes: Immediately flush eyes with water for at least 15 minutes. Call a physician.

Overexposure Effects: Corrosive - causes skin and eye burns. Harmful if absorbed through skin. May cause allergic skin and respiratory reactions.

Medical Conditions Aggravated by Exposure: Skin, eye and pulmonary conditions.

Additional Information: Referral to a physician is recommended if there is any question about the seriousness of any injury.

5. FIRE FIGHTING MEASURES

Flash Point: > 250°F (> 121 °C)

Flash Point Method Used: PMCC

Flammable Limits in Air (Lower - % by volume): Not established

Flammable Limits in Air (Upper - % by volume): Not established

Fire Fighting Extinguishing Media: Carbon dioxide, dry chemical, foam, water.

Fire Fighting Equipment: Use self-contained breathing apparatus.

Fire and Explosion Hazards: Decomposition and combustion products may be toxic.

6. ACCIDENTAL RELEASE MEASURES

Accidental Release Measures: Remove spillage by absorbing in absorbent material.

Effective Date: 9/29/04

7. HANDLING AND STORAGE

Signal Word: Danger!

Precautions: Corrosive - causes skin and eye burns. Can cause allergic respiratory reaction and allergic skin reaction. Can be harmful if absorbed through skin. Do not get in eyes, on skin, or on clothing. Avoid breathing vapor or mist. Keep container closed when not in use. Use with adequate ventilation. Wash thoroughly after handling.

Other Handling Information: Nuisance dust may be generated when sanding or sawing cured material.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Skin Protection: Wear impermeable gloves.

Respiratory Protection: Use NIOSH approved organic vapor cartridge respirator when vapor/mist exposure is likely.

Eye Protection: Wear splash-proof chemical goggles.

Engineering Controls: General mechanical and local exhaust in accordance with ACGIH recommendations.

9. PHYSICAL AND CHEMICAL PROPERTIES

Color:	Clear Amber
Physical State:	Liquid
Solubility in Water:	Moderate
Vapor Pressure:	Not Determined
Specific Gravity:	1.05 (water = 1)
Boiling Point:	> 400°F (> 204 °C)
Evaporation Rate:	Not Determined
Vapor Density:	Not Determined
VOC:	270.375 g/L

Percent Volatile: Negligible.

10. STABILITY AND REACTIVITY

Conditions to Avoid: Excessive heat for prolonged periods of time.

Stability: Stable.

Incompatibility: Strong oxidizers, acids and bases.

Hazardous Decomposition Products: Combustion may form toxic materials, such as carbon dioxide, carbon monoxide.

Hazardous Polymerization: Will not occur.

11. TOXICOLOGICAL INFORMATION

Acute Dermal Toxicity (LD50): Component(s) are toxic, 200 - 1000 mg/kg (rabbit).

Effective Date: 9/29/04

Sensitization: May cause allergic skin reaction and respiratory sensitivity in some people.

Skin Irritation: Corrosive. Causes burns.

Eye Irritation: Corrosive. Causes burns.

12. ECOLOGICAL INFORMATION

13. DISPOSAL CONSIDERATIONS

Waste Disposal Method: Consult qualified local or corporate personnel for method that will comply with local, state and federal health and environmental regulations.

14. TRANSPORT INFORMATION

DOT: Non-Bulk

Proper Shipping Name:	Polyamines, liquid, corrosive, n.o.s.
Technical Shipping Name (If n.o.s.):	Isophorone diamine, Metaxylenediamine
Hazard Class:	8
ID Number:	UN 2735
Packing Group:	PG III
Label:	Corrosive

15. REGULATORY INFORMATION

US Federal Regulations:

Occupational Safety and Health Act (OSHA): This Material Safety Data Sheet (MSDS) has been prepared in compliance with the federal OSHA Hazard Communication Standard 29 CFR 1910.1200. This product is considered to be a hazardous chemical under that standard.

Resource Conservation and Recovery Act (RCRA): Not a hazardous waste under RCRA (40 CFR 261) but handle with care due to corrosive effect on skin and eyes.

SARA Title III: Section 313 Toxic Chemical List (TCL): This product does not contain any chemicals for routine annual toxic chemical release reporting under Section 313 (40 CFR 372).

TSCA Section 8(b) - Inventory Status: All chemical components of this product are in compliance with TSCA inventory requirements.

TSCA Section 12(b) - Export Notification: This product does not contain any chemical(s) that are subject to a Section 12(b) export notification.

State Regulations:

California Proposition 65: This product does not contain any chemicals currently on the California list of Known Carcinogens and Reproductive Toxins.

Effective Date: 9/29/04

Pennsylvania Right-to-Know: The following is required composition information:

Chemical Name: 1,3-Benzenedimethanamine, Polymer with
2,2'-[(1-Methylethylidene)Bis(4,1-Phenyleneoxymethylene)]Bis[Oxirane] and 2,2,4-Trimethyl-1,6-Hexanediamine
Common Name: MXDA/TMD/DGEBA adduct
CAS Number: 68738-77-2
Comment: Not on Pennsylvania Hazardous Substance List

Chemical Name: Cyclohexanemethanamine, 5-Amino-1,3,3-Trimethyl-
Common Name: Isophorone diamine
CAS Number: 2855-13-2
Comment: Not on Pennsylvania Hazardous Substance List

Chemical Name: 1,3-Benzenedimethanamine
Common Name: m-Xylenediamine
CAS Number: 1477-55-0
Comment: Hazardous Substance

Chemical Name: 1H-Imidazole, 1-Methyl-
Common Name: 1-Methylimidazole
CAS Number: 616-47-7
Comment: Not on Pennsylvania Hazardous Substance List

16. OTHER INFORMATION

MSDS No:	6011
Approved By:	Dianne Blessing
Title:	EH&S Specialist

Disclaimer: The information and recommendations contained herein are based upon tests in controlled laboratory conditions, are believed to be correct, and are provided for the sole purpose of hazard communication as part of Huntsman's product safety program. This product has not been tested for, and therefore is not recommended or suitable for, uses for which prolonged contact with mucous membranes, abraded skin, or blood is intended or likely, or for uses for which implantation within the human body is intended, and Huntsman assumes no liability for any such uses.

The information and recommendations contained herein are not intended to constitute performance information concerning the product, which is available in separate technical data sheets available from Huntsman upon request. Users are urged, and are urged to urge others who may come in contact with the product, to obtain and consult data sheets prior to purchase, use, transportation or storage of the product.

HUNTSMAN MAKES NO REPRESENTATION OR WARRANTY, EXPRESS OR IMPLIED, INCLUDING WARRANTIES OF MERCHANTABILITY, QUALITY, OR FITNESS FOR A PARTICULAR PURPOSE. HUNTSMAN'S LIABILITY IS STRICTLY LIMITED TO REIMBURSEMENT OF BUYER'S PURCHASE PRICE, OR IN HUNTSMAN'S DISCRETION REPLACEMENT, OF THE PRODUCT IN RESPECT OF WHICH SUCH CLAIM IS MADE. HUNTSMAN'S LIABILITY IS STRICTLY LIMITED BY LEGAL NOTICES IN TECHNICAL DATA SHEETS, PRODUCT LITERATURE AND/OR SALE DOCUMENTS. The foregoing DISCLAIMERS and LIMITATION OF LIABILITY supercede inconsistent or contradictory provisions in Buyer's documents.

USER SHOULD CONSULT A LEGAL ADVISOR OR THE APPROPRIATE GOVERNMENTAL AGENCY TO DETERMINE THE APPLICABILITY OR EFFECT OF ANY LAW OR REGULATION WITH RESPECT TO THE PRODUCT. HUNTSMAN DOES NOT UNDERTAKE TO FURNISH ADVICE ON SUCH MATTERS.

