

DISTRIBUTED BY FREEMAN MFG & SUPPLY CO. 800-321-8511

24-Hour Health/Environmental Emergency Phone: 1-888-354-3323

Effective Date: 3/31/03

Material Safety Data Sheet

MSDS No: 6043

1. PRODUCT IDENTIFICATION


Trade Name: Ren 306

Chemical Family: Amine

Synonyms:

RP 306 Hardener

Intended Use or Product Type: Casting hardener



NFPA RATING

Health	3*
Flammability	1
Reactivity	0
Protective Equipment	

HMIS RATING

2. COMPOSITION / INFORMATION ON INGREDIENTS

O S H A	CAS No.	CHEMICAL IDENTITY	EXPOSURE LIMITS				CARCINOGEN STATUS			
			ACGIH		OSHA		MFR.	IARC	NTP	OSHA
			TWA	STEL	PEL	STEL				
*	111-40-0 Common Name:	1,2-Ethanediamine, N-(2-aminoethyl)-Diethylenetriamine	1 ppm	NE	NE	NE	NE	NR	NR	NR
*	80-05-7 Common Name:	Phenol, 4,4'-(1-methylethylidene)bis-Bisphenol A	NE	NE	NE	NE	TLV 5 mg/m3	NR	NR	NR
	70776-30-6 Common Name:	Phenol, Nonyl-, Compd. With 1-Piperazineethanamine (1:1) Alicyclic amine adduct	NE	NE	NE	NE	NE	NR	NR	NR
	70955-17-8 Common Name:	Aromatic Hydrocarbons, C12 - C20 Aromatic hydrocarbons	NE	NE	NE	NE	NE	NR	NR	NR
*	Confidential	Mixture of DETA, TETA, TEPA, and Isomers, Polymer with Epoxy and Fatty Acids	NE	NE	NE	NE	NE	NR	NR	NR

Effective Date: 3/31/03

NE = Not Established NR = Not Reviewed * = OSHA Hazardous Ingredient

3. HAZARDS IDENTIFICATION

Emergency Overview: Corrosive - causes skin and eye burns. Can cause allergic respiratory reaction and allergic skin reaction. Can be harmful if absorbed through skin and may be harmful if swallowed.

Primary Route(s) of Entry: Dermal; heated product may produce inhalable vapors.

Acute Exposure: Corrosive. Causes skin and eye burns.

Chronic: Overexposure may have effects on developing fetus.

4. FIRST AID MEASURES

Ingestion: If conscious, give 2 - 4 glasses of water to drink. Do not induce vomiting. Call a physician.

Skin: Immediately wash with soap and water. Remove contaminated clothing and launder before reuse. Destroy contaminated shoes.

Inhalation: Remove to fresh air. Call a physician.

Eyes: Immediately flush eyes with water for at least 15 minutes. Call a physician.

Overexposure Effects: Corrosive - causes skin and eye burns. Can cause allergic respiratory reaction and allergic skin reaction. Can be harmful if absorbed through skin and may be harmful if swallowed.

Medical Conditions Aggravated by Exposure: Skin, eye and pulmonary conditions.

Additional Information: Referral to a physician is recommended if there is any question about the seriousness of any injury.

5. FIRE FIGHTING MEASURES

Flash Point:	225°F (107 °C)
Flash Point Method Used:	PMCC
Flammable Limits in Air (Lower - % by volume):	Not established
Flammable Limits in Air (Upper - % by volume):	Not established

Fire Fighting Extinguishing Media: Carbon dioxide, dry chemical, foam, water.

Fire Fighting Equipment: Use self-contained breathing apparatus.

Fire and Explosion Hazards: Decomposition and combustion products may be toxic.

6. ACCIDENTAL RELEASE MEASURES

Effective Date: 3/31/03

Accidental Release Measures: Remove spillage by absorbing in absorbent material.

7. HANDLING AND STORAGE

Signal Word: Danger!

Precautions: Corrosive - causes skin and eye burns. Can cause allergic respiratory reaction and allergic skin reaction. Can be harmful if absorbed through skin and may be harmful if swallowed. Do not get in eyes, on skin, or on clothing. Avoid breathing vapor or mist. Avoid tasting or swallowing. Keep container closed when not in use. Use with adequate ventilation. Wash thoroughly after handling. Notice! Overexposure may have effects on developing fetus.

Other Handling Information: Nuisance dust may be generated when sanding or sawing cured material.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Skin Protection: Wear impermeable gloves.

Respiratory Protection: Use NIOSH approved organic vapor cartridge respirator when vapor/mist exposure is likely.

Eye Protection: Wear splash-proof chemical goggles.

Engineering Controls: General mechanical and local exhaust in accordance with ACGIH recommendations.

9. PHYSICAL AND CHEMICAL PROPERTIES

Color:	Amber
Odor:	Ammoniacal
Physical State:	Liquid
Solubility in Water:	Slight
Specific Gravity:	1.14 - 1.18 (water = 1)
Boiling Point:	Not Determined
Evaporation Rate:	Not Determined
Vapor Density:	Not Determined
VOC:	1.3874 g/L
pH:	Not Determined

Percent Volatile: Negligible.

10. STABILITY AND REACTIVITY

Conditions to Avoid: Excessive heat for prolonged periods of time.

Stability: Stable.

Incompatibility: Strong oxidizers, acids and bases.

Hazardous Decomposition Products: Combustion may form toxic materials, such as carbon dioxide, carbon monoxide.

Hazardous Polymerization: Will not occur.

Effective Date: 3/31/03

11. TOXICOLOGICAL INFORMATION

Acute Oral Effects (LD50): Component(s) are slightly toxic, 500 - 5000 mg/kg (rat).

Diethylenetriamine= 1080 - 2330 mg/kg (rat)

Acute Dermal Toxicity (LD50): Component(s) are toxic, 200 - 1000 mg/kg (rabbit).

Diethylenetriamine= 672 - 1240 mg/kg (rabbit)

Sensitization: May cause allergic skin reaction and respiratory sensitivity in some people.

Skin Irritation: Corrosive. Causes burns.

Eye Irritation: Corrosive. Causes burns.

12. ECOLOGICAL INFORMATION

13. DISPOSAL CONSIDERATIONS

Waste Disposal Method: Consult qualified local or corporate personnel for method that will comply with local, state and federal health and environmental regulations.

14. TRANSPORT INFORMATION

DOT: Non-Bulk

Proper Shipping Name:

Polyamines, liquid, corrosive, N.O.S.

Technical Shipping Name (If n.o.s.):

Diethylene triamine, Aliphatic polyaminoamide

Hazard Class:

8

ID Number:

UN 2735

Packing Group:

PG II

Label:

Corrosive

15. REGULATORY INFORMATION

US Federal Regulations:

Occupational Safety and Health Act (OSHA): This Material Safety Data Sheet (MSDS) has been prepared in compliance with the federal OSHA Hazard Communication Standard 29 CFR 1910.1200. This product is considered to be a hazardous chemical under that standard.

Resource Conservation and Recovery Act (RCRA): Not a hazardous waste under RCRA (40 CFR 261) but handle with care due to corrosive effect on skin and eyes.

SARA Title III: Section 313 Toxic Chemical List (TCL): This product contains a toxic chemical(s) for routine annual toxic chemical release reporting under section 313 (40 CFR 372). This information must be included in all MSDS's copied or distributed for this material.

Chemical Name: Phenol, 4,4'-(1-methylethylidene)bis-

Effective Date: 3/31/03

Common Name: Bisphenol A
Percent in Composition: 6.66 % by wt
Comment:

TSCA Section 8(b) - Inventory Status: Chemical components listed on TSCA Inventory.

TSCA Section 12(b) - Export Notification: This product does not contain any chemical(s) that are subject to a Section 12(b) export notification.

State Regulations:

Pennsylvania Right-to-Know: The following is required composition information:

Chemical Name: Aromatic Hydrocarbons, C12 - C20
Common Name: Aromatic hydrocarbons
CAS Number: 70955-17-8
Comment: Not on Pennsylvania Hazardous Substance List

Chemical Name: Mixture of DETA, TETA, TEPA, and Isomers, Polymer with Epoxy and Fatty Acids
CAS Number: Confidential
Comment: Not on Pennsylvania Hazardous Substance List

Chemical Name: 1,2-Ethanediamine, N-(2-aminoethyl)-
Common Name: Diethylenetriamine
CAS Number: 111-40-0
Comment: Hazardous Substance

Chemical Name: Phenol, Nonyl-, Compd. With 1-Piperazineethanamine (1:1)
Common Name: Alicyclic amine adduct
CAS Number: 70776-30-6
Comment: Not on Pennsylvania Hazardous Substance List

Chemical Name: Phenol, 4,4'-(1-methylethylidene)bis-
Common Name: Bisphenol A
CAS Number: 80-05-7
Comment: Environmental Hazardous Substance

16. OTHER INFORMATION

MSDS No: 6043
Approved By: Kenneth L. Payne
Title: E,H&S Manager

Disclaimer: The following supercedes Buyer's documents. SELLER MAKES NO REPRESENTATION OR WARRANTY, EXPRESS OR IMPLIED, INCLUDING OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. No statements herein are to be construed as inducements to infringe any relevant patent. Under no circumstances shall Seller be liable for incidental, consequential or indirect damages for alleged negligence, breach of warranty, strict liability, tort or contract arising in connection with the product(s). Buyer's sole remedy and Seller's sole liability for any claims shall be Buyer's purchase price. Data and results are based on controlled or lab work and must be confirmed by Buyer by testing for its intended conditions of use. The product(s) has not been tested for, and is therefore not recommended for, uses for which prolonged contact with mucous membranes, abraded skin, or blood is intended; or for uses for which implantation within the human body is intended.

