

P.O. Box 4980  
The Woodlands, TX 77387-4980

8 am to 5 pm Phone: (800) 257-5547  
24-Hour Emergency Phone: (800) 328-8501  
International Emergency Phone: (409) 727-0831  
Asia Pacific Emergency Phone: (65) 6336-6011

Effective Date: 4/29/08


Material Safety Data Sheet

MSDS No: 33303

**1. PRODUCT IDENTIFICATION**

Trade Name: RenShape High Performance Sealer

Chemical Family: Resin in Solvent



NFPA RATING

Health:	2*
Flammability:	3
Reactivity:	0
Personal Protection:	

HMIS RATING

Intended Use or Product Type: Sprayable coating

**2. COMPOSITION / INFORMATION ON INGREDIENTS**

O S H A	CAS No.	CHEMICAL IDENTITY	EXPOSURE LIMITS				CARCINOGEN STATUS			
			ACGIH		OSHA		MFR.	IARC	NTP	OSHA
			TWA	STEL	PEL	STEL				
*	108-88-3 Common Name: Toluene Concentration: 10.00 - 30.00 % by wt	Benzene, methyl-	50 ppm	NE	NE	150 ppm	NE	NR	NR	NR
*	5131-66-8 Common Name: Propylene glycol monobutyl ether Concentration: 1.00 - 5.00 % by wt	2-PROPANOL, 1-BUTOXY-	NE	NE	NE	NE	NE	NR	NR	NR
*	64742-89-8 Common Name: Isoparaffinic hydrocarbon Concentration: 10.00 - 30.00 % by wt	Solvent Naphtha (Petroleum), Light Aliphatic	NE	NE	NE	NE	NE	NR	NR	NR
*	67-56-1 Common Name: Methyl alcohol Concentration: 30.00 - 60.00 % by wt	Methanol	200 ppm	250 ppm	200 ppm	250 ppm	NE	NR	NR	NR

\* = OSHA Hazardous Ingredient

**3. HAZARDS IDENTIFICATION**

**Emergency Overview:** Flammable. Causes eye, skin, and respiratory irritations. May cause allergic skin reaction.

Effective Date: 4/29/08

**Primary Route(s) of Entry:** Dermal; heated product may produce inhalable vapors.

**Chronic:** Overexposure may have effects on kidney, liver, and nervous system.

#### **4. FIRST AID MEASURES**

**Ingestion:** Do not induce vomiting unless directed to do so by medical personnel. Never give anything by mouth to an unconscious person. Seek immediate medical attention.

**Skin:** Immediately wash with soap and water. Remove contaminated clothing and launder before reuse. Destroy contaminated shoes. Seek immediate medical attention.

**Inhalation:** Remove to fresh air. Seek immediate medical attention.

**Eyes:** Immediately flush eyes with water for at least 15 minutes. Seek immediate medical attention.

**Overexposure Effects:** Causes eye, skin, and respiratory irritations. May cause allergic skin reaction.

**Medical Conditions Aggravated by Exposure:** Skin, eye and pulmonary conditions.

**Additional Information:** Referral to a physician is recommended if there is any question about the seriousness of any injury.

#### **5. FIRE FIGHTING MEASURES**

<b>Flash Point:</b>	38°F (3 °C)
<b>Flash Point Method Used:</b>	TCC
<b>Flammable Limits in Air (Lower - % by volume):</b>	Not Determined
<b>Flammable Limits in Air (Upper - % by volume):</b>	Not Determined

**Fire Fighting Extinguishing Media:** Carbon dioxide, dry chemical, foam, water.

**Fire Fighting Equipment:** Use self-contained breathing apparatus.

**Fire and Explosion Hazards:** Decomposition and combustion products may be toxic.

#### **6. ACCIDENTAL RELEASE MEASURES**

**Accidental Release Measures:** Remove spillage by absorbing in absorbent material.

#### **7. HANDLING AND STORAGE**

**Signal Word:** Warning!

**Precautions:** Flammable liquid. Keep away from heat, sparks, and flame. Keep container closed when not in use. Use with adequate ventilation. Causes eye, skin, and respiratory irritations. May cause allergic skin reaction. Avoid contact with eyes, skin, and clothing. Avoid breathing vapor or mist. Avoid prolonged or repeated contact with skin. Keep container closed. Use with adequate ventilation. Wash thoroughly after handling. Notice! Overexposure may have effects on kidney, liver, and nervous system.

Effective Date: 4/29/08

**Other Handling Information:** Nuisance dust may be generated when sanding or sawing cured material.

## **8. EXPOSURE CONTROLS / PERSONAL PROTECTION**

**Skin Protection:** Wear impermeable gloves.

**Respiratory Protection:** Use NIOSH approved organic vapor cartridge respirator when vapor/mist exposure is likely.

**Eye Protection:** Wear splash-proof chemical goggles.

**Engineering Controls:** General mechanical and local exhaust in accordance with ACGIH recommendations.

## **9. PHYSICAL AND CHEMICAL PROPERTIES**

<b>Color:</b>	Clear, Slightly Yellowish
<b>Odor:</b>	Solvent Odor
<b>Physical State:</b>	Liquid
<b>Solubility in Water:</b>	Insoluble
<b>Vapor Pressure:</b>	Not Determined
<b>Specific Gravity:</b>	0.84 (water = 1)
<b>Boiling Point:</b>	150°F (66 °C)
<b>Melting Point:</b>	Not Determined
<b>Evaporation Rate:</b>	< 1 (ether = 1)
<b>Bulk Density:</b>	7.01 lb/gal
<b>Vapor Density:</b>	> 1 (Air = 1)
<b>VOC:</b>	739.2 g/L
<b>pH:</b>	Not Determined

**Percent Volatile:** 70 - 80%

## **10. STABILITY AND REACTIVITY**

**Conditions to Avoid:** Excessive heat for prolonged periods of time.

**Stability:** Stable.

**Incompatibility:** Strong oxidizers, acids and bases.

**Hazardous Decomposition Products:** Combustion may form toxic materials, such as carbon dioxide, carbon monoxide.

**Hazardous Polymerization:** Will not occur.

## **11. TOXICOLOGICAL INFORMATION**

**Acute Oral Effects (LD50):** Component(s) are slightly toxic, 500 - 5000 mg/kg (rat).

**Inhalation Toxicity (LC50):** Component(s) are slightly toxic, 20 - 200 mg/l or 2000 - 10,000 ppm.

**Acute Inhalation Exposure Effects:** Respiratory irritant.

Effective Date: 4/29/08

**Sensitization:** Possible in susceptible individuals.**Skin Irritation:** Irritant.**Eye Irritation:** Irritant.**12. ECOLOGICAL INFORMATION****13. DISPOSAL CONSIDERATIONS****Waste Disposal Method:** Consult qualified local or corporate personnel for method that will comply with local, state and federal health and environmental regulations.**14. TRANSPORT INFORMATION****DOT: Non-Bulk**

<b>Proper Shipping Name:</b>	Flammable liquid, toxic, n.o.s.
<b>Technical Shipping Name (If n.o.s.):</b>	Methanol, Toluene
<b>Hazard Class:</b>	3(6.1)
<b>ID Number:</b>	UN 1992
<b>Packing Group:</b>	PG II
<b>Label:</b>	Flammable Liquid & Toxic

**IATA: Non-Bulk**

<b>Proper Shipping Name:</b>	Flammable liquid, toxic, n.o.s.
<b>Technical Shipping Name (If n.o.s.):</b>	Methanol, Toluene
<b>Hazard Class:</b>	3(6.1)
<b>ID Number:</b>	UN 1992
<b>Packing Group:</b>	PG II
<b>Label:</b>	Flammable Liquid & Toxic

**IMDG: Non-Bulk**

<b>Proper Shipping Name:</b>	Flammable liquid, toxic, n.o.s.
<b>Technical Shipping Name (If n.o.s.):</b>	Methanol, Toluene
<b>Hazard Class:</b>	3(6.1)
<b>ID Number:</b>	UN 1992
<b>Packing Group:</b>	PG II
<b>Label:</b>	Flammable Liquid & Toxic

**TDG: Non-Bulk**

<b>Proper Shipping Name:</b>	Flammable liquid, toxic, n.o.s.
<b>Technical Shipping Name (If n.o.s.):</b>	Methanol, Toluene
<b>Hazard Class:</b>	3(6.1)
<b>ID Number:</b>	UN 1992
<b>Packing Group:</b>	PG II
<b>Label:</b>	Flammable Liquid & Toxic

**15. REGULATORY INFORMATION**

Effective Date: 4/29/08

**US Federal Regulations:**

**Occupational Safety and Health Act (OSHA):** This Material Safety Data Sheet (MSDS) has been prepared in compliance with the federal OSHA Hazard Communication Standard 29 CFR 1910.1200. This product is considered to be a hazardous chemical under that standard.

**Resource Conservation and Recovery Act (RCRA):** D 001 ignitable.

**SARA Title III: Section 313 Toxic Chemical List (TCL):** This product contains a toxic chemical(s) for routine annual toxic chemical release reporting under section 313 (40 CFR 372). This information must be included in all MSDS's copied or distributed for this material.

Chemical Name: Methanol  
Common Name: Methyl alcohol  
Percent in Composition: 30 - 60 % by wt  
Comment:

Chemical Name: Benzene, methyl-  
Common Name: Toluene  
Percent in Composition: 10 - 30 % by wt  
Comment:

**TSCA Section 8(b) - Inventory Status:** All chemical components of this product are in compliance with TSCA inventory requirements.

**TSCA Section 12(b) - Export Notification:** This product does not contain any chemical(s) that are subject to a Section 12(b) export notification.

**International Regulations:**

**Canadian Inventory Status:** This product contains only chemicals that are currently listed on the Canadian Domestic Substance List.

**Canadian WHMIS:** This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations and the MSDS contains all the information required by the Controlled Products Regulations. B2 D2B

**State Regulations:**

**Pennsylvania Right-to-Know:** The following is required composition information:

Chemical Name: Methanol  
Common Name: Methyl alcohol  
CAS Number: 67-56-1  
Comment: Environmental Hazardous Substance

Chemical Name: Benzene, methyl-  
Common Name: Toluene  
CAS Number: 108-88-3  
Comment: Environmental Hazardous Substance

Chemical Name: Solvent Naphtha (Petroleum), Light Aliphatic  
Common Name: Isoparaffinic hydrocarbon

---

**Effective Date:** 4/29/08

---

CAS Number: 64742-89-8

Comment: Not on Pennsylvania Hazardous Substance List

Chemical Name: Polymeric resin

CAS Number: Held confidential by our supplier

Comment: Not on Pennsylvania Hazardous Substance List

Chemical Name: 2-PROPANOL, 1-BUTOXY-

Common Name: Propylene glycol monobutyl ether

CAS Number: 5131-66-8

Comment: Not on Pennsylvania Hazardous Substance List

**16. OTHER INFORMATION****MSDS No:** 33303**Approved By:** Dianne Blessing

**Disclaimer:** The information and recommendations contained herein are based upon tests in controlled laboratory conditions, are believed to be correct, and are provided for the sole purpose of hazard communication as part of Huntsman's product safety program. This product has not been tested for, and therefore is not recommended or suitable for, uses for which prolonged contact with mucous membranes, abraded skin, or blood is intended or likely, or for uses for which implantation within the human body is intended, and Huntsman assumes no liability for any such uses.

The information and recommendations contained herein are not intended to constitute performance information concerning the product, which is available in separate technical data sheets available from Huntsman upon request. Users are urged, and are urged to urge others who may come in contact with the product, to obtain and consult data sheets prior to purchase, use, transportation or storage of the product.

HUNTSMAN MAKES NO REPRESENTATION OR WARRANTY, EXPRESS OR IMPLIED, INCLUDING WARRANTIES OF MERCHANTABILITY, QUALITY, OR FITNESS FOR A PARTICULAR PURPOSE. HUNTSMAN'S LIABILITY IS STRICTLY LIMITED TO REIMBURSEMENT OF BUYER'S PURCHASE PRICE, OR IN HUNTSMAN'S DISCRETION REPLACEMENT, OF THE PRODUCT IN RESPECT OF WHICH SUCH CLAIM IS MADE. HUNTSMAN'S LIABILITY IS STRICTLY LIMITED BY LEGAL NOTICES IN TECHNICAL DATA SHEETS, PRODUCT LITERATURE, AND/OR SALE DOCUMENTS. The foregoing DISCLAIMERS and LIMITATION OF LIABILITY supercede inconsistent or contradictory provisions in Buyer's documents.

USER SHOULD CONSULT A LEGAL ADVISOR OR THE APPROPRIATE GOVERNMENTAL AGENCY TO DETERMINE THE APPLICABILITY OR EFFECT OF ANY LAW OR REGULATION WITH RESPECT TO THE PRODUCT. HUNTSMAN DOES NOT UNDERTAKE TO FURNISH ADVICE ON SUCH MATTERS.

NO PERSON OR ORGANIZATION EXCEPT A DULY AUTHORIZED HUNTSMAN EMPLOYEE IS AUTHORIZED TO PROVIDE OR MAKE AVAILABLE DATA SHEETS FOR HUNTSMAN PRODUCTS. DATA SHEETS FROM UNAUTHORIZED SOURCES MAY CONTAIN INFORMATION THAT IS NO LONGER CURRENT OR ACCURATE. NO PART OF THIS DATA SHEET MAY BE REPRODUCED OR TRANSMITTED IN ANY FORM, OR BY ANY MEANS, WITHOUT PERMISSION IN WRITING FROM HUNTSMAN. ALL REQUESTS FOR PERMISSION TO REPRODUCE MATERIAL FROM THIS DATA SHEET SHOULD BE DIRECTED TO HUNTSMAN, MANAGER, PRODUCT SAFETY AT THE ABOVE ADDRESS.

