

P.O. Box 4980
The Woodlands, TX 77387-4980

8 am to 5 pm Phone: (800) 257-5547
24-Hour Emergency Phone: (800) 328-8501
International Emergency Phone: (409) 727-0831
Asia Pacific Emergency Phone: (65) 6336-6011

Effective Date: 8/19/08


Material Safety Data Sheet

MSDS No: 6131

1. PRODUCT IDENTIFICATION

Trade Name: Ren 6444

Chemical Family: Amine



NFPA RATING

Health:	2*
Flammability:	1
Reactivity:	0
Personal Protection:	

HMIS RATING

Synonyms:

LST 8286 Hardener
RP 6444 Hardener

Intended Use or Product Type: Amine based polyol

2. COMPOSITION / INFORMATION ON INGREDIENTS

O S H A	CAS No.	CHEMICAL IDENTITY	EXPOSURE LIMITS				CARCINOGEN STATUS			
			ACGIH		OSHA		MFR.	IARC	NTP	OSHA
			TWA	STEL	PEL	STEL				
*	19900-65-3	Benzenamine, 4,4'-methylenebis[2-ethyl- Common Name: 4,4'-diethyl MDA Concentration: 30.00 - 60.00 % by wt	NE	NE	NE	NE	TWA 0.08 mg/m3	NR	NR	NR
*	84-74-2	1,2-Benzenedicarboxylic acid, dibutyl ester Dibutyl phthalate Common Name: Dibutyl phthalate Concentration: 30.00 - 60.00 % by wt	5 mg/m3	NE	5 mg/m3	NE	NE	NR	NR	NR

NE = Not Established NR = Not Reviewed * = OSHA Hazardous Ingredient

3. HAZARDS IDENTIFICATION**Emergency Overview: CAUTION !**

MAY BE HARMFUL IF ABSORBED THROUGH SKIN OR IF SWALLOWED.

MAY CAUSE TARGET ORGAN DAMAGE, BASED ON ANIMAL DATA.

A POSSIBLE ANIMAL CARCINOGEN AND SHOULD BE TREATED WITH CAUTION

Effective Date: 8/19/08

Primary Route(s) of Entry: Dermal; heated product may produce inhalable vapors.

Chronic: Prolonged or repeated exposure can cause liver and kidney damage, central nervous system effects and blood abnormalities. Repeated overexposure may cause delayed and serious injury. May cause birth defects and reproductive disorders. Substance can cause allergic reaction.

4. FIRST AID MEASURES

Ingestion: Do not induce vomiting unless directed to do so by medical personnel. Never give anything by mouth to an unconscious person. Seek immediate medical attention.

Skin: Immediately wash with soap and water. Remove contaminated clothing and launder before reuse. Destroy contaminated shoes. Seek immediate medical attention.

Inhalation: Remove to fresh air. Seek immediate medical attention.

Eyes: Immediately flush eyes with water for at least 15 minutes. Seek immediate medical attention.

Overexposure Effects: Causes irritation if inhaled and can cause skin irritation, eye irritation, and allergic skin reaction. May be harmful if swallowed.

Medical Conditions Aggravated by Exposure: Skin, eye and pulmonary conditions.

Additional Information: Referral to a physician is recommended if there is any question about the seriousness of any injury.

5. FIRE FIGHTING MEASURES

Flash Point:	> 360°F (> 182 °C)
Flash Point Method Used:	Estimated
Flammable Limits in Air (Lower - % by volume):	Not established
Flammable Limits in Air (Upper - % by volume):	Not established

Fire Fighting Extinguishing Media: Carbon dioxide, dry chemical, foam, water.

Fire Fighting Equipment: Use self-contained breathing apparatus.

Fire and Explosion Hazards: Decomposition and combustion products may be toxic.

6. ACCIDENTAL RELEASE MEASURES

Accidental Release Measures: Remove spillage by absorbing in absorbent material.

7. HANDLING AND STORAGE

Signal Word: Warning!

Precautions: Causes irritation if inhaled and can cause skin irritation, eye irritation, and allergic skin reaction. May be harmful if swallowed. Avoid breathing vapor or mist. Avoid contact with eyes, skin, and clothing. Avoid tasting or swallowing. Keep

Effective Date: 8/19/08

container closed when not in use. Use with adequate ventilation. Wash thoroughly after handling. Notice! Overexposure may have effects on liver.

Other Handling Information: Nuisance dust may be generated when sanding or sawing cured material.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Personal Protective Equipment: Wear appropriate protective equipment to avoid personal contact and exposure.

Exposure Guidelines: Treat this product as if regulated under OSHA standard: MDA, 29 CFR 1910.1050. This standard has many provisions which are beyond the scope of this MSDS to include in its entirety.

These provisions include medical surveillance and recordkeeping, emergency procedures plan, area regulation, respiratory protection and training. This MSDS contains a summary of the requirements for safe handling; we advise consulting the OSHA standard governing MDA before/during the development of a plan to handle this material in accordance with the regulation

Skin Protection: Wear neoprene gloves for intermittent contact. Wear Silver Shield gloves when long term exposure is expected.

Wear full coverage garment if bodily contact is possible, disposable is preferred. Contaminated clothing and equipment must be removed before leaving a regulated area. No contaminated clothing can be removed from the change room except for disposal or laundering and must be stored and transported in closed containers with labels warning of the hazards of DeMDA. Laundry service must be informed of the hazards if handling contaminated clothing.

Respiratory Protection: Wear appropriate respirator when ventilation is inadequate.

Wear a NIOSH/MSHA-approved full-face organic vapor cartridge respirator when vapor/mist exposure is expected. If handling a solid, add a particulate filter to the respirator. If handling in molten form, add protection against acid gases.

Eye Protection: Chemical safety goggles. If there is potential for splash, use a full face shield.

Engineering Controls: Use local exhaust ventilation to maintain airborne concentrations below the TLV. Suitable respiratory equipment should be used in cases of insufficient ventilation or where operational procedures demand it.

9. PHYSICAL AND CHEMICAL PROPERTIES

Color:	Amber
Odor:	Sweet
Physical State:	Liquid
Solubility in Water:	Slight
Vapor Pressure:	Not Determined
Specific Gravity:	1.06 (water = 1)
Boiling Point:	Not Determined
Evaporation Rate:	Not Determined
Vapor Density:	Not Determined
VOC:	0
pH:	Not Determined
Coefficient of water/oil:	Not Determined

Percent Volatile: Negligible.

10. STABILITY AND REACTIVITY

Conditions to Avoid: Excessive heat for prolonged periods of time.

Effective Date: 8/19/08

Stability: Stable.**Incompatibility:** Strong oxidizers, acids and bases.**Hazardous Decomposition Products:** Combustion may form toxic materials, such as carbon dioxide, carbon monoxide.**Hazardous Polymerization:** Will not occur.

11. TOXICOLOGICAL INFORMATION

Acute Oral Effects (LD50): Component(s) are slightly toxic, 500 - 5000 mg/kg (rat).
4,4'-diethyl MDA= 742 mg/kg (rat)**Acute Inhalation Exposure Effects:** Respiratory irritant.**Sensitization:** Possible in susceptible individuals.**Carcinogenicity:** Contains DeMDA which is a possible animal carcinogen and should be treated with caution.**Skin Irritation:** Irritant.**Eye Irritation:** Irritant.**Mutagenicity:** Test for Benzenamine, 4,4'-methylenebis[2-ethyl-:

Ames Test - inactive without S9 and active with S9 activation

BALB/C3T3 Transformation Assay - inactive

BALB/C3T3 Transformation Assay with S9 activation - inactive

Chinese Hamster Ovary HGPRT Assay with activation - negative

Chinese Hamster Ovary Chromosomal Aberration:

without S9 activation - negative

with S9 activation - positive

Rat Hepatocyte DNA Repair Assay - positive

In Vitro Liver Microsome N-Hydroxylation Assay - positive

Chronic Exposure Effects: For Benzenamine, 4,4'-methylenebis[2-ethyl-:

There is experimental evidence that analogous substances have caused tumors in rodents.

Analogous substances have caused damage to liver and thyroid in test animals.

Additional Information: This product contains dibutyl phthalate which may cause adverse reproductive effects in laboratory animals. The relevance to humans is not known.

12. ECOLOGICAL INFORMATION

13. DISPOSAL CONSIDERATIONS

Waste Disposal Method: Consult qualified local or corporate personnel for method that will comply with local, state and federal health and environmental regulations.

14. TRANSPORT INFORMATION

Effective Date: 8/19/08

DOT: Non-Bulk**Proper Shipping Name:** Not Regulated**DOT: Bulk****Proper Shipping Name:** Environmentally hazardous substance, liquid, n.o.s.**Technical Shipping Name (If n.o.s.):** Dibutyl phthalate**Hazard Class:** 9**ID Number:** UN 3082**Packing Group:** PG III**Label:** Miscellaneous**Marine Pollutant:** Marine Pollutant**IATA: Non-Bulk****Proper Shipping Name:** Not Regulated**IMDG: Non-Bulk****Proper Shipping Name:** Environmentally hazardous substance, liquid, n.o.s.**Technical Shipping Name (If n.o.s.):** Dibutyl phthalate,**Hazard Class:** 9**ID Number:** UN 3082**Packing Group:** PG III**Label:** Miscellaneous**Marine Pollutant:** Marine Pollutant**TDG: Non-Bulk****Proper Shipping Name:** Environmentally hazardous substance, liquid, n.o.s.**Technical Shipping Name (If n.o.s.):** Dibutyl phthalate,**Hazard Class:** 9**ID Number:** UN 3082**Packing Group:** PG III**Label:** Miscellaneous**Marine Pollutant:** Marine Pollutant

Department of Transportation: Under 49 CFR 171.4 (c) NONBULK shipments of marine pollutants are not regulated for transport by motor vehicles, rail cars or aircraft. NONBULK shipments of marine pollutants are regulated when transported by vessel (ship).

Motor Freight Classification Resin compounds, N.O.I.

15. REGULATORY INFORMATION**US Federal Regulations:**

Occupational Safety and Health Act (OSHA): This product is considered to be a hazardous chemical under the OSHA Hazard Communication Standard (29 CFR 1910.1200).

Resource Conservation and Recovery Act (RCRA): Not a hazardous waste under RCRA (40 CFR 261).

SARA Title III: Section 313 Toxic Chemical List (TCL): This product contains a toxic chemical(s) for routine annual toxic chemical release reporting under section 313 (40 CFR 372). This information must be included in all MSDS's copied or distributed for this material.

Chemical Name: 1,2-Benzenedicarboxylic acid, dibutyl ester

Common Name: Dibutyl phthalate

Percent in Composition: 40 - 70 % by wt

Effective Date: 8/19/08

Comment:

TSCA Section 8(b) - Inventory Status: All chemical components of this product are in compliance with TSCA inventory requirements.

TSCA Section 12(b) - Export Notification: This product does not contain any chemical(s) that are subject to a Section 12(b) export notification.

International Regulations:

Canadian Inventory Status: This product contains only chemicals that are currently listed on the Canadian Domestic Substance List.

Canadian WHMIS: This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations and the MSDS contains all the information required by the Controlled Products Regulations. D2B

State Regulations:

California Proposition 65: This product does not contain any chemicals currently on the California list of Known Carcinogens and Reproductive Toxins.

Pennsylvania Right-to-Know: The following is required composition information:

Chemical Name: 1,2-Benzenedicarboxylic acid, dibutyl ester

Common Name: Dibutyl phthalate

CAS Number: 84-74-2

Comment: Environmental Hazardous Substance

Chemical Name: Benzenamine, 4,4'-methylenebis[2-ethyl-

Common Name: Aromatic amine

CAS Number: 19900-65-3

Comment: Not on Pennsylvania Hazardous Substance List

16. OTHER INFORMATION

MSDS No: 6131

Reason Issued: 3/08 update DeMDA warning

Title: EH&S Specialist

Disclaimer: The information and recommendations contained herein are based upon tests in controlled laboratory conditions, are believed to be correct, and are provided for the sole purpose of hazard communication as part of Huntsman's product safety program. This product has not been tested for, and therefore is not recommended or suitable for, uses for which prolonged contact with mucous membranes, abraded skin, or blood is intended or likely, or for uses for which implantation within the human body is intended, and Huntsman assumes no liability for any such uses.

The information and recommendations contained herein are not intended to constitute performance information concerning the product, which is available in separate technical data sheets available from Huntsman upon request. Users are urged, and are urged to urge others who may come in contact with the product, to obtain and consult data sheets prior to purchase, use, transportation or storage of the product.

Effective Date: 8/19/08

HUNTSMAN MAKES NO REPRESENTATION OR WARRANTY, EXPRESS OR IMPLIED, INCLUDING WARRANTIES OF MERCHANTABILITY, QUALITY, OR FITNESS FOR A PARTICULAR PURPOSE. HUNTSMAN'S LIABILITY IS STRICTLY LIMITED TO REIMBURSEMENT OF BUYER'S PURCHASE PRICE, OR IN HUNTSMAN'S DISCRETION REPLACEMENT, OF THE PRODUCT IN RESPECT OF WHICH SUCH CLAIM IS MADE. HUNTSMAN'S LIABILITY IS STRICTLY LIMITED BY LEGAL NOTICES IN TECHNICAL DATA SHEETS, PRODUCT LITERATURE, AND/OR SALE DOCUMENTS. The foregoing DISCLAIMERS and LIMITATION OF LIABILITY supercede inconsistent or contradictory provisions in Buyer's documents.

USER SHOULD CONSULT A LEGAL ADVISOR OR THE APPROPRIATE GOVERNMENTAL AGENCY TO DETERMINE THE APPLICABILITY OR EFFECT OF ANY LAW OR REGULATION WITH RESPECT TO THE PRODUCT. HUNTSMAN DOES NOT UNDERTAKE TO FURNISH ADVICE ON SUCH MATTERS.

NO PERSON OR ORGANIZATION EXCEPT A DULY AUTHORIZED HUNTSMAN EMPLOYEE IS AUTHORIZED TO PROVIDE OR MAKE AVAILABLE DATA SHEETS FOR HUNTSMAN PRODUCTS. DATA SHEETS FROM UNAUTHORIZED SOURCES MAY CONTAIN INFORMATION THAT IS NO LONGER CURRENT OR ACCURATE. NO PART OF THIS DATA SHEET MAY BE REPRODUCED OR TRANSMITTED IN ANY FORM, OR BY ANY MEANS, WITHOUT PERMISSION IN WRITING FROM HUNTSMAN. ALL REQUESTS FOR PERMISSION TO REPRODUCE MATERIAL FROM THIS DATA SHEET SHOULD BE DIRECTED TO HUNTSMAN, MANAGER, PRODUCT SAFETY AT THE ABOVE ADDRESS.