



# **Master Kincote Yellow**

	Section 1 Chemical Product and Company Identification		
Product identifiers		HM	IIS
	aster Kincote Yellow	Н	2
	s of the substance or mixture and uses advised against	F	3
	attern Coating for Industrial Use	R	0
Details of the supplier of		PPE	
	turing and Supply Company	Sec.	8
1101 Moore Road			
Phone (440) 934-			
FAX (440) 934-72			
24 Hour Emergency Pho	one Number: (800) 424-9300		
	Section 2 Hazards Identification		
GHS Classification in ac	cordance with 29 CFR 1910.1200 (OSHA HCS)		
Flammable Liquic	l, Category 2		
Skin Irritation, Ca	•••		
Eye Irritation, Cat	egory 2		
	an Toxicity, single exposure, Category 3		
Carcinogen, Categ	ory 2		
Reproductive Tox	icity, Category 2		
	an Toxicity, repeated exposure, Category 2 Iuding precautionary statements		
GHS Label elements, inc	eluding precautionary statements		
GHS Label elements, inc Signal word Hazard statements	Aduding precautionary statements		
GHS Label elements, inc Signal word Hazard statements Highly flammable	Huding precautionary statements		
GHS Label elements, inc Signal word Hazard statements Highly flammable Causes skin irrita	Adding precautionary statements		
GHS Label elements, inc Signal word Hazard statements Highly flammable Causes skin irrita Causes serious ey	Adding precautionary statements		
GHS Label elements, inc Signal word Hazard statements Highly flammable Causes skin irrita Causes serious ey May cause drowsi	Adding precautionary statements Adding precautionary statements Adding by Adding the statements Adding by Adding the statements Adding by Adding the statements Adding the stateme		
GHS Label elements, inc Signal word Hazard statements Highly flammable Causes skin irrita Causes serious ey May cause drowsi Suspected of caus	Adding precautionary statements Adding precautionary statements Adding by the statements Addi		
GHS Label elements, inc Signal word Hazard statements Highly flammable Causes skin irrita Causes serious ey May cause drows Suspected of caus Suspected of dam	Adding precautionary statements Adding precautionary statements Adding by Adding the statements Adding by Adding the statements Adding by Adding the statements Adding the stateme		
GHS Label elements, inc Signal word Hazard statements Highly flammable Causes skin irrita Causes serious ey May cause drows Suspected of caus Suspected of dam	Adding precautionary statements The second s		
GHS Label elements, inc Signal word Hazard statements Highly flammable Causes skin irrita Causes serious ey May cause drowsi Suspected of caus Suspected of dam May cause damag	Adding precautionary statements The second s		
GHS Label elements, inc Signal word Hazard statements Highly flammable Causes skin irrita Causes serious ey May cause drowst Suspected of caus Suspected of dam May cause damag Precautionary statem Prevention	Adding precautionary statements The second s		



# **Safety Data Sheet Master Kincote Yellow**

Section 2 Hazards Identification continued				
Do not breathe dust/fume/gas/mist/vapours/spray.				
Wash thoroughly after handling.				
Use only outdoors or in a well-ventilated area.				
Wear protective gloves/protective clothing/eye protection/face protection.				
Use personal protective equipment as required.				
Response				
IF ON SKIN: Wash with plenty of water.				
IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with				
water/shower.				
IF INHALED: Remove person to fresh air and keep comfortable for breathing.				
IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present				
and easy to do. Continue rinsing.				
IF exposed or concerned: Get medical advice/attention.				
Call a POISON CENTER/doctor if you feel unwell.				
Specific treatment (see on this label).				
If skin irritation occurs: Get medical advice/attention.				
If eye irritation persists: Get medical advice/attention.				
In case of fire: Use dry chemical, carbon dioxide, or foam to extinguish.				
Storage				
Store in a well-ventilated place. Keep cool.				
Disposal				

Dispose of contents and container to an appropriate waste site in accordance with local and national regulations.

# Section 3 Composition/Information on Ingredients

Ingredient Name	CAS Number	Weight %
Isobutyl Acetate	110-19-0	25-50
Xylene	1330-20-7	10-25
РМА	108-65-6	2.5-10
2-Propanol	67-63-0	2.5-10
Ethyl Benzene	100-41-4	2.5-10

### **Section 4 First Aid Measures**

If inhaled: Move person into fresh air. If not breathing, give artificial respiration.

In case of skin contact: Wash off with soap and plenty of water. If skin irritation continues, consult a doctor.

In case of eye contact: Remove contact lenses, if worn. Flush opened eyes thoroughly with water. If irritation persists, get medical assistance.

If swallowed: Call a physician or Poison Control Center immediately.

## **Section 5 Fire-Fighting Measures**

Suitable extinguishing media: Use alcohol-resistant foam, dry chemical or carbon dioxide. Unusual fire and explosion hazards: Remove all sources of ignition.



# Section 5 Fire-Fighting Measures continued

### Advice for firefighters

Wear self-contained breathing apparatus for firefighting if necessary.

### Section 6 Accidental Release Measures

### Personal precautions, protective equipment and emergency procedures

Avoid breathing vapors, mist or gas. Remove all sources of ignition. Ensure adequate ventilation. Remove all non-essential people from the area. For personal protection see section 8.

#### **Environmental precautions**

### Do not let product enter drains.

### Methods and materials for containment and cleaning up

Soak up with inert absorbent material and keep in suitable, closed containers for disposal.

### Section 7 Handling and Storage

### Precautions for safe handling

Use normal precautions when handling flammable materials. Do not breathe fumes or vapor. Do not allow material to contact skin. Provide appropriate exhaust ventilation.

#### **Conditions for safe storage**

Store at ambient temperatures in closed containers. Keep in a well-ventilated place. Store away from foodstuffs. This material can catch fire if overheated. Do not heat this material above the flash point. Keep away from flame and open electrical coils.

### Section 8 Exposure Controls/Personal Protection

### Components with workplace control parameters

Ingredient	OSHA		ACGIH	
	PEL	STEL	TWA	STEL
Isobutyl Acetate	150 ppm	Not established	150 ppm	Not established
Xylene	100 ppm	Not established	100 ppm	150 ppm
2-Propanol	400 ppm	Not established	200 ppm	400 ppm
PMA	None estab.	Not established	50 ppm	Not established
Ethyl Benzene	100 ppm	Not established	100 ppm	125 ppm

### Appropriate engineering controls

Provide exhaust ventilation or other engineering controls to keep the airborne concentrations of mists and/or vapors below the recommended exposure limits. An eye wash station and safety shower should be located near the workstation.

# Personal protective equipment

# Eye/face protection

With product at ambient temperatures, use safety glasses equipped with side shields.

## **Skin protection**

# Hand Protection

With product at ambient temperatures, use disposable nitrile gloves.

Contaminated gloves should be replaced.

# **Body Protection**

Prevent skin contact when handling material.



# Section 8 Exposure Controls/Personal Protection continued

## **Respiratory Protection**

The need for respiratory protection is not anticipated under normal use conditions and with adequate ventilation. If elevated airborne concentrations above applicable workplace exposure levels are anticipated, a NIOSH-approved organic vapor respirator equipped with a dust/mist pre-filter should be used.

# **General Hygienic Practices**

Avoid breathing vapor or mist. Avoid contamination of food, beverages, or smoking materials. Wash thoroughly after handling, and before eating, drinking or smoking. Remove contaminated clothing promptly and clean thoroughly before reuse.

ow heavy liquid racteristic solvent data available data available data available - 485°F 2°F (19°C) ) data available data available 0 mmHg ) H6 data available data available data available				
racteristic solvent data available data available data available - 485°F 2°F (19°C) ) data available data available ) mmHg ) H6 data available data available data available data available				
data available data available data available 2°F (19°C) ) data available data available 0 mmHg ) H6 data available data available data available data available				
data available data available - 485°F 2°F (19°C) ) data available data available ) mmHg ) 46 data available data available data available data available				
data available - 485°F 2°F (19°C) ) data available data available ) mmHg ) 46 data available data available data available data available				
- 485°F 2°F (19°C) ) data available data available ) mmHg ) H6 data available data available data available				
- 485°F 2°F (19°C) ) data available data available ) mmHg ) 46 data available data available data available				
2°F (19°C) ) data available data available ) mmHg ) ł6 data available data available data available				
) data available data available ) mmHg ) ł6 data available data available data available				
data available data available ) mmHg ) 46 data available data available data available				
data available ) mmHg ) ł6 data available data available data available				
) mmHg ) ł6 data available data available data available				
) ł6 data available data available data available				
ł6 data available data available data available				
data available data available data available				
data available data available				
data available				
ture No data available No data available				
ViscosityNo data availableExplosive PropertiesNo data available				
data available				
Section 10 Stability and Reactivity				
data available				
ble under recommended storage conditions				
t and open flames				
ong oxidizing agents				
bon monoxide, carbon dioxide				
Section 11 Toxicological Information				
mful: may cause lung damage if swallowed				
piratory tract irritant				
a -1				



# **Master Kincote Yellow**

	Section 11 Toxicological Information continued					
	Skin Corrosion/Irritation Serious Eye Damage/Eye Irritation Respiratory or Skin Sensitization Germ cell mutagenicity Carcinogenicity	Skin irritant Eye irritant No data available No data available No data available on this product				
	•	3: not classifiable as to its carcinogenicity in humans. - Group 2B: suspect human carcinogen.				
	NTP No component	to of this product present at levels greater than or equal to ied as a carcinogen or potential carcinogen.				
	OSHA No component	to of this product present at levels greater than or equal to ied as a carcinogen or potential carcinogen.				
	Reproductive toxicity Specific target organ toxicity	No data available				
	- single exposure	No data available				
	Specific target organ toxicity					
	- repeated exposure Aspiration hazard	No data available No data available				
	Section 12	2 Ecological Information				
	Toxicity	No data available				
	Persistence and degradability	No data available				
	Bioaccumulative potential	No data available				
	Mobility in soil	No data available				
	Results of PBT & vPvB assessment	No data available				
	Section 13 Disposal Considerations Use safety containers for disposal. Contact a licensed contractor for detailed					
	recommendations. Follow applicable					
	Section 14 Transport Information					
DOT:	Proper Shipping Name: Paint, Flami Hazard Class: 3 UN /NA Number: 1263 Packing Group: II Label: Flammable Liquid Hazard SubClass: No Information Response Guide Page: 128	mable Liquid				



# **Master Kincote Yellow**

# **Section 15 Regulatory Information**

## **US Federal Regulations**

RCRA Hazardous Waste Number (40 CFR 261.33): Not listed

RCRA Hazardous Waste Classification (40 CFR 261): Not classified

SARA 311/312 Codes: Fire Hazard, Acute Health Hazard, Chronic Health Hazard

SARA 313 Toxic Chemical: Xylene (1330-20-7), Ethyl Benzene (100-41-4), Toluene (108-88-3) Substance Control Act (TSCA)

### Toxic Substance Control Act (TSCA)

TSCA Inventory Status: All ingredients listed on TSCA inventory requirements

### **US State Regulations**

Chemical Name	CAS Number	NJ Right-to-Know	PA Right-to-Know
Phenolic/Rosin	Non-Hazardous	Х	X
Nitrocellulose	9004-70-0	Х	X
Diisononyl Phthalate	28553-12-0		X
Titanium Dioxide	13463-67-7		X
Heuco Diarylide Yellow AAOT	5468-75-7		X

### **California Proposition 65**

WARNING: This product can expose you to chemicals including ethyl benzene and toluene, which are known to the State of California to cause cancer or birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

### **Section 16 Other Information**

### Disclaimer

The following supersedes Buyer's documents. SELLER MAKES NO REPRESENTATION OR WARRANTY, EXPRESSED OR IMPLIED, INCLUDING ANY WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. No statements herein are to be construed as inducements to infringe any relevant patent. Under no circumstances shall Seller be liable for incidental, consequential or indirect damages for alleged negligence, breach of warranty, strict of liability arising in connection with the product(s). Buyer's sole remedy and Seller's sole liability for any claims shall be Buyer's purchase price. Data and results are based on controlled lab work and must be confirmed by Buyer by testing for its intended conditions of use. The product(s) has not been tested for, and is therefore not recommended for, uses for which prolonged contact with mucous membranes, abraded skin, or blood is intended; or for uses for which implantation within the human body is intended.