

**SAFETY DATA SHEET**



DISTRIBUTED BY  
Freeman Mfg. & Supply Co.  
www.FreemanSupply.com

**H.B. Fuller® RP-2400**

Version 1.3

Revision Date 07/19/2023

**SECTION 1. PRODUCT AND COMPANY IDENTIFICATION**

Product name : H.B. Fuller® RP-2400  
Product code : 100000006922

**Manufacturer or supplier's details**

Company : H.B. Fuller Engineering Adhesives  
Address : 9001 W Fey Drive  
Frankfort, IL, 60423  
Telephone : 1-815-464-5606

Medical Emergency Phone Number (24 Hours): 1-888-853-1758

Transport Emergency Phone Number (CHEMTREC): 1-800-424-9300

**Recommended use of the chemical and restrictions on use**

Recommended use : Cyanoacrylate Adhesive  
Restrictions on use : For industrial use only.

**SECTION 2. HAZARDS IDENTIFICATION**


**Emergency Overview**

Appearance	liquid
Color	Clear liquid, light yellow to light green in color
Odor	characteristic

**GHS Classification**

Flammable liquids : Category 4  
Skin irritation : Category 2  
Eye irritation : Category 2A  
Skin sensitization : Category 1  
Specific target organ toxicity - single exposure : Category 3 (Respiratory system)

**GHS label elements**

Hazard pictograms : 

Signal Word : Warning

**Hazard Statements:**

H227 Combustible liquid. H315 Causes skin irritation. H317 May cause an allergic skin reaction.

**SAFETY DATA SHEET**



**H.B. Fuller® RP-2400**

Version 1.3

Revision Date 07/19/2023

H319 Causes serious eye irritation. H335 May cause respiratory irritation.

**Precautionary Statements:**

**Prevention:** P210 Keep away from heat/ sparks/ open flames/ hot surfaces. No smoking. P261 Avoid breathing mist or vapors. P264 Wash skin thoroughly after handling. P271 Use only outdoors or in a well-ventilated area. P272 Contaminated work clothing must not be allowed out of the workplace. P280 Wear protective gloves/ eye protection/ face protection.

**Response:** P302 + P352 IF ON SKIN: Wash with plenty of soap and water. P304 + P340 + P312 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER/ doctor if you feel unwell. P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P333 + P313 If skin irritation or rash occurs: Get medical advice/ attention. P337 + P313 If eye irritation persists: Get medical advice/ attention. P362 Take off contaminated clothing and wash before reuse. P370 + P378 In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish.

**Storage:** P403 + P233 Store in a well-ventilated place. Keep container tightly closed. P403 + P235 Store in a well-ventilated place. Keep cool. P405 Store locked up.

**Disposal:** P501 Dispose of contents/ container to an approved waste disposal plant.

**Potential Health Effects**

**Carcinogenicity:**

**IARC** No ingredient of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

**OSHA** No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.

**NTP** No ingredient of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

**SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS**

Substance / Mixture : Mixture

**Hazardous ingredients**

Chemical name	CAS-No.	Concentration [%]
ethyl 2-cyanoacrylate	7085-85-0	70 - 90
methyl methacrylate	80-62-6	0.1 - 1

Actual concentration is withheld as a trade secret

**SECTION 4. FIRST AID MEASURES**

General advice : Show this material safety data sheet to the doctor in attendance.

If inhaled : Move to fresh air.  
If not breathing, give artificial respiration.  
Keep patient warm and at rest.  
Consult a physician after significant exposure.

## SAFETY DATA SHEET



DISTRIBUTED BY  
Freeman Mfg. & Supply Co.  
www.FreemanSupply.com

### H.B. Fuller® RP-2400

Version 1.3

Revision Date 07/19/2023

- 
- |   |   |
|---|---|
| In case of skin contact   | : Wash off immediately with soap and plenty of water.<br>Call a physician if irritation develops or persists.<br>Cyanoacrylate. Danger. Bonds skin and eyes in seconds.<br>Keep out of the reach of children. |
| In case of eye contact  | : Rinse immediately with plenty of water, also under the eyelids.<br>Seek medical advice.   |
| If swallowed  | : If swallowed, call a poison control center or doctor<br>immediately.<br>Do not induce vomiting without medical advice.  |
| Most important symptoms<br>and effects, both acute and<br>delayed | : Causes skin irritation.<br>May cause an allergic skin reaction.<br>Causes serious eye irritation.<br>May cause respiratory irritation.  |

---

#### SECTION 5. FIRE-FIGHTING MEASURES

- |  |   |
|--|---|
| Suitable extinguishing media                   | : Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.  |
| Unsuitable extinguishing media                 | : Water spray jet   |
| Hazardous combustion products                  | : Nitrogen oxides (NOx)   |
| Specific extinguishing methods                 | :   |
| Further information                            | : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.           |
| Special protective equipment for fire-fighters | : Wear an approved positive pressure self-contained breathing apparatus in addition to standard fire fighting gear. |

---

#### SECTION 6. ACCIDENTAL RELEASE MEASURES

- |   |  |
|---|--|
| Personal precautions, protective equipment and emergency procedures | : Refer to protective measures listed in sections 7 and 8.<br>Ensure adequate ventilation.           |
| Environmental precautions   | : Prevent product from entering drains.<br>Do not flush into surface water or sanitary sewer system. |
| Methods and materials for containment and cleaning up               | : Allow to solidify.<br>Pick up and transfer to properly labeled containers.<br>Ventilate the area.  |

**SAFETY DATA SHEET**



DISTRIBUTED BY  
Freeman Mfg. & Supply Co.  
www.FreemanSupply.com

**H.B. Fuller® RP-2400**

Version 1.3

Revision Date 07/19/2023

**SECTION 7. HANDLING AND STORAGE**

- Local/Total ventilation : Use only with adequate ventilation.
  
- Advice on safe handling : Wear personal protective equipment.  
Do not get on skin or clothing.  
Use only in an area equipped with a safety shower.
  
- Conditions for safe storage : Keep containers tightly closed in a dry, cool and well-ventilated place.  
Store in original container.
  
- Materials to avoid : Do not store together with oxidizing and self-igniting products.

**SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION**

**Ingredients with workplace control parameters**

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
ethyl 2-cyanoacrylate	7085-85-0	PEL	0.2 ppm 1.02 mg/m3	CAL PEL
		TWA	0.2 ppm	ACGIH
		STEL	1 ppm	ACGIH
methyl methacrylate	80-62-6	TWA	50 ppm	ACGIH
		STEL	100 ppm	ACGIH
		TWA	100 ppm 410 mg/m3	OSHA Z-1
		TWA	100 ppm 410 mg/m3	OSHA P0
		PEL	50 ppm 205 mg/m3	CAL PEL
		STEL	100 ppm 410 mg/m3	CAL PEL

**Personal protective equipment**

- Respiratory protection : Use respiratory protection unless adequate risk management measures (exhaust/ ventilation) are provided or exposure assessment demonstrates that exposures are within recommended exposure guidelines.
  
- Filter type : Combined particulates and organic vapor type
  
- Hand protection  
Material : Nitrile rubber

## SAFETY DATA SHEET



DISTRIBUTED BY

Freeman Mfg. & Supply Co.  
www.FreemanSupply.com

### H.B. Fuller® RP-2400

Version 1.3

Revision Date 07/19/2023

Remarks	: Do not wear cotton or natural fiber gloves.
Eye protection	: Tightly fitting safety goggles Ensure that eyewash stations and safety showers are close to the workstation location.
Skin and body protection	: Long sleeved clothing Preventive skin protection
Protective measures	: Avoid contact with skin.
Hygiene measures	: Avoid contact with skin, eyes and clothing.

#### SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	: liquid
Color	: Clear liquid, light yellow to light green in color
Odor	: characteristic
Odor Threshold	: no data available
pH	: is not determined
Melting point/freezing point	: is not determined
Boiling point/boiling range	: 54 - 56 °C
Flash point	: 80 °C Method: open cup
Evaporation rate	: is not determined
Flammability (solid, gas)	: Not classified as a flammability hazard
Upper explosion limit	: Upper flammability limit is not determined
Lower explosion limit	: Lower flammability limit is not determined
Vapor pressure	: is not determined
Density	: 1.06 g/cm <sup>3</sup>
Solubility(ies)	
Water solubility	: is not determined
Partition coefficient: n-octanol/water	: no data available
Autoignition temperature	: is not determined
Viscosity	
Viscosity, kinematic	: is not determined

#### SECTION 10. STABILITY AND REACTIVITY

Chemical stability	: The product is chemically stable.
--------------------	-------------------------------------

## SAFETY DATA SHEET



DISTRIBUTED BY  
Freeman Mfg. & Supply Co.  
www.FreemanSupply.com

### H.B. Fuller® RP-2400

Version 1.3

Revision Date 07/19/2023

Hazardous decomposition products : Stable under normal conditions.

## SECTION 11. TOXICOLOGICAL INFORMATION

### Acute toxicity

#### Components:

#### **methyl methacrylate:**

Acute inhalation toxicity : LC50 Rat: 4632 ppm  
Exposure time: 4 h  
Test atmosphere: vapor

### Skin corrosion/irritation

No data available

### Serious eye damage/eye irritation

No data available

### Respiratory or skin sensitization

No data available

### Germ cell mutagenicity

No data available

### Carcinogenicity

No data available

### Reproductive toxicity

No data available

### STOT-single exposure

No data available

### STOT-repeated exposure

No data available

### Aspiration toxicity

No data available

## SECTION 12. ECOLOGICAL INFORMATION

### Ecotoxicity

#### Components:

methyl methacrylate :

## SAFETY DATA SHEET



DISTRIBUTED BY  
Freeman Mfg. & Supply Co.  
www.FreemanSupply.com

### H.B. Fuller® RP-2400

Version 1.3

Revision Date 07/19/2023

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): > 79 mg/l  
Exposure time: 96 h  
Test Method: flow-through test

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 69 mg/l  
Exposure time: 48 h  
Test Method: static test

#### Persistence and degradability

No data available

#### Bioaccumulative potential

#### Mobility in soil

No data available

#### Other adverse effects

No data available

## SECTION 13. DISPOSAL CONSIDERATIONS

#### Disposal methods

Waste from residues : Do not dispose of together with household waste.  
Do not dispose of waste into sewer.  
To the best of our knowledge, this product does not meet the definition of hazardous waste under the U.S. EPA Hazardous Waste Regulations 40 CFR 261. Disposal via incineration at an approved facility is recommended, as industry best practice. Consult state, local or provincial authorities for more restrictive requirements.

## SECTION 14. TRANSPORT INFORMATION

#### International Regulations

##### UNRTDG

Not regulated as a dangerous good

##### IATA-DGR

Not regulated as a dangerous good

##### IMDG-Code

Not regulated as a dangerous good

#### Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

#### Domestic regulation

##### 49 CFR

UN/ID/NA number : NA 1993

## SAFETY DATA SHEET



DISTRIBUTED BY  
Freeman Mfg. & Supply Co.  
www.FreemanSupply.com

### H.B. Fuller® RP-2400

Version 1.3

Revision Date 07/19/2023

Proper shipping name : Combustible liquid, n.o.s.  
(Ethyl 2-cyanoacrylate)  
Class : CBL  
Packing group : III  
ERG Code : 128  
Marine pollutant : no

#### Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

## SECTION 15. REGULATORY INFORMATION

**SARA 311/312 Hazards** : Flammable (gases, aerosols, liquids, or solids)  
Respiratory or skin sensitization  
Skin corrosion or irritation  
Serious eye damage or eye irritation  
Specific target organ toxicity (single or repeated exposure)

**SARA 302** : This material does not contain any components with a section 302 EHS TPQ.

**SARA 313** : This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

#### Clean Air Act

This product does not contain any hazardous air pollutants (HAP), as defined by the U.S. Clean Air Act Section 112 (40 CFR 61).

#### US State Regulations

**California Prop 65** Please contact Supplier for more information.

#### The ingredients of this product are reported in the following inventories:

**TSCA** All substances listed as active on the TSCA inventory

**AIIC** On the inventory, or in compliance with the inventory

**DSL** All components of this product are on the Canadian DSL

**ENCS** On the inventory, or in compliance with the inventory

**PICCS** On the inventory, or in compliance with the inventory



**SAFETY DATA SHEET**



**H.B. Fuller® RP-2400**

Version 1.3

Revision Date 07/19/2023


**Inventories Legend** TSCA (USA), DSL (Canada), REACH(Europe), AIIC (Australia), NZIoC (New Zealand), ENCS (Japan), KECI (Korea), PICCS (Philippines), IECSC (China), TWINV (Taiwan)

**SECTION 16. OTHER INFORMATION**

Prepared by: Global Regulatory Office - phone: 1-651-236-5842 - email: msds.request@hbfuller.com

**Further information**

**NFPA:**



**HMIS III:**

<b>HEALTH</b>	<b>2/</b>
<b>FLAMMABILITY</b>	<b>2</b>
<b>PHYSICAL HAZARD</b>	<b>0</b>

0 = not significant, 1 =Slight,  
2 = Moderate, 3 = High  
4 = Extreme, \* = Chronic

The information and recommendations set forth herein are believed to be accurate. Because some of the information is derived from information provided to the H.B. Fuller Company from its suppliers, and because the H.B. Fuller Company has no control over the conditions of handling and use, the H.B. Fuller Company makes no warranty, expressed or implied, regarding the accuracy of the data or the results to be obtained from the use thereof. The information is supplied solely for your information and consideration, and the H.B. Fuller Company assumes no responsibility for use or reliance thereon. It is the responsibility of the user of H.B. Fuller Company products to comply with all applicable federal, state and local laws and regulations.