according to ANSI Z400.1- 2004 and 29 CFR 1910.1200





# **SC JOHNSON® PASTE WAX**

Print Date 02/01/2012 Version 2.0

Revision Date 01/10/2012 MSDS Number 350000003598

SITE FORM Number

3000000000000002940.002

### 1. PRODUCT AND COMPANY IDENTIFICATION

**Product information** 

Trade name SC JOHNSON® PASTE WAX

Use of the

Substance/Mixture

: Furniture Polish/Cleaner

S.C. Johnson & Son, Inc. Company

1525 Howe Street

Racine WI 53403-2236

Emergency telephone

number

24 Hour Medical Emergency Phone: (866)231-5406 24 Hour International Emergency Phone: (703)527-3887

24 Hour Transport Emergency Phone: (800)424-9300

### 2. HAZARDS IDENTIFICATION

**Emergency Overview** 

Appearance / Odor : opaque / solid / solvent-like

**Immediate Concerns** Warning

FLAMMABLE:

Keep away from heat, sparks and flame. Avoid contact with skin, eyes and clothing.

**Potential Health Effects** 

: Eye, Skin, Inhalation, Ingestion. Exposure routes

No adverse effects expected when used as directed. Eyes

Prolonged or repeated contact may dry skin and cause irritation. Skin

May cause skin reactions in rare cases.

Inhalation Excessive exposures may affect human health, as follows:

Causes headache, drowsiness or other effects to the central

nervous system.

May cause abdominal discomfort. Ingestion

Causes headache, drowsiness or other effects to the central

nervous system.

Aggravated Medical

Condition

Individuals with chronic respiratory disorders such as asthma,

chronic bronchitis, emphysema, etc. may be more susceptible

to irritating effects

according to ANSI Z400.1- 2004 and 29 CFR 1910.1200



### SC JOHNSON® PASTE WAX

Print Date 02/01/2012 Version 2.0

Revision Date 01/10/2012 MSDS Number 350000003598

SITE FORM Number

3000000000000002940.002

#### 3. COMPOSITION/INFORMATION ON INGREDIENTS

Hazardous chemicals present at or above reportable levels as defined by OSHA 29 CFR 1910.1200 or the Canadian Controlled Products Regulations are listed in this table:

Chemical Name	CAS-No.	Weight percent
Stoddard solvent	8052-41-3	60.00 - 100.00
Paraffin waxes and Hydrocarbon waxes	8002-74-2	10.00 - 30.00
Carnauba wax	8015-86-9	5.00 - 10.00
1,2,4-Trimethylbenzene	95-63-6	1.00 - 5.00

For additional information on product ingredients, see www.whatsinsidescjohnson.com.

#### 4. FIRST AID MEASURES

Eye contact Rinse with plenty of water. Get medical attention if irritation

develops and persists.

Skin contact Wash off with soap and water.

Inhalation Remove to fresh air. If breathing is affected, get medical

attention.

If swallowed, DO NOT induce vomiting unless directed to do so Ingestion

> by medical personnel. Never give anything by mouth to an unconscious person. Get medical attention immediately.

### 5. FIREFIGHTING MEASURES

Suitable extinguishing

media

: Use water spray, alcohol-resistant foam, dry chemical or

carbon dioxide.

Specific hazards during

firefighting

Do not use a solid water stream as it may scatter and spread

Further information Cool and use caution when approaching or handling fire-

exposed containers. For large quantities of flammable liquids, consider containment to prevent the spread of fire. Wear full protective clothing and positive pressure self-contained breathing apparatus. In case of fire and/or explosion do not

breathe fumes.

according to ANSI Z400.1- 2004 and 29 CFR 1910.1200



# SC JOHNSON® PASTE WAX

Print Date 02/01/2012 Version 2.0

Revision Date 01/10/2012 MSDS Number 350000003598

SITE\_FORM Number

3000000000000002940.002

Flash point : 31.1 °C

87.98 °F

Method: Tag Closed Cup (TCC)

Note: no data available Lower explosion limit

Upper explosion limit Note: no data available

#### 6. ACCIDENTAL RELEASE MEASURES

Personal precautions Remove all sources of ignition.

Wear personal protective equipment.

Environmental precautions : Outside of normal use, avoid release to the environment.

Contain spillage, soak up with non-combustible absorbent Methods for cleaning up

> material, (e.g. sand, earth, diatomaceous earth, vermiculite) and transfer to a container for disposal according to local /

national regulations (see section 13). Use only non-sparking equipment.

Dike large spills.

Clean residue from spill site.

### 7. HANDLING AND STORAGE

### Handling

Advice on safe handling : Avoid breathing vapors, mist or gas.

KEEP OUT OF REACH OF CHILDREN AND PETS.

Advice on protection

Keep away from heat and sources of ignition.

against fire and explosion Take measures to prevent the build up of electrostatic charge.

Storage

Requirements for storage

areas and containers

Keep in a dry, cool and well-ventilated place.

according to ANSI Z400.1- 2004 and 29 CFR 1910.1200



### SC JOHNSON® PASTE WAX

Version 2.0 Print Date 02/01/2012

Revision Date 01/10/2012 MSDS Number 350000003598

SITE\_FORM Number

3000000000000002940.002

#### 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

### **Occupational Exposure Limits**

Components	CAS-No.	mg/m3	ppm	Non- standard units	Basis
Stoddard solvent	8052-41-3	2,900 mg/m3	500 ppm	-	OSHA TWA
Stoddard solvent	8052-41-3	-	100 ppm	-	ACGIH TWA
Paraffin waxes and Hydrocarbon waxes	8002-74-2	2 mg/m3	•	1	ACGIH TWA

#### Personal protective equipment

Respiratory protection

Industrial setting : Use only with adequate ventilation.

Household setting : Use only with adequate ventilation.

*Hand protection* : For prolonged or repeated contact use protective gloves.

Eye protection

Industrial setting : If prolonged or repeated contact is possible:

Safety glasses with side-shields

Household setting : Avoid contact with eyes.

**Skin and body protection** : No special requirements.

**Hygiene measures** : Handle in accordance with good industrial hygiene and safety

practice. Wash thoroughly after handling.

### 9. PHYSICAL AND CHEMICAL PROPERTIES

Form : solid

Color : opaque

Odor : solvent-like

according to ANSI Z400.1- 2004 and 29 CFR 1910.1200



### SC JOHNSON® PASTE WAX

Version 2.0 Print Date 02/01/2012

Revision Date 01/10/2012 MSDS Number 350000003598

SITE\_FORM Number

3000000000000002940.002

pH : not applicable

Boiling point : no data available

Freezing point : not applicable

Flash point : 31.1 °C

87.98 °F

Method: Tag Closed Cup (TCC)

Evaporation rate : no data available

Flammability (solid, gas) : no data available

Autoignition temperature : no data available

Lower explosion limit : no data available

Upper explosion limit : no data available

Vapour pressure : no data available

Density : 6.52 g/cm3

at 25 °C

Water solubility : negligible

Partition coefficient: n-

octanol/water

no data available

Viscosity, dynamic : not applicable

Viscosity, kinematic : not applicable

Volatile Organic Compounds :

Total VOC (wt. %)\*

80 % - additional exemptions may apply

\*as defined by US Federal and State Consumer Product

Regulations

#### 10. STABILITY AND REACTIVITY

Conditions to avoid : Heat, flames and sparks.

Materials to avoid : Strong oxidizing agents

Hazardous decomposition

products

Thermal decomposition can lead to release of irritating gases

and vapours.

Hazardous reactions : Stable under recommended storage conditions.

according to ANSI Z400.1- 2004 and 29 CFR 1910.1200



# **SC JOHNSON® PASTE WAX**

Version 2.0 Print Date 02/01/2012

Revision Date 01/10/2012 MSDS Number 350000003598

#### 11. TOXICOLOGICAL INFORMATION

Acute oral toxicity : LD50

estimated > 5,000 mg/kg

Acute inhalation toxicity : no data available

Acute dermal toxicity : No adverse effects expected when used as directed.

**Chronic effects** 

Carcinogenicity : no data available

Mutagenicity : None Anticipated

Reproductive effects : no data available

Teratogenicity : no data available

Sensitisation : no data available

# 12. ECOLOGICAL INFORMATION

**Ecotoxicity effects** : no data available

### 13. DISPOSAL CONSIDERATIONS

Observe all applicable Federal, Provincial and State regulations and Local/Municipal ordinances regarding

disposal.

Consumer may discard empty container in trash, or recycle

where facilities exist.

RCRA waste class : D001 (Ignitable Waste)

according to ANSI Z400.1- 2004 and 29 CFR 1910.1200



### SC JOHNSON® PASTE WAX

Version 2.0 Print Date 02/01/2012

Revision Date 01/10/2012 MSDS Number 350000003598

SITE\_FORM Number

3000000000000002940.002

#### 14. TRANSPORT INFORMATION

### Land transport

U.S. DOT and Canadian TDG Surface Transportation:

Proper shipping name UN 1325 Flammable Solid, Organic, N.O.S., 4.1, II

Class: 4.1
UN number 1325
Packaging group: II

Note: Limited quantities derogation may be applicable to this product,

please check transport documents.

### Sea transport

IMDG:

Proper shipping name UN 1325 Flammable Solid, Organic, N.O.S., 4.1, II

Class: 4.1
UN number: 1325
Packaging group: II
EmS: F-A, S-G

Note: Limited quantities derogation may be applicable to this product,

please check transport documents.

### Air transport

ICAO/IATA:

Proper shipping name UN 1325 Flammable Solid, Organic, N.O.S., 4.1, II

Class: 4.1 UN/ID No.: UN 1325 Packaging group: II

Note: SC Johnson typically does not ship products via air, therefore it has

not been determined if the product container meets current

IATA/ICAO package criteria. Refer to IATA/ICAO Dangerous Goods Regulations for detailed instructions when shipping this item by air.

#### 15. REGULATORY INFORMATION

Notification status : All ingredients of this product are listed or are excluded from

listing on the U.S. Toxic Substances Control Act (TSCA)

Chemical Substance Inventory.

California Prop. 65 : This product is not subject to the reporting requirements under

California's Proposition 65.

#### **16. OTHER INFORMATION**

**HMIS Ratings** 

according to ANSI Z400.1- 2004 and 29 CFR 1910.1200



# **SC JOHNSON® PASTE WAX**

Version 2.0 Print Date 02/01/2012

Revision Date 01/10/2012 MSDS Number 350000003598 SITE\_FORM Number

3000000000000002940.002

Health	1
Flammability	3
Reactivity	0

**NFPA Ratings** 

INI I A Italings		
Health	1	
Fire	3	
Reactivity	0	
Special	-	

#### Further information

This document has been prepared using data from sources considered to be technically reliable. It does not constitute a warranty, expressed or implied, as to the accuracy of the information contained herein. Actual conditions of use are beyond the seller's control. User is responsible to evaluate all available information when using product for any particular use and to comply with all Federal, State, Provincial and Local laws and regulations.

Dana and Harr	00 Jahrana Olah al Oafati Assassan an LO	
Prepared by:	SC Johnson Global Safety Assessment &	
	Regulatory Affairs (GSARA)	