



# Chemlease® 2185

Version	Revision Date:	Date of last issue: 01/10/2023	Print Date:
1.1	10/20/2023	Date of first issue: 01/10/2023	12/12/2024

#### **SECTION 1. IDENTIFICATION**

Product name	:	Chemlease® 2185
--------------	---	-----------------

#### Manufacturer or supplier's details

Company name of supplier	:	Chem-Trend LP 1445 W McPherson Park Dr PO Box 860, Howell MI 48844-0860 United States +1 517 546 4520
E-mail address of person responsible for the SDS	:	SDS-NA@chemtrend.com
Emergency telephone number	:	+1 517 545 7070
Recommended use of the c	hen	nical and restrictions on use
Recommended use	:	Release agent

Restrictions on use	:	For industrial use only.
	-	

#### **SECTION 2. HAZARDS IDENTIFICATION**

# GHS classification in accordance with the OSHA Hazard Communication Standard (29 CFR 1910.1200)

Flammable liquids	:	Category 2
Skin irritation	:	Category 2
Specific target organ toxicity - single exposure	:	Category 3 (Central nervous system)
Aspiration hazard	:	Category 1
GHS label elements		
Hazard pictograms	:	
Signal word	:	Danger
Hazard statements	:	Highly flammable liquid and vapour. May be fatal if swallowed and enters airways. Causes skin irritation.







#### Chemlease® 2185

Version 1.1	Revision Date: 10/20/2023	Date of last issue: 01/10/2023 Date of first issue: 01/10/2023	Print Date: 12/12/2024
		May cause drowsiness or dizzines	SS.
Preca	utionary statements	Frevention: Keep away from heat, hot surface other ignition sources. No smoking	· ·
		<b>Response:</b> IF SWALLOWED: Immediately ca Do NOT induce vomiting. In case of fire: Use alcohol-resista water mist to extinguish.	
		Storage:	
		Store in a well-ventilated place. Ke <b>Disposal:</b>	еер сооі.
		Dispose of contents/ container to a plant.	an approved waste disposal
Other	hazards		

None known.

#### SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

#### Components

Chemical name	CAS-No.	Concentration (% w/w)	
Naphtha (petroleum), hydrotreated	64742-49-0	Trade secret (>= 30 - < 60)	
light			
Distillates (petroleum), hydrotreated	64742-47-8	Trade secret (>= 10 - < 30)	
light			
Light aliphatic naphtha	64742-49-0	Trade secret (>= 10 - < 30)	
Naphtha (petroleum), hydrotreated	64742-48-9	Trade secret (>= 5 - < 10)	
heavy			
Actual concentration is withheld as a trade secret			

al concentration is withheld as a trade secret

#### **SECTION 4. FIRST AID MEASURES**

If inhaled

Call a physician or poison control centre immediately. : Remove person to fresh air. If signs/symptoms continue, get medical attention. Keep patient warm and at rest. If unconscious, place in recovery position and seek medical advice. Keep respiratory tract clear.







# Chemlease® 2185

Version 1.1	Revision Date: 10/20/2023		e of last issue: 01/10/2023 e of first issue: 01/10/2023	Print Date: 12/12/2024
			If breathing is irregular or stopp respiration.	ed, administer artificial
In ca	se of skin contact	:	Take off all contaminated clothin Wash off immediately with soap Get medical attention immediate persists. Wash clothing before reuse. Thoroughly clean shoes before	o and plenty of water. ely if irritation develops and
In ca	se of eye contact	:	Rinse immediately with plenty of for at least 10 minutes. If eye irritation persists, consult	-
If swa	allowed	:	Move the victim to fresh air. If accidentally swallowed obtain If unconscious, place in recover advice. Keep respiratory tract clear. Do NOT induce vomiting. Rinse mouth with water. Never give anything by mouth to Aspiration hazard if swallowed of damage.	ry position and seek medical o an unconscious person.
	t important symptoms effects, both acute and yed	:	Central nervous system depres Can be absorbed through skin. Risk of product entering the lun Health injuries may be delayed. Causes skin irritation. Inhalation may provoke the follo Unconsciousness Dizziness Drowsiness Headache Nausea Tiredness Skin contact may provoke the for Erythema Aspiration may cause pulmonar	gs on vomiting after ingestion. owing symptoms: ollowing symptoms:
Note	s to physician	:	Treat symptomatically.	

#### **SECTION 5. FIREFIGHTING MEASURES**

Suitable extinguishing media	:	Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.
Unsuitable extinguishing media	:	High volume water jet







# Chemlease® 2185

Versio 1.1	on Revision Date: 10/20/2023		e of last issue: 01/10/2023 e of first issue: 01/10/2023	Print Date: 12/12/2024
	Specific hazards during irefighting	:	Do not let product enter drains. Beware of vapours accumulating to form concentrations. Vapours can accumulate	
-	Hazardous combustion products	:	Carbon oxides Nitrogen oxides (NOx) Metal oxides	
F	Further information	:	Standard procedure for chemical fires. Collect contaminated fire extinguishing w must not be discharged into drains. Cool containers/tanks with water spray.	vater separately. This
	Special protective equipmen or firefighters	t:	In the event of fire, wear self-contained b Use personal protective equipment. Exposure to decomposition products may health.	

### SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, : protective equipment and emergency procedures	Evacuate personnel to safe areas. Use personal protective equipment. Ensure adequate ventilation. Remove all sources of ignition. Do not breathe vapours or spray mist. Do not breathe dust/ fume/ gas/ mist/ vapours/ spray. Refer to protective measures listed in sections 7 and 8.
Environmental precautions :	Do not allow contact with soil, surface or ground water. Prevent further leakage or spillage if safe to do so. If the product contaminates rivers and lakes or drains inform respective authorities.
Methods and materials for : containment and cleaning up	Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13). Non-sparking tools should be used.

#### **SECTION 7. HANDLING AND STORAGE**

Advice on protection against fire and explosion	:	Keep away from heat and sources of ignition.
Advice on safe handling	:	Use only in an area containing explosion proof equipment. Do not use in areas without adequate ventilation. Do not breathe vapours or spray mist.







# Chemlease® 2185

Version 1.1	Revision Date: 10/20/2023	Date of last issue: 01/10/2023 Date of first issue: 01/10/2023	Print Date: 12/12/2024
		In case of insufficient ventilation, vequipment. Avoid contact with skin and eyes. For personal protection see section Keep away from fire, sparks and h Smoking, eating and drinking show application area. Wash hands and face before breat handling the product. Ensure all equipment is electrically transfer operations. Do not get in eyes or mouth or on Do not get on skin or clothing. Do not ingest. Do not use sparking tools. Do not enter areas where used or ventilated. Do not repack. Do not re-use empty containers. These safety instructions also app may still contain product residues.	on 8. heated surfaces. uld be prohibited in the iks and immediately after y grounded before beginning skin. stored until adequately
Con	ditions for safe storage	: Store in original container. Keep container closed when not in Keep in a cool place away from or Keep in a dry, cool and well-ventil Containers which are opened mus kept upright to prevent leakage. Store in accordance with the parti- Keep in properly labelled container	kidizing agents. ated place. st be carefully resealed and cular national regulations.

#### SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Naphtha (petroleum), hydrotreated light	64742-49-0	TWA	500 ppm 2,000 mg/m3	OSHA Z-1 (2007-01-01)
		TWA (Mist)	5 mg/m3	OSHA Z-1 (2018-03-15)
		TWA (Mist)	5 mg/m3	NIOSH REL (2019-10-04)
		ST (Mist)	10 mg/m3	NIOSH REL (2019-10-04)
Distillates (petroleum), hydrotreated light	64742-47-8	TWA	200 mg/m3 (total hydrocarbon	ACGIH (2010-03-01)







## Chemlease® 2185

Version 1.1	Revision Date: 10/20/2023	 t issue: 01/10/20 t issue: 01/10/20	-	Print Date: 12/12/2024
I				l.

			vapor)	
		TWA (Mist)	5 mg/m3	OSHA Z-1
			-	(2018-03-15)
		TWA (Mist)	5 mg/m3	NIOSH REL
			_	(2019-10-04)
		ST (Mist)	10 mg/m3	NIOSH REL
			_	(2019-10-04)
Light aliphatic naphtha	64742-49-0	TWA	500 ppm	OSHA Z-1
			2,000 mg/m3	(2007-01-01)
		TWA (Mist)	5 mg/m3	OSHA Z-1
			-	(2018-03-15)
		TWA (Mist)	5 mg/m3	NIOSH REL
			-	(2019-10-04)
		ST (Mist)	10 mg/m3	NIOSH REL
				(2019-10-04)
Naphtha (petroleum),	64742-48-9	TWA	500 ppm	OSHA Z-1
hydrotreated heavy			2,000 mg/m3	(2007-01-01)

# **Engineering measures** : Use only in an area equipped with explosion proof exhaust ventilation. Handle only in a place equipped with local exhaust (or other appropriate exhaust).

### Personal protective equipment

Respiratory protection	:	In the case of vapour formation use a respirator with an approved filter.	
Hand protection			
Remarks	:	Protective gloves The choice of an appropriate glove does not only depend on its material but also on other quality features and is different from one producer to the other. The break through time depends amongst other things on the material, the thickness and the type of glove and therefore has to be measured for each case.	
Eye protection	:	Safety glasses with side-shields	
Skin and body protection	:	Choose body protection in relation to its type, to the concentration and amount of dangerous substances, and to the specific work-place.	
Protective measures	:	The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.	
Hygiene measures	:	Wash face, hands and any exposed skin thoroughly after handling.	



Relative vapour density

Water solubility

Relative density

Bulk density

Solubility(ies)





# Chemlease® 2185

Chemlea	ase® 2185			
Version 1.1	Revision Date: 10/20/2023		of last issue: 01/10/2023 of first issue: 01/10/2023	Print Date: 12/12/2024
05071011				
SECTION	9. PHYSICAL AND CH	IEMIC	CAL PROPERTIES	
Appea	arance	:	liquid	
Colou	ır	:	colourless	
Odou	r	:	amine-like	
Odou	r Threshold	:	No data available	
рН		:	Not applicable substance/mixture is non-soluble	e (in water)
Meltir	ng point/range	:	No data available	
Boilin	g point/boiling range	:	284 °F / 140 °C	
Flash	point	:	57 °F / 14 °C	
Evapo	oration rate	:	No data available	
Flam	mability (solid, gas)	:	Not applicable	
Self-i	gnition	:	No data available	
	r explosion limit / Uppe nability limit	r:	6.7 %(V)	
	r explosion limit / Lowe nability limit	r:	0.6 %(V)	
Vapo	ur pressure	:	150 hPa (68 °F / 20 °C) (for a component of this mixture)	

: No data available

: 0.73 (68 °F / 20 °C)

No data available

:

Solubility in other solvents : No data available

: insoluble



Chem Trend

# Chemlease® 2185

Vers 1.1	sion	Revision Date: 10/20/2023		of last issue: 01/10/2023 of first issue: 01/10/2023	Print Date: 12/12/2024
		on coefficient: n- l/water	:	No data available	
	Auto-ię	gnition temperature	:	> 392 °F / > 200 °C	
	Decon	position temperature	:	No data available	
	Viscos Vis	ity cosity, dynamic	:	No data available	
	Vis	cosity, kinematic	:	< 7 mm2/s (104 °F / 40 °C)	
	Explos	ive properties	:	Not explosive	
	Oxidiz	ing properties	:	No data available	
	Sublim	nation point	:	No data available	

# SECTION 10. STABILITY AND REACTIVITY

Reactivity	:	No hazards to be specially mentioned.
Chemical stability	:	Stable under normal conditions.
Possibility of hazardous reactions	:	No dangerous reaction known under conditions of normal use.
Conditions to avoid	:	Heat, flames and sparks. Strong sunlight for prolonged periods.
Incompatible materials	:	Oxidizing agents
Hazardous decomposition products	:	No decomposition if stored and applied as directed.

#### SECTION 11. TOXICOLOGICAL INFORMATION

Acute toxicity		
<u>Product:</u> Acute oral toxicity	:	Remarks: Effects due to ingestion may include:
		Symptoms: Central nervous system depression
Acute inhalation toxicity	:	Remarks: Respiration of solvent vapour may cause dizziness. Irritating to respiratory system.





Chem Trend

Chemle	ase® 2185			
Version 1.1	Revision Date: 10/20/2023		e of last issue: 01/10/2023 e of first issue: 01/10/2023	Print Date: 12/12/2024
			Symptoms: Inhalation may provo Local irritation, Respiratory disord Vomiting, Fatigue, Vertigo, Centr depression	ders, Dizziness, Drowsiness,
Acute	e dermal toxicity	:	Symptoms: Redness, Local irritat	tion
<u>Com</u>	ponents:			
Naph	ntha (petroleum), hy	drotrea	ated light:	
	e oral toxicity		LD50 (Rat, male and female): > 5 Method: OECD Test Guideline 40	
Disti	llates (petroleum), h	ydrotro	eated light:	
Acute	e oral toxicity	:	LD50 Oral (Rat): > 5,000 mg/kg	
_	t aliphatic naphtha:			
Acute	e oral toxicity	:	LD50 (Rat): > 5,000 mg/kg	
Naph	ntha (petroleum), hy	drotrea	ited heavy:	
Acute	e oral toxicity	:	LD50 Oral (Rat): > 5,000 mg/kg	
Skin	corrosion/irritation			
Prod	uct:			
Rema	arks	:	Irritating to skin.	
<u>Com</u>	ponents:			
Naph	ntha (petroleum), hy	drotrea	ted light:	
Spec		:	Rabbit	
Resu	llt	:	Skin irritation	
Light	t aliphatic naphtha:			
Resu	lt	:	Skin irritation	
Naph	ntha (petroleum), hy	drotrea	ited heavy:	
Resu	lt	:	Repeated exposure may cause s	kin dryness or cracking.
Serio	ous eye damage/eye	irritati	on	
<u>Prod</u>	uct:			
Rema	arks	:	Contact with eyes may cause irrit	tation.







# Chemlease® 2185

	Revision Date: 10/20/2023	Date of last issue: 01/10/202 Date of first issue: 01/10/202	
Respira	tory or skin sen	itisation	
Product	<u>t:</u>		
Remarks	s	: This information is not a	vailable.
Germ ce	ell mutagenicity		
Product			
-	 kicity in vitro	: Remarks: No data availa	able
Genotox	cicity in vivo	: Remarks: No data avail	able
Carcino	genicity		
Product	<u>t:</u>		
Remarks	S	: No data available	
IARC		nent of this product present at le as probable, possible or confirme	evels greater than or equal to 0.1% is ed human carcinogen by IARC.
IARC			
OSHA		nent of this product present at le s list of regulated carcinogens.	evels greater than or equal to 0.1% is
NTP		nent of this product present at le as a known or anticipated carcine	evels greater than or equal to 0.1% is ogen by NTP.
Reprod	uctive toxicity		
Product	t:		
	n fertility	: Remarks: No data availa	able
Effects o develop		: Remarks: No data availa	able
STOT -	single exposure		
<b>Product</b>	<u>t:</u>		
Remark		: No data available	
<u>Compoi</u>	nents:		
Naphtha	a (petroleum), hv	drotreated light:	
Assessn		: May cause drowsiness	or dizziness.
Distillat	es (petroleum),	ydrotreated light:	
Exposur	e routes	: Inhalation	
Assessn	nent	: May cause drowsiness	or dizziness.







# Chemlease® 2185

Version	Revision Date:	Date of last issue: 01/10/2023	Print Date:
1.1	10/20/2023	Date of first issue: 01/10/2023	12/12/2024

Light aliphatic naphtha: Assessment	: May cause drowsiness or dizziness.
STOT - repeated exposure	
<u>Product:</u> Remarks	: No data available
Repeated dose toxicity	
<u>Product:</u> Remarks	: This information is not available.
Aspiration toxicity	
<b>Product:</b> May be fatal if swallowed and	d enters airways.
Components:	
Naphtha (petroleum), hydro May be fatal if swallowed and	-
Distillates (petroleum), hyd	Irotreated light:
May be fatal if swallowed and	d enters airways.
Light aliphatic naphtha:	
May be fatal if swallowed and	d enters airways.
Naphtha (petroleum), hydro	otreated heavy:
May be fatal if swallowed and	-
Further information	

Product:

Remarks

: Ingestion causes irritation of upper respiratory system and gastrointestinal disturbance.







### Chemlease® 2185

Version	Revision Date:	Date of last issue: 01/10/2023	Print Date:
1.1	10/20/2023	Date of first issue: 01/10/2023	12/12/2024

#### **SECTION 12. ECOLOGICAL INFORMATION**

#### Ecotoxicity

#### Product:

Toxicity to fish

I oxicity to fish	•	Remarks: Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.
Toxicity to daphnia and other aquatic invertebrates	:	Remarks: No data available
Toxicity to algae/aquatic plants	:	Remarks: No data available

### Toxicity to microorganisms : Remarks: No data available

#### **Components:**

#### Naphtha (petroleum), hydrotreated light:

# **Ecotoxicology Assessment** Chronic aquatic toxicity : Toxic to aquatic life with long lasting effects.

# Distillates (petroleum), hydrotreated light:

# Ecotoxicology Assessment

Acute aquatic toxicity	: Harmful to aquatic life.
------------------------	----------------------------

Chronic aquatic toxicity : Harmful to aquatic life with long lasting effects.

#### Light aliphatic naphtha:

Ecotoxicology Assessment		
Acute aquatic toxicity	:	Toxic to aquatic life.

Chronic aquatic toxicity : Very toxic to aquatic life with long lasting effects.







# Chemlease® 2185

rsion	Revision Date: 10/20/2023		e of last issue: 01/10/2023 e of first issue: 01/10/2023	Print Date: 12/12/2024
Napht	tha (petroleum), hy	drotreat	ted heavy:	
Ecoto	xicology Assessme	ent		
Acute	aquatic toxicity	:	Toxic to aquatic life.	
Chron	ic aquatic toxicity	:	Toxic to aquatic life with long last	ing effects.
Persis	stence and degrada	ability		
<u>Produ</u>	ıct:			
	gradability	:	Remarks: No data available	
	co-chemical /ability	:	Remarks: No data available	
<u>Comp</u>	oonents:			
Naph	tha (petroleum), hy	drotreat	ted light:	
Biode	gradability	:	Remarks: No data available	
Distill	ates (petroleum), h	vdrotre	ated light:	
	gradability	-	Result: rapidly biodegradable	
Liaht	aliphatic naphtha:			
-	gradability	:	Remarks: No data available	
Naphi	tha (petroleum), hy	drotreat	ted heavy:	
-	gradability		Result: Not readily biodegradable	
Bioac	cumulative potentia	al		
Produ	uct:			
	cumulation	:	Remarks: This mixture contains r be persistent, bioaccumulating ar This mixture contains no substan persistent and very bioaccumulat	nd toxic (PBT). ce considered to be very







# Chemlease® 2185

rsion I	Revision Date: 10/20/2023		e of last issue: 01/10/2023 e of first issue: 01/10/2023	Print Date: 12/12/2024
<u>Comp</u>	oonents:			
Naph	tha (petroleum), hydro	otrea	ated light:	
-	cumulation	:	Bioconcentration factor (BCF): 10 - 2,5	00
	on coefficient: n- ol/water	:	log Pow: 2.2 - 5.2	
Distil	lates (petroleum), hyd	rotro	eated light:	
Bioac	cumulation	:	Remarks: No data available	
	on coefficient: n- ol/water	:	Remarks: No data available	
Light	aliphatic naphtha:			
Bioac	cumulation	:	Bioconcentration factor (BCF): 10 - 2,5	00
Naph	tha (petroleum), hydro	otrea	ated heavy:	
Bioac	cumulation	:	Remarks: No data available	
	on coefficient: n- ol/water	:	Remarks: No data available	
Mobil	lity in soil			
Produ	uct:			
Mobili	ity	:	Remarks: No data available	
	oution among onmental compartments	:	Remarks: No data available	
Other	adverse effects			
Produ	uct:			
Ozon	e-Depletion Potential	:	Regulation: 40 CFR Protection of Envir Protection of Stratospheric Ozone - CA Substances Remarks: This product neither contains manufactured with a Class I or Class II U.S. Clean Air Act Section 602 (40 CFR B).	A Section 602 Class s, nor was ODS as defined by th
Additi inform	onal ecological nation	:	Toxic to aquatic life with long lasting eff	fects.







# Chemlease® 2185

Version	Revision Date:	Date of last issue: 01/10/2023	Print Date:
1.1	10/20/2023	Date of first issue: 01/10/2023	12/12/2024

#### SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods	
Waste from residues	<ul> <li>The product should not be allowed to enter drains, water courses or the soil.</li> <li>Do not dispose of with domestic refuse.</li> <li>Dispose of as hazardous waste in compliance with local and national regulations.</li> </ul>
Contaminated packaging	<ul> <li>Packaging that is not properly emptied must be disposed of as the unused product.</li> <li>Dispose of waste product or used containers according to local regulations.</li> </ul>

#### **SECTION 14. TRANSPORT INFORMATION**

#### **International Regulations**

UNRTDG		
UN number	:	
Proper shipping name	:	FLAMMABLE LIQUID, N.O.S. (low boiling point modified naphtha, distillates (petroleum), hydrotreated light)
Class	:	3
Packing group	:	ll
Labels	:	3
IATA-DGR		
UN/ID No.	:	UN 1993
Proper shipping name	:	Flammable liquid, n.o.s. (low boiling point modified naphtha, distillates (petroleum), hydrotreated light)
Class	:	3
Packing group	:	
Labels	:	Flammable Liquids
Packing instruction (cargo aircraft)	:	364
Packing instruction (passenger aircraft)	:	353
IMDG-Code		
UN number	:	UN 1993
Proper shipping name	:	FLAMMABLE LIQUID, N.O.S. (low boiling point modified naphtha, distillates (petroleum), hydrotreated light)
Class	:	3
Packing group	:	





Chem Trend

#### Chemlease® 2185

Version 1.1	Revision Date: 10/20/2023	Date of last issue: 01/10/2023 Date of first issue: 01/10/2023	Print Date: 12/12/2024
	ls Code ne pollutant	: 3 : F-E, <u>S-E</u> : yes	
	sport in bulk accord applicable for product	ing to Annex II of MARPOL 73/78 and the IBC as supplied.	Code
Natio	onal Regulations		
<b>-</b>	<b>FR</b> D/NA number er shipping name	<ul> <li>: UN 1993</li> <li>: Flammable liquids, n.o.s. (low boiling point modified naphtha, dis hydrotreated light)</li> </ul>	tillates (petroleum),
Labe ERG	ing group	: 3 : II : FLAMMABLE LIQUID : 128 : yes	

#### Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

#### **SECTION 15. REGULATORY INFORMATION**

#### SARA 302 Extremely Hazardous Substances Threshold Planning Quantity

This material does not contain any components with a section 302 EHS TPQ.

SARA 311/312 Hazards	:	Flammable (gases, aerosols, liquids, or solids) Aspiration hazard Skin corrosion or irritation Specific target organ toxicity (single or repeated exposure)
SARA 313	:	This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

#### **Clean Air Act**

This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B). This product does not contain any hazardous air pollutants (HAP), as defined by the U.S. Clean Air Act Section 112 (40 CFR 61).

#### California Prop. 65

WARNING: This product can expose you to chemicals including ETHYLBENZENE, which is/are known to the State of California to cause cancer, and

Toluene, n-hexane, which is/are known to the State of California to cause birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.







#### Chemlease® 2185

Version	Revision Date:	Date of last issue: 01/10/2023	Print Date:
1.1	10/20/2023	Date of first issue: 01/10/2023	12/12/2024

The components of this product are reported in the following inventories:TSCA:All substances listed as active on the TSCA inventory

#### **TSCA** list

No substances are subject to a Significant New Use Rule.

No substances are subject to TSCA 12(b) export notification requirements.

#### SECTION 16. OTHER INFORMATION

#### **Further information**

#### Full text of other abbreviations

ACGIH NIOSH REL OSHA Z-1	:	USA. ACGIH Threshold Limit Values (TLV) USA. NIOSH Recommended Exposure Limits USA. Occupational Exposure Limits (OSHA) - Table Z-1
ACGIH / TWA NIOSH REL / TWA		Limits for Air Contaminants 8-hour, time-weighted average Time-weighted average concentration for up to a 10-hour
NIOSH REL / ST		workday during a 40-hour workweek STEL - 15-minute TWA exposure that should not be exceeded at any time during a workday
OSHA Z-1 / TWA	:	8-hour time weighted average

AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials: bw - Body weight: CERCLA - Comprehensive Environmental Response. Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN -Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL -Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS -Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS -Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx -Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer; IATA -International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO -International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO -International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate: NTP - National Toxicology Program: NZIoC - New Zealand Inventory of Chemicals: OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical







#### Chemlease® 2185

Version	Revision Date:	Date of last issue: 01/10/2023	Print Date:
1.1	10/20/2023	Date of first issue: 01/10/2023	12/12/2024

Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ - Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

**Revision Date** 

10/20/2023

5

This safety data sheet applies only to products as originally packed and labelled. The information contained therein may not be reproduced or modified without our express written permission. Any forwarding of this document is only permitted to the extent required by law. Any further, in particular public, dissemination of the safety data sheet (e.g. as a document for download from the Internet) is not permitted without our express written consent. We provide our customers with amended safety data sheets as prescribed by law. The customer is responsible for passing on safety data sheets and any amendments contained therein to its own customers, employees and other users of the product. We provide no guarantee that safety data sheets received by users from third parties are up-to-date. All information and instructions in this safety data sheet have been compiled to the best of our knowledge and are based on the information available to us on the day of publication. The information provided is intended to describe the product in relation to the required safety measures; it is neither an assurance of characteristics nor a guarantee of the product's suitability for particular applications and does not justify any contractual legal relationship. The existence of a safety data sheet for a particular jurisdiction does not necessarily mean that import or use within that jurisdiction is legally permitted. If you have any questions, please contact your responsible sales contact or authorized trading partner.

