

SAFETY DATA SHEET

According to Regulation 2012 OSHA Hazard Communication Standard: 29 CFR 1910.1200

1. Identification of the substance or mixture and of the supplier

1.1 Product identifier:

Product name: BLUESIL V-612 A

Product No.: PRCO90054260

1.2 Relevant identified uses of the substance or mixture and uses advised against:

Identified uses: Used for making joints, sealing and gluing.

Uses advised against: None known.

1.3 Details of the supplier of the safety data sheet:

Manufacturer:

Elkem Silicones USA Corp.
7979 Park Place Road
29745 York, SC
USA

Telephone: +1 (803) 792-3000

Fax: +1 (803) 684-7202

E-mail: product.stewardship@elkem.com

Supplier:

Elkem Silicones USA Corp.
Two Tower Blvd, Suite 1802
08816-1100 East Brunswick, NJ
USA

Telephone: +1 (732) 227-2060

Fax: +1 (732) 249-7000

1.4 Emergency telephone number:

+1 (800) 424-9300 CHEMTREC

2. Hazard identification

2.1 Classification of the substance or mixture:

The product has been classified according to the legislation in force.

Hazard Classification:

Health Hazards:

Toxic to reproduction

Category 2

H361f: Suspected of damaging fertility.

2.2 Label Elements:

Hazard pictograms:



Signal Word:

Warning

Hazard statements:

H361f: Suspected of damaging fertility.

Precautionary Statements:

Prevention: P281: Use personal protective equipment as required.

Response: P308+P313: IF exposed or concerned: Get medical advice/attention.

2.3 Other hazards which do not result in GHS classification:

No other information noted.

3. Composition/information on ingredients
Mixtures:
General information:

Mixture of Polyorganosiloxanes, fillers, additives.

Hazardous Component(s):

Chemical name	Concentration *	Type	CAS number	Classification
(1) Quartz	20 - <50%	Component	14808-60-7	Carc. 1A H350i; STOT RE 1 H372;
(1) Silicon dioxide	1 - <5%	Component	112945-52-5	None known.
Octamethylcyclotetrasiloxane	0.1 - <1%	Impurities	556-67-2	Flam. Liq. 3 H226; Repr. 2 H361; Aquatic Chronic 1 H410; Aquatic Toxicity (Chronic): M = 10

(1) The respirable particle(s) listed above are inextricably bound within the polymer matrix, and therefore does not present an inhalation hazard during normal use of this product. Tooling or machining of the cured product (sanding, cutting, milling) may release hazardous, respirable substances.

* All concentrations are percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

The full text for all H-statements is displayed in section 16.

4. First-aid measures
General information:

For further information refer to section 8 "Exposure-controls/personal protection".

4.1 Description of first aid measures:
Inhalation:

Under normal conditions of intended use, this material is not expected to be an inhalation hazard. Get medical attention if symptoms occur.

Skin Contact:

Wash skin thoroughly with soap and water. Get medical attention if symptoms occur.

Eye Contact:

In the event of contact with the eyes, rinse thoroughly with clean water for at least 15 minutes. Get medical attention if symptoms occur.

Ingestion:

Do not induce vomiting. Rinse mouth thoroughly with water. Get medical attention if symptoms occur.

Personal Protection for First-aid Responders:

First Aid responders should pay attention to self-protection and use the recommended protective clothing (chemical resistant gloves, splash protection). Refer to sections 5 and 8 for information on emergency procedures and protective equipment.

4.2 Most important symptoms and effects, both acute and delayed:

Any important symptoms and effects are described in Section 11 (Toxicological information) of this SDS.

4.3 Indication of any immediate medical attention and special treatment needed:**Notes to the physician:**

No specific recommendations. Show this Safety Data Sheet to the attending physician.

5. Fire-fighting measures**5.1 Extinguishing media:****Suitable extinguishing media:**

Water spray, foam, dry powder or carbon dioxide.

Unsuitable extinguishing media:

Avoid water in straight hose stream; will scatter and spread fire.

5.2 Special hazards arising from the substance or mixture:

Product will burn under fire conditions. Thermal decomposition or combustion may liberate carbon oxides, silicon oxides and other toxic gases or vapors.

5.3 Advice for firefighters:**Special fire-fighting procedures:**

Use standard firefighting procedures and consider the hazards of other involved materials. Remove undamaged containers from fire area if it is safe to do so. Evacuate to a safe location and contact the emergency services. Water spray should be used to cool containers.

Special protective equipment for fire-fighters:

Firefighters should wear standard protective equipment and a positive pressure self-contained breathing apparatus (SCBA).

6. Accidental release measures**6.1 Personal precautions, protective equipment and emergency procedures:**

Follow safe handling advice and personal protective equipment recommendations. Caution: Contaminated surfaces may be slippery.

6.2 Environmental precautions:

Do not release into the environment. Do not discharge into drains, water courses or onto the ground.

6.3 Methods and material for containment and cleaning up:

Absorb with sand or other inert absorbent and place into containers.

6.4 Reference to other sections:

Please observe the important information mentioned in the other sections. In particular, information on exposure controls/personal protection and disposal considerations can be found under sections 8 and 13.

7. Handling and storage

7.1 Precautions for safe handling:

Precautions:

No special precautions are necessary beyond normal good hygiene practices. See Section 8 of the SDS for additional personal protection advice when handling this product. In case of spills, beware of slippery floors and surfaces.

Hygiene measures:

Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.

7.2 Conditions for safe storage, including any incompatibilities:

Store in accordance with local/regional/national regulations. Store in a well-ventilated place. Keep container tightly closed. Keep in properly labelled containers.

Packaging frequently used at our sites:

Polyethylene. Plastic lined steel drum.

7.3 Specific end use(s):

See the technical data sheet on this product for further information.

8. Exposure controls/personal protection

8.1 Control Parameters:

Occupational Exposure Limits:

Although some of the components of this product may have exposure guidelines, no exposure would be expected under normal handling conditions due to the physical state of the material.

Additional exposure limits under the conditions of use:

8.2 Exposure controls:

Appropriate Engineering Controls:

Use engineering controls to reduce air contamination to permissible exposure level. If exposure limits have not been established, maintain airborne levels to an acceptable level.

Individual protection measures, such as personal protective equipment:

Provide sufficient ventilation during operations which cause vapor formation. Personal protective equipment should be chosen according to applicable standards, adapted to the conditions of use of the product and in discussion with the supplier of the personal protective equipment.

Eye/face protection:	Safety glasses with side shields
Hand Protection:	Protective gloves are recommended.
Skin and Body Protection:	No skin protection is ordinarily required under normal conditions of use. In accordance with good industrial hygiene practices, precautions should be taken to avoid skin contact.
Respiratory Protection:	No protection is ordinarily required under normal conditions of use and with adequate ventilation.

Environmental Controls:

See sections 7 and 13 of the Safety Data Sheet.

9. Physical and chemical properties

9.1 Information on basic physical and chemical properties:

Appearance:	
Physical state:	Liquid
Form:	Viscous
Color:	Colorless
Odor:	Odorless
pH:	By definition, pH measurement consists in the determination of hydrogen ions concentration in solution, generally aqueous. Silicones products are hydrophobic and therefore, not soluble in water. By consequence, it is not possible to measure the pH value.
Melting point/freezing point:	No data available.
Boiling Point:	No data available.
Flash Point:	> 204 °C / > 399 °F (Tagliabue Closed Cup)
Flammability:	No data available.
Flammability Limit - Upper (%):	No data available.
Flammability Limit - Lower (%):	No data available.
Vapor pressure:	No data available.
Relative vapor density:	No data available.
Evaporation Rate:	No data available.
Density:	Approximate 1.28 kg/dm ³ (20 °C)
Solubility(ies):	
Solubility in Water:	Insoluble
Solubility (other):	Acetone: Very slightly soluble Ethanol: Very slightly soluble Diethylether: Miscible (in all proportions). Aliphatic hydrocarbons: Miscible (in all proportions). Aromatic hydrocarbons: Miscible (in all proportions). Chlorinated solvents: Miscible (in all proportions).
Partition coefficient (n-octanol/water):	No data available.
Autoignition Temperature:	No data available.
Decomposition Temperature:	No data available.
Kinematic viscosity:	No data available.

9.2 Other information:

Oxidizing properties:	According to the data on the components Not considered as oxidizing. (according to EC criteria)
Particle Size:	Not applicable

10. Stability and reactivity

10.1 Reactivity:

Not relevant.

10.2 Chemical Stability:

Stable

10.3 Possibility of hazardous reactions:

Will not occur.

10.4 Conditions to avoid:

No other information noted.

10.5 Incompatible Materials:

Strong oxidizing agents.

10.6 Hazardous Decomposition Products:

This product can form formaldehyde vapors when heated to temperatures above 150 degrees C in the presence of air. Thermal decomposition or combustion may liberate carbon oxides, other toxic gases or vapors and amorphous silica.

11. Toxicological information**11.1 Information on toxicological effects:****Acute toxicity:****Oral:**

Not classified for acute toxicity based on available data.

Dermal:

Not classified for acute toxicity based on available data.

Inhalation:

Not classified for acute toxicity based on available data.

Repeated dose toxicity:**Based on our knowledge of the composition information:**

OCTAMETHYLCYCLOTETRASILOXANE (556-67-2):

NOAEL: 1.82 mg/l ; LOAEL: 8.5 mg/l ; (Rat ; Female, Male ; Inhalation - vapour) ; Target Organ(s): Kidney ; Method: Similar to OECD 453 ; Chronic exposure.

NOAEL: 960 mg/kg ; (Rabbit ; Female, Male ; Dermal) ; No treatment-related adverse effects observed ; Method: Similar to OECD 410 ; Subacute exposure.

Skin Corrosion/Irritation:**Based on our knowledge of the composition information:**

OCTAMETHYLCYCLOTETRASILOXANE (556-67-2):

An Expert Judgment stated that no classification is necessary based on present knowledge. Not irritating (Rabbit) ; Method: Similar to OECD 404

Serious Eye Damage/Eye Irritation:**Based on our knowledge of the composition information:**

OCTAMETHYLCYCLOTETRASILOXANE (556-67-2):

An Expert Judgment stated that no classification is necessary based on present knowledge. Not irritating (Rabbit) ; Method: OECD 405

Respiratory or Skin Sensitization:**Based on our knowledge of the composition information:**

OCTAMETHYLCYCLOTETRASILOXANE (556-67-2):

Skin sensitization: Not a skin sensitizer. (Guinea Pig) ; Method: OECD 406

Germ Cell Mutagenicity:**In vitro: Based on our knowledge of the composition information:***OCTAMETHYLCYCLOTETRASILOXANE (556-67-2):*

Bacterial reverse mutation test: No mutagenic effect. (Salmonella typhimurium ; with and without metabolic activation) ; Method: OECD 471

In vitro gene mutations test on mammalian cells: No mutagenic effect. (Mouse lymphoma cells ; with and without metabolic activation) ; Method: Similar to OECD 476

In vitro mammalian chromosomal aberration test: No clastogenic effect. (Chinese hamster ovary cells ; with and without metabolic activation) ; Method: Similar to OECD 473

In vivo: Based on our knowledge of the composition information:*OCTAMETHYLCYCLOTETRASILOXANE (556-67-2):*

Mammalian bone marrow chromosomal aberration test: negative (Rat ; Female, Male ; Inhalation) ; Method: Similar to OECD 475

Rodent dominant Lethal test: negative (Rat ; Female, Male ; Gavage (Oral)) ; Method: Similar to OECD 478

Carcinogenicity:

Contains a component(s) that is/are not expected to be bioavailable due to the physical state of the material under normal handling and processing conditions.

IARC Monographs on the Evaluation of Carcinogenic Risks to Humans:

Quartz Overall evaluation: 1. Carcinogenic to humans.

US. National Toxicology Program (NTP) Report on Carcinogens:

Quartz Known To Be Human Carcinogen.

US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050), as amended:

Quartz Cancer

Reproductive toxicity:**Fertility: Based on our knowledge of the composition information: Suspected of damaging fertility.***OCTAMETHYLCYCLOTETRASILOXANE (556-67-2):*

Suspected of damaging fertility.

Fertility study 2 generations: NOAEL (parent): 3.64 mg/l ; NOAEL (F1): 3.64 mg/l ; NOAEL (F2): None. (Rat ; Female, Male ; Inhalation) ; Method: Similar to OECD 416 ; Effects on fertility

Teratogenicity: Based on our knowledge of the composition information: Suspected of damaging fertility.*OCTAMETHYLCYCLOTETRASILOXANE (556-67-2):*

NOAEL (terato): > 8.492 mg/l ; NOAEL (mater): 3.64 mg/l (Rat ; Inhalation - vapor) ; Method: Similar to OECD 414 ; The product is not considered to be toxic for development.

NOAEL (terato): > 6.066 mg/l ; NOAEL (mater): 3.64 mg/l (Rabbit ; Inhalation - vapor) ; Method: Similar to OECD 414 ; The product is not considered to be toxic for development.

Specific Target Organ Toxicity - Single Exposure:**Based on our knowledge of the composition information:***OCTAMETHYLCYCLOTETRASILOXANE (556-67-2):*

Based on available data, the classification criteria are not met.

Specific Target Organ Toxicity - Repeated Exposure:

Contains a component(s) that is/are not expected to be bioavailable due to the physical state of the material under normal handling and processing conditions.

Aspiration Hazard:**Based on our knowledge of the composition information:***OCTAMETHYLCYCLOTETRASILOXANE (556-67-2):*

Based on available data, the classification criteria are not met.

12. Ecological information**General information:**

The maximum concentration of Octamethylcyclotetrasiloxane (D4) in the aquatic environment is estimated to be below the established no-effect threshold (<0.0079 mg/l) for aquatic organisms (based on partition coefficient, tested on similar products).

12.1 Ecotoxicity:**Acute toxicity:****Fish: Based on our knowledge of the composition information:***OCTAMETHYLCYCLOTETRASILOXANE (556-67-2):*

LC 50 (Oncorhynchus mykiss; 96 h ; Flow through) : > 0.022 mg/l ; Method: According to a standardised method.

Aquatic Invertebrates: Based on our knowledge of the composition information:*OCTAMETHYLCYCLOTETRASILOXANE (556-67-2):*

EC 50 (Water flea (Daphnia magna); 48 h ; Flow through) : > 0.015 mg/l ; Method: According to a standardised method.

Aquatic plants: Based on our knowledge of the composition information:*OCTAMETHYLCYCLOTETRASILOXANE (556-67-2):*

ErC50 (Algae (Pseudokirchneriella subcapitata); 96 h) : > 0.022 mg/l ; Method: According to a standardised method.

ErC10 (Algae (Pseudokirchneriella subcapitata); 96 h) : >= 0.022 mg/l ; Method: According to a standardised method.

Toxicity to microorganisms: Based on our knowledge of the composition information:*OCTAMETHYLCYCLOTETRASILOXANE (556-67-2):*

EC 50 (3 h) : > 10,000 mg/l

Chronic Toxicity:**Fish: Based on our knowledge of the composition information:***OCTAMETHYLCYCLOTETRASILOXANE (556-67-2):*

NOEC (Oncorhynchus mykiss; 93 d ; Flow through) : >= 0.0044 mg/l ; Method: According to a standardised method.

Aquatic Invertebrates: Based on our knowledge of the composition information:*OCTAMETHYLCYCLOTETRASILOXANE (556-67-2):*

NOEC (Water flea (Daphnia magna); 21 d ; Flow through) : >= 0.015 mg/l ; Method: According to a standardised method.

12.2 Persistence and Degradability:**Stability in water:** No data available.**Biodegradation: Based on our knowledge of the composition information:**

OCTAMETHYLCYCLOTETRASILOXANE (556-67-2):
3.7 % (activated sludge and sewage, soil ; 28 d) ; Method: OECD 310 ; The product is not considered to be readily biodegradable.

BOD/COD Ratio: No data available.

12.3 **Bioaccumulative potential:**

Bioconcentration Factor (BCF): Based on our knowledge of the composition information:

OCTAMETHYLCYCLOTETRASILOXANE (556-67-2):

Bioconcentration Factor (BCF): 14,900 (Fathead Minnow) ; Method: OECD 305 ; Not bioaccumulable based on the depuration rate constant

Partition coefficient (n-octanol/water): Based on our knowledge of the composition information:

OCTAMETHYLCYCLOTETRASILOXANE (556-67-2):

Log Kow: 5.10

12.4 **Mobility in soil:**

No data available.

12.5 **Other adverse effects:**

No data available.

13. Disposal considerations

13.1 **Waste treatment methods:**

The user's attention is drawn to the possible existence of local regulations regarding disposal.

Disposal methods:

Dispose of waste at an appropriate treatment and disposal facility in accordance with applicable laws and regulations, and product characteristics at time of disposal. Incinerate or landfill. Dispose of waste at an appropriate treatment and disposal facility in accordance with applicable laws and regulations, and product characteristics at time of disposal.

Contaminated Packaging:

Contaminated packages should be as empty as possible. Recycle following cleaning or dispose of at an authorised site. Packaging that cannot be cleaned should be disposed of in the same way as the product it contained.

14. Transport information

DOT

Not regulated.

IMDG / IMO

Not regulated.

IATA

Not regulated.

15. Regulatory information

US Federal Regulations:

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D): None present or none present in regulated quantities.

CERCLA Hazardous Substance List (40 CFR 302.4): None present or none present in regulated quantities.

Superfund Amendments and Reauthorization Act of 1986 (SARA):

Hazard categories:

Reproductive toxicity

SARA 304 Emergency Release Notification: None present or none present in regulated quantities.

US. EPA Emergency Planning and Community Right-To-Know Act (EPCRA) SARA Title III Section 313 Toxic Chemicals (40 CFR 372.65) - Supplier Notification Required: None present or none present in regulated quantities.

US State Regulations:

US. California Proposition 65: No ingredient requiring a warning under CA Prop 65.

US. New Jersey Worker and Community Right-to-Know Act:

Chemical Identity:

Quartz

Silicon dioxide

US. Massachusetts RTK - Substance List:

Chemical Identity:

Quartz

Silicon dioxide

US. Pennsylvania RTK - Hazardous Substances:

Chemical Identity:

Quartz

Silicon dioxide

US. Rhode Island RTK:

Chemical Identity:

Quartz

Silicon dioxide

Inventory Status:

Canada DSL Inventory List:

On or in compliance with the inventory.

Korea Existing Chemicals Inv. (KECI):

On or in compliance with the inventory.

US TSCA Inventory:


On or in compliance with the inventory.

EINECS, ELINCS or NLP:

On or in compliance with the inventory.

16. Other information, including date of preparation or last revision

NFPA Hazard ID:



Hazard rating: 0 - Minimal; 1 - Slight; 2 - Moderate; 3 - Serious; 4 - Severe; RNP - Rating not possible

Wording of the H-statements in section 2 and 3:

H226	Flammable liquid and vapor.
H350i	May cause cancer by inhalation.
H361	Suspected of damaging fertility or the unborn child.
H361f	Suspected of damaging fertility.
H372	Causes damage to organs through prolonged or repeated exposure.
H410	Very toxic to aquatic life with long lasting effects.

Issue Date: 06/26/2023

Version #: 13.0

Further Information:

No data available.

Disclaimer:

The information given is based on data available for the material, the components of the material, and similar materials. The information is believed to be correct. It is given in good faith. This information should be used to make an independent determination of the methods to safeguard workers and the environment.

SAFETY DATA SHEET

According to Regulation 2012 OSHA Hazard Communication Standard: 29 CFR 1910.1200

1. Identification of the substance or mixture and of the supplier

1.1 Product identifier:

Product name: BLUESIL V-612 B

Product No.: PRCO90054261

1.2 Relevant identified uses of the substance or mixture and uses advised against:

Identified uses: Used for making joints, sealing and gluing.

Uses advised against: None known.

1.3 Details of the supplier of the safety data sheet:

Manufacturer:

Elkem Silicones USA Corp.
7979 Park Place Road
29745 York, SC
USA

Telephone: +1 (803) 792-3000

Fax: +1 (803) 684-7202

E-mail: product.stewardship@elkem.com

Supplier:

Elkem Silicones USA Corp.
Two Tower Blvd, Suite 1802
08816-1100 East Brunswick, NJ
USA

Telephone: +1 (732) 227-2060

Fax: +1 (732) 249-7000

1.4 Emergency telephone number:

+1 (800) 424-9300 CHEMTREC

2. Hazard identification

2.1 Classification of the substance or mixture:

The product has been classified according to the legislation in force.

Hazard Classification:

Health Hazards:

Toxic to reproduction

Category 1B

H360Fd: May damage fertility. Suspected of damaging the unborn child.

2.2 Label Elements:

Hazard pictograms:



Signal Word:

Danger

Hazard statements: H360Fd: May damage fertility. Suspected of damaging the unborn child.

Precautionary Statements:

Prevention: P281: Use personal protective equipment as required.

Response: P308+P313: IF exposed or concerned: Get medical advice/attention.

2.3 Other hazards which do not result in GHS classification:

Chemical compounds containing silicon - hydrogen bonds (SiH). This product may generate hydrogen gas. For further information, refer to section 10: "Stability and Reactivity".

3. Composition/information on ingredients

Mixtures:

General information:

Mixture of Polyorganosiloxanes, fillers, additives.

Hazardous Component(s):

Chemical name	Concentration *	Type	CAS number	Classification
(1) Quartz	10 - <20%	Component	14808-60-7	Carc. 1A H350i; STOT RE 1 H372;
(1) Carbon black	5 - <10%	Component	1333-86-4	Carc. 2 H351;
2,4,6,8-Tetramethyl-2,4,6,8-tetravinylcyclotetrasiloxane	0.1 - <1%	Component	2554-06-5	Repr. 1B H360Fd;
Octamethylcyclotetrasiloxane	0.1 - <1%	Impurities	556-67-2	Flam. Liq. 3 H226; Repr. 2 H361; Aquatic Chronic 1 H410; Aquatic Toxicity (Chronic): M = 10
Toluene	0.1 - <1%	Impurities	108-88-3	Flam. Liq. 2 H225; Skin Irrit. 2 H315; Repr. 2 H361; STOT SE 3 H336; STOT RE 2 H373; Asp. Tox. 1 H304; Aquatic Chronic 3 H412;

(1) The respirable particle(s) listed above are inextricably bound within the polymer matrix, and therefore does not present an inhalation hazard during normal use of this product. Tooling or machining of the cured product (sanding, cutting, milling) may release hazardous, respirable substances.

* All concentrations are percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

The full text for all H-statements is displayed in section 16.

4. First-aid measures

General information:

For further information refer to section 8 "Exposure-controls/personal protection".

4.1 Description of first aid measures:

Inhalation:

Under normal conditions of intended use, this material is not expected to be an inhalation hazard.

Get medical attention if symptoms occur.

Skin Contact:

Wash skin thoroughly with soap and water. Get medical attention if symptoms occur.

Eye Contact:

In the event of contact with the eyes, rinse thoroughly with clean water for at least 15 minutes. Get medical attention if symptoms occur.

Ingestion:

Do not induce vomiting. Rinse mouth thoroughly with water. Get medical attention if symptoms occur.

Personal Protection for First-aid Responders:

First Aid responders should pay attention to self-protection and use the recommended protective clothing (chemical resistant gloves, splash protection). Refer to sections 5 and 8 for information on emergency procedures and protective equipment.

4.2 Most important symptoms and effects, both acute and delayed:

Any important symptoms and effects are described in Section 11 (Toxicological information) of this SDS.

4.3 Indication of any immediate medical attention and special treatment needed:**Notes to the physician:**

No specific recommendations. Show this Safety Data Sheet to the attending physician.

5. Fire-fighting measures**5.1 Extinguishing media:****Suitable extinguishing media:**

Alcohol resistant foam. Carbon dioxide (CO₂). Dry sand. Water spray.

Unsuitable extinguishing media:

Alkaline powders. Do not use water jet as an extinguisher, as this will spread the fire.

5.2 Special hazards arising from the substance or mixture:

Product will burn under fire conditions. This product may generate hydrogen gas. Vapors may form explosive mixtures with air. Thermal decomposition or combustion may liberate carbon oxides, silicon oxides and other toxic gases or vapors.

5.3 Advice for firefighters:**Special fire-fighting procedures:**

Use standard firefighting procedures and consider the hazards of other involved materials. Remove undamaged containers from fire area if it is safe to do so. Evacuate to a safe location and contact the emergency services. Water spray should be used to cool containers.

Special protective equipment for fire-fighters:

Firefighters should wear standard protective equipment and a positive pressure self-contained breathing apparatus (SCBA).

6. Accidental release measures**6.1 Personal precautions, protective equipment and emergency procedures:**

Follow safe handling advice and personal protective equipment recommendations. Provide good ventilation. Remove all possible sources of ignition in the surrounding area. Prevent further leakage or spillage if safe to do so. Avoid contact with alkalis and caustic products. Caution: Contaminated surfaces may be slippery.

6.2 Environmental precautions:

Do not discharge into drains, water courses or onto the ground. Use containment for a large spill.

6.3 Methods and material for containment and cleaning up:

Absorb with sand or other inert absorbent. Materials in contact with water, moisture, acids or bases have the potential to generate hydrogen gas. Use clean non-sparking tools to collect absorbed material. Shovel up and place in a container for salvage or disposal. Recovered material should be stored in a vented container. Dispose of residue in accordance with regulations in force.

6.4 Reference to other sections:

Please observe the important information mentioned in the other sections. In particular, information on exposure controls/personal protection and disposal considerations can be found under sections 8 and 13.

7. Handling and storage

7.1 Precautions for safe handling:

Precautions:

This product may generate hydrogen gas. Keep away from ignition source. Empty container after use should be stored in separate area, and be disposed after degassing completely. Handle and open container with care. Take precautionary measures against static discharges. Provide adequate precautions, such as electrical grounding and bonding, or inert atmospheres. Avoid inhalation of vapors/aerosols/dusts and contact with skin and eyes. Use mechanical ventilation in case of handling which causes formation of vapors. If ventilation is insufficient, suitable respiratory protection must be provided. See Section 8 of the SDS for Personal Protective Equipment. Do not mix with incompatible materials. For further information, refer to section 10: "Stability and Reactivity". Take care to prevent spills, waste and minimize release to the environment. In case of spills, beware of slippery floors and surfaces. Contact Elkem Silicones for additional publications on the safe handling of SiH Product.

Hygiene measures:

Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.

7.2 Conditions for safe storage, including any incompatibilities:

Store in accordance with local/regional/national regulations. Avoid discharge into drains, water courses or onto the ground. Store in a cool, dry place with adequate ventilation. Keep away from incompatible materials, open flames, and high temperatures. For further information, refer to section 10: "Stability and Reactivity". Store in original tightly closed container, equipped with a degassing device. Product may evolve minute quantities of flammable hydrogen gas which can accumulate. Adequately ventilate to maintain vapors well below flammability limits and exposure guidelines. Do not repackage. Clogged container vents may increase pressure build up. Take care to always ensure that drums are kept in their upright position at any time during transportation, handling or storage since lied down drums could result in clogged exhaust valves. Keep in properly labelled containers. Protect against physical damage and/or friction.

Packaging frequently used at our sites:

Polyethylene. Steel drums coated with epoxy-resin.

7.3 Specific end use(s):

See the technical data sheet on this product for further information.

8. Exposure controls/personal protection

8.1 Control Parameters:

Occupational Exposure Limits:

Although some of the components of this product may have exposure guidelines, no exposure would be expected under normal handling conditions due to the physical state of the material.

Additional exposure limits under the conditions of use:

8.2 Exposure controls:

Appropriate Engineering Controls:

Use engineering controls to reduce air contamination to permissible exposure level. If exposure limits have not been established, maintain airborne levels to an acceptable level.

Individual protection measures, such as personal protective equipment:

Provide sufficient ventilation during operations which cause vapor formation. Personal protective equipment should be chosen according to applicable standards, adapted to the conditions of use of the product and in discussion with the supplier of the personal protective equipment.

Eye/face protection:	Safety glasses with side shields
Hand Protection:	Protective gloves are recommended.
Skin and Body Protection:	No skin protection is ordinarily required under normal conditions of use. In accordance with good industrial hygiene practices, precautions should be taken to avoid skin contact.
Respiratory Protection:	No protection is ordinarily required under normal conditions of use and with adequate ventilation.

Environmental Controls:

See sections 7 and 13 of the Safety Data Sheet.

9. Physical and chemical properties

9.1 Information on basic physical and chemical properties:

Appearance:	
Physical state:	Liquid
Form:	Viscous
Color:	Colorless
Odor:	Odorless
pH:	By definition, pH measurement consists in the determination of hydrogen ions concentration in solution, generally aqueous. Silicones products are hydrophobic and therefore, not soluble in water. By consequence, it is not possible to measure the pH value.
Melting point/freezing point:	No data available.
Boiling Point:	No data available.
Flash Point:	> 94 °C / 201 °F
Flammability:	No data available.
Flammability Limit - Upper (%):	74 %(V) Hydrogen.
Flammability Limit - Lower (%):	4 %(V) Hydrogen.
Vapor pressure:	No data available.
Relative vapor density:	No data available.
Evaporation Rate:	No data available.
Density:	Approximate 1.1 kg/dm ³ (20 °C)
Solubility(ies):	
Solubility in Water:	Insoluble
Solubility (other):	Acetone: Very slightly soluble Ethanol: Very slightly soluble Diethylether: Miscible (in all proportions).

Partition coefficient (n-octanol/water):

Aliphatic hydrocarbons: Miscible (in all proportions).
Aromatic hydrocarbons: Miscible (in all proportions).
Chlorinated solvents: Miscible (in all proportions).

Autoignition Temperature:

No data available.

Decomposition Temperature:

500 °C Hydrogen.

Kinematic viscosity:

No data available.

No data available.

9.2 Other information:

Oxidizing properties:

According to the data on the components
Not considered as oxidizing.
(according to EC criteria)

Particle Size:

Not applicable

10. Stability and reactivity

10.1 Reactivity:

No other information noted.

10.2 Chemical Stability:

Material is stable under normal conditions.

10.3 Possibility of hazardous reactions:

This product may generate hydrogen gas.

10.4 Conditions to avoid:

Avoid heat, sparks, open flames and other ignition sources.

10.5 Incompatible Materials:

A fire or explosion hazard arises because highly flammable gas (hydrogen) is released when this product is in contact with : Strong oxidizers, strong bases and chemical compounds with mobile hydrogen, in the presence of metal salts and complexes.

10.6 Hazardous Decomposition Products:

This product can form formaldehyde vapors when heated to temperatures above 150 degrees C in the presence of air. Thermal decomposition or combustion may liberate carbon oxides, other toxic gases or vapors and amorphous silica.

Quantity of hydrogen potentially released (l/kg of product): < 40

11. Toxicological information

11.1 Information on toxicological effects:

Acute toxicity:

Oral:

Not classified for acute toxicity based on available data.

Dermal:

Not classified for acute toxicity based on available data.

Inhalation:

Not classified for acute toxicity based on available data.

Repeated dose toxicity:**Based on our knowledge of the composition information:**

2,4,6,8-TETRAMETHYL-2,4,6,8-TETRAVINYL CYCLOTETRASILOXANE (2554-06-5):

NOAEL: 15 mg/kg ; LOAEL: 150 mg/kg ; (Rat ; Female, Male ; 13 Weeks ; Gavage (Oral)) ; Target

Organ(s): ovaries ; Method: OECD 408

OCTAMETHYL CYCLOTETRASILOXANE (556-67-2):

NOAEL: 1.82 mg/l ; LOAEL: 8.5 mg/l ; (Rat ; Female, Male ; Inhalation - vapour) ; Target Organ(s): Kidney ; Method: Similar to OECD 453 ; Chronic exposure.

NOAEL: 960 mg/kg ; (Rabbit ; Female, Male ; Dermal) ; No treatment-related adverse effects observed ;

Method: Similar to OECD 410 ; Subacute exposure.

TOLUENE (108-88-3):

May cause damage to organs through prolonged or repeated exposure.

NOAEL: 625 mg/kg ; LOAEL: 1,250 mg/kg ; (Rat ; 90 d ; Oral) ; Target Organ(s): Nervous System, Liver, Kidney, Brain, Heart ; Method: OECD 408

NOAEL: 1.13 mg/l ; (Rat ; Female, Male ; 24 Months ; Inhalation - vapour) ; No treatment-related adverse effects observed ; Method: OECD 453

Skin Corrosion/Irritation:**Based on our knowledge of the composition information:**

2,4,6,8-TETRAMETHYL-2,4,6,8-TETRAVINYL CYCLOTETRASILOXANE (2554-06-5):

Based on available data, the classification criteria are not met. Not irritating (Rabbit) ; Method: Similar to OECD 404 ; Results obtained on a similar product.

OCTAMETHYL CYCLOTETRASILOXANE (556-67-2):

An Expert Judgment stated that no classification is necessary based on present knowledge. Not irritating (Rabbit) ; Method: Similar to OECD 404

TOLUENE (108-88-3):

Causes skin irritation. Irritant. (Rabbit ; 4 h) ; Method: OECD 404

Serious Eye Damage/Eye Irritation:**Based on our knowledge of the composition information:**

2,4,6,8-TETRAMETHYL-2,4,6,8-TETRAVINYL CYCLOTETRASILOXANE (2554-06-5):

Based on available data, the classification criteria are not met. Not irritating (Rabbit ; 24 h) ; Method: Similar to OECD 405 ; Results obtained on a similar product.

OCTAMETHYL CYCLOTETRASILOXANE (556-67-2):

An Expert Judgment stated that no classification is necessary based on present knowledge. Not irritating (Rabbit) ; Method: OECD 405

TOLUENE (108-88-3):

Based on available data, the classification criteria are not met. Not irritating (Rabbit) ; Method: OECD 405

Respiratory or Skin Sensitization:**Based on our knowledge of the composition information:**

2,4,6,8-TETRAMETHYL-2,4,6,8-TETRAVINYL CYCLOTETRASILOXANE (2554-06-5):

Skin sensitizer: Based on available data, the classification criteria are not met. ; Not a skin sensitizer. (Guinea Pig) ; Method: According to a standardised method.

OCTAMETHYL CYCLOTETRASILOXANE (556-67-2):

Skin sensitization: Not a skin sensitizer. (Guinea Pig) ; Method: OECD 406

TOLUENE (108-88-3):

Skin sensitization: Not a skin sensitizer. (Guinea Pig) ; Method: OECD 406

Germ Cell Mutagenicity:**In vitro: Based on our knowledge of the composition information:****2,4,6,8-TETRAMETHYL-2,4,6,8-TETRAVINYL CYCLOTETRASILOXANE (2554-06-5):**

Bacterial reverse mutation test: No mutagenic effect. (Salmonella typhimurium ; with and without metabolic activation) ; Method: OECD 471

Chromosomal aberration: Positive with metabolic activation., Negative without metabolic activation.

(Chinese hamster lung cells) ; Method: OECD 473

OCTAMETHYL CYCLOTETRASILOXANE (556-67-2):

Bacterial reverse mutation test: No mutagenic effect. (Salmonella typhimurium ; with and without metabolic activation) ; Method: OECD 471

In vitro gene mutations test on mammalian cells: No mutagenic effect. (Mouse lymphoma cells ; with and without metabolic activation) ; Method: Similar to OECD 476

In vitro mammalian chromosomal aberration test: No clastogenic effect. (Chinese hamster ovary cells ; with and without metabolic activation) ; Method: Similar to OECD 473

TOLUENE (108-88-3):

Bacterial reverse mutation test: No mutagenic effect. Method: Similar to OECD 471

In vitro gene mutations test on mammalian cells: No mutagenic effect. Method: Similar to OECD 476

In vivo: Based on our knowledge of the composition information:**2,4,6,8-TETRAMETHYL-2,4,6,8-TETRAVINYL CYCLOTETRASILOXANE (2554-06-5):**

Mammalian erythrocyte micronucleus test: negative (Mouse ; Gavage (Oral)) ; Method: OECD 474

OCTAMETHYL CYCLOTETRASILOXANE (556-67-2):

Mammalian bone marrow chromosomal aberration test: negative (Rat ; Female, Male ; Inhalation) ; Method: Similar to OECD 475

Rodent dominant Lethal test: negative (Rat ; Female, Male ; Gavage (Oral)) ; Method: Similar to OECD 478

TOLUENE (108-88-3):

Mammalian bone marrow chromosomal aberration test: negative (Rat ; Intraperitoneal)

Rodent dominant Lethal test: negative (Mouse ; Inhalation) ; Method: OECD 478

Carcinogenicity:

Contains a component(s) that is/are not expected to be bioavailable due to the physical state of the material under normal handling and processing conditions.

IARC Monographs on the Evaluation of Carcinogenic Risks to Humans:

Quartz Overall evaluation: 1. Carcinogenic to humans.

Carbon black Overall evaluation: 2B. Possibly carcinogenic to humans.

US. National Toxicology Program (NTP) Report on Carcinogens:

Quartz Known To Be Human Carcinogen.

Carbon black Known To Be Human Carcinogen.

US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050), as amended:

Quartz Cancer

Reproductive toxicity:**Fertility: Based on our knowledge of the composition information: May damage fertility. Suspected of**

damaging the unborn child.

2,4,6,8-TETRAMETHYL-2,4,6,8-TETRAVINYL CYCLOTETRASILOXANE (2554-06-5):

May damage fertility.

Reproduction/developmental toxicity screening test: NOAEL (parent): 15 mg/kg ; NOAEL (F1): 150 mg/kg ; NOAEL (F2): None. (Rat ; Gavage (Oral)) ; Method: OECD 421 ; Effects on fertility

OCTAMETHYL CYCLOTETRASILOXANE (556-67-2):

Suspected of damaging fertility.

Fertility study 2 generations: NOAEL (parent): 3.64 mg/l ; NOAEL (F1): 3.64 mg/l ; NOAEL (F2): None. (Rat ; Female, Male ; Inhalation) ; Method: Similar to OECD 416 ; Effects on fertility

TOLUENE (108-88-3):

The product is not considered to affect fertility.

Fertility study 2 generations: NOAEL (parent): 7.5 mg/l ; NOAEL (F1): 7.5 mg/l ; NOAEL (F2): (Rat ; Female, Male ; Inhalation - vapor) ; Reproductive toxicity

Teratogenicity: Based on our knowledge of the composition information: May damage fertility.

Suspected of damaging the unborn child.

2,4,6,8-TETRAMETHYL-2,4,6,8-TETRAVINYL CYCLOTETRASILOXANE (2554-06-5):

Suspected of damaging the unborn child.

NOAEL (terato): 100 mg/kg ; NOAEL (mater): 100 mg/kg (Rat ; Gavage (Oral)) ; Method: OECD 414 ; Embryo-foeto / Teratogenic effects have been observed.

OCTAMETHYL CYCLOTETRASILOXANE (556-67-2):

NOAEL (terato): > 8.492 mg/l ; NOAEL (mater): 3.64 mg/l (Rat ; Inhalation - vapor) ; Method: Similar to OECD 414 ; The product is not considered to be toxic for development.

NOAEL (terato): > 6.066 mg/l ; NOAEL (mater): 3.64 mg/l (Rabbit ; Inhalation - vapor) ; Method: Similar to OECD 414 ; The product is not considered to be toxic for development.

TOLUENE (108-88-3):

Suspected of damaging the unborn child.

NOAEL (terato): 2.26 mg/l ; NOAEL (mater): 2.26 mg/l (Rat ; Inhalation - vapor) ; Method: Similar to OECD 414 ; No effect observed on development.

NOAEL (terato): 1.884 mg/l ; NOAEL (mater): 1.884 mg/l (Rabbit ; Inhalation - vapor) ; Method: OECD 414 ; No effect observed on development.

Specific Target Organ Toxicity - Single Exposure:

Based on our knowledge of the composition information:

2,4,6,8-TETRAMETHYL-2,4,6,8-TETRAVINYL CYCLOTETRASILOXANE (2554-06-5):

Not classified

OCTAMETHYL CYCLOTETRASILOXANE (556-67-2):

Based on available data, the classification criteria are not met.

TOLUENE (108-88-3):

May cause drowsiness or dizziness.

Specific Target Organ Toxicity - Repeated Exposure:

Contains a component(s) that is/are not expected to be bioavailable due to the physical state of the material under normal handling and processing conditions.

Aspiration Hazard:

Based on our knowledge of the composition information:

2,4,6,8-TETRAMETHYL-2,4,6,8-TETRAVINYL CYCLOTETRASILOXANE (2554-06-5):

Not classified

OCTAMETHYLCYCLOTETRASILOXANE (556-67-2):

Based on available data, the classification criteria are not met.

TOLUENE (108-88-3):

May be fatal if swallowed and enters airways.

12. Ecological information

General information:

The maximum concentration of Octamethylcyclotetrasiloxane (D4) in the aquatic environment is estimated to be below the established no-effect threshold (<0.0079 mg/l) for aquatic organisms (based on partition coefficient, tested on similar products).

12.1 Ecotoxicity:**Acute toxicity:****Fish: Based on our knowledge of the composition information:**

2,4,6,8-TETRAMETHYL-2,4,6,8-TETRAVINYL CYCLOTETRASILOXANE (2554-06-5):

LL50 (Sheepshead minnow (*Cyprinodon variegatus*); 96 h ; semi-static) : > 1,000 mg/l ; Method: OECD 203

OCTAMETHYLCYCLOTETRASILOXANE (556-67-2):

LC 50 (*Oncorhynchus mykiss*; 96 h ; Flow through) : > 0.022 mg/l ; Method: According to a standardised method.

TOLUENE (108-88-3):

LC 50 (Coho salmon; 96 h ; Flow through) : 5.5 mg/l

Aquatic Invertebrates: Based on our knowledge of the composition information:

2,4,6,8-TETRAMETHYL-2,4,6,8-TETRAVINYL CYCLOTETRASILOXANE (2554-06-5):

LL50 (Calanoid copepod (*Acartia tonsa*); 48 h ; Static) : 272 mg/l ; Method: According to a standardised method.

NOELR (Calanoid copepod (*Acartia tonsa*); 48 h ; Static) : 100 mg/l ; Method: According to a standardised method.

OCTAMETHYLCYCLOTETRASILOXANE (556-67-2):

EC 50 (Water flea (*Daphnia magna*); 48 h ; Flow through) : > 0.015 mg/l ; Method: According to a standardised method.

TOLUENE (108-88-3):

EC 50 (Water flea (*Ceriodaphnia dubia*); 48 h ; semi-static) : 3.78 mg/l ; Method: According to a standardised method.

Aquatic plants: Based on our knowledge of the composition information:

2,4,6,8-TETRAMETHYL-2,4,6,8-TETRAVINYL CYCLOTETRASILOXANE (2554-06-5):

ErL50 (*Skeletonema costatum*; 70.5 h ; Static) : > 988 mg/l ; Method: According to a standardised method.

NOELR (*Skeletonema costatum*; 70.5 h ; Static) : >= 988 mg/l ; Method: According to a standardised method.

OCTAMETHYLCYCLOTETRASILOXANE (556-67-2):

ErC50 (Algae (*Pseudokirchneriella subcapitata*); 96 h) : > 0.022 mg/l ; Method: According to a standardised method.

ErC10 (Algae (*Pseudokirchneriella subcapitata*); 96 h) : >= 0.022 mg/l ; Method: According to a standardised method.

TOLUENE (108-88-3):

NOEC (biomass) (*Skeletonema costatum*; 72 h ; Static) : 10 mg/l ; Method: OECD 201

Toxicity to microorganisms: Based on our knowledge of the composition information:

OCTAMETHYLCYCLOTETRASILOXANE (556-67-2):

EC 50 (3 h) : > 10,000 mg/l

Chronic Toxicity:

Fish: Based on our knowledge of the composition information:

2,4,6,8-TETRAMETHYL-2,4,6,8-TETRAVINYL CYCLOTETRASILOXANE (2554-06-5):

NOEC (*Oncorhynchus mykiss*; 93 d ; Flow through) : \geq 0.0044 mg/l ; Method: OECD 210 ; Results obtained on a similar product.

OCTAMETHYLCYCLOTETRASILOXANE (556-67-2):

NOEC (*Oncorhynchus mykiss*; 93 d ; Flow through) : \geq 0.0044 mg/l ; Method: According to a standardised method.

TOLUENE (108-88-3):

NOEC (growth rate) (*Coho salmon*; 40 d ; Flow through) : 1.4 mg/l

Aquatic Invertebrates: Based on our knowledge of the composition information:

2,4,6,8-TETRAMETHYL-2,4,6,8-TETRAVINYL CYCLOTETRASILOXANE (2554-06-5):

NOEC (*Water flea (Daphnia magna)*; 21 d ; Flow through) : 0.0079 mg/l ; Method: OECD 211 ; Results obtained on a similar product.

OCTAMETHYLCYCLOTETRASILOXANE (556-67-2):

NOEC (*Water flea (Daphnia magna)*; 21 d ; Flow through) : \geq 0.015 mg/l ; Method: According to a standardised method.

TOLUENE (108-88-3):

NOEC (*Water flea (Ceriodaphnia dubia)*; 7 d ; semi-static) : 0.74 mg/l ; Method: According to a standardised method.

12.2 Persistence and Degradability:

Stability in water: No data available.

Biodegradation:

The product is not biodegradable.

BOD/COD Ratio: No data available.

12.3 Bioaccumulative potential:

Bioconcentration Factor (BCF):

The product is not bioaccumulating.

Partition coefficient (n-octanol/water): Based on our knowledge of the composition information:

2,4,6,8-TETRAMETHYL-2,4,6,8-TETRAVINYL CYCLOTETRASILOXANE (2554-06-5):

Log Kow: 6.47 (20 °C) ; Method: OECD 117

OCTAMETHYLCYCLOTETRASILOXANE (556-67-2):

Log Kow: 5.10

TOLUENE (108-88-3):

Log Kow: 2.73

12.4 Mobility in soil:

No data available.

12.5 Other adverse effects:

No data available.

13. Disposal considerations

13.1 Waste treatment methods:

The user's attention is drawn to the possible existence of local regulations regarding disposal.

Disposal methods:

Waste of this material should not be mixed with other waste. Provide measures such as vented bungs to ensure pressure relief in the waste container. Dispose of waste at an appropriate treatment and disposal facility in accordance with applicable laws and regulations, and product characteristics at time of disposal.

Contaminated Packaging:

Contaminated packages should be as empty as possible and equipped with a degassing device. Recycle following cleaning or dispose of at an authorized site. Packaging that cannot be cleaned should be disposed of in the same way as the product it contained.

14. Transport information

DOT

Not regulated.

IMDG / IMO

Not regulated.

IATA

Not regulated.

Other information:

Warning

Packaging with a breathing/venting bung are FORBIDDEN for transport by air.

15. Regulatory information

US Federal Regulations:

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D): None present or none present in regulated quantities.

CERCLA Hazardous Substance List (40 CFR 302.4): None present or none present in regulated quantities.

Superfund Amendments and Reauthorization Act of 1986 (SARA):

Hazard categories:

Reproductive toxicity

SARA 304 Emergency Release Notification: None present or none present in regulated quantities.

US. EPA Emergency Planning and Community Right-To-Know Act (EPCRA) SARA Title III Section 313 Toxic Chemicals (40 CFR 372.65) - Supplier Notification Required: None present or none present in regulated quantities.

US State Regulations:

US. California Proposition 65:



This product can expose you to chemicals including: Toluene (<0.4%) which is [are] known to the State of California to cause birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

US. New Jersey Worker and Community Right-to-Know Act:

Chemical Identity:

Quartz
 Carbon black

US. Massachusetts RTK - Substance List:

Chemical Identity:

Quartz
 Carbon black

US. Pennsylvania RTK - Hazardous Substances:

Chemical Identity:

Quartz
 Carbon black

US. Rhode Island RTK:

Chemical Identity:


Quartz
 Carbon black

Inventory Status:

Australia Industrial Chem. Act (AIIIC):	On or in compliance with the inventory.
Canada DSL Inventory List:	On or in compliance with the inventory.
China Inv. Existing Chemical Substances:	On or in compliance with the inventory.
Korea Existing Chemicals Inv. (KECI):	On or in compliance with the inventory.
New Zealand Inventory of Chemicals:	On or in compliance with the inventory.
Philippines PICCS:	On or in compliance with the inventory.
Taiwan Chemical Substance Inventory:	On or in compliance with the inventory.
US TSCA Inventory:	On or in compliance with the inventory.
Thailand DIW Existing Chemical Inv. List:	On or in compliance with the inventory.
Vietnam National Chemical Inventory:	On or in compliance with the inventory.
EINECS, ELINCS or NLP:	On or in compliance with the inventory.

16. Other information, including date of preparation or last revision

NFPA Hazard ID:



Hazard rating: 0 - Minimal; 1 - Slight; 2 - Moderate; 3 - Serious; 4 - Severe; RNP - Rating not possible

Wording of the H-statements in section 2 and 3:

H225 Highly flammable liquid and vapor.

H226	Flammable liquid and vapor.
H304	May be fatal if swallowed and enters airways.
H315	Causes skin irritation.
H336	May cause drowsiness or dizziness.
H350i	May cause cancer by inhalation.
H351	Suspected of causing cancer.
H360Fd	May damage fertility. Suspected of damaging the unborn child.
H361	Suspected of damaging fertility or the unborn child.
H372	Causes damage to organs through prolonged or repeated exposure.
H373	May cause damage to organs through prolonged or repeated exposure.
H410	Very toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.

Issue Date: 06/26/2023

Version #: 15.0

Further Information:

No data available.

Disclaimer:

The information given is based on data available for the material, the components of the material, and similar materials. The information is believed to be correct. It is given in good faith. This information should be used to make an independent determination of the methods to safeguard workers and the environment.