

# SAFETY DATA SHEET

Distributed By  
Freeman Manufacturing & Supply Co.  
www.freemansupply.com 800-321-8511  
**FREEMAN**

**HUNTSMAN**  
Enriching lives through innovation

## RENCAST® 4037 US

Version	Revision Date:	SDS Number:	Date of last issue:
1.1	02/11/2019	400001012677	10/30/2015
			Date of first issue: 10/30/2015

### SECTION 1. IDENTIFICATION

Product name : RENCAST® 4037 US

#### Manufacturer or supplier's details

Company name of supplier : Huntsman Advanced Materials Americas LLC  
Address : P.O. Box 4980  
The Woodlands,  
TX 77387  
United States of America (USA)  
Telephone : Non-Emergency: (800) 257-5547  
E-mail address of person responsible for the SDS : SDS@huntsman.com  
Emergency telephone number : Chemtrec: (800) 424-9300 or (703) 527-3887

#### Recommended use of the chemical and restrictions on use

Recommended use : Adhesives  
Restrictions on use : For industrial use only.



### SECTION 2. HAZARDS IDENTIFICATION

#### GHS classification in accordance with 29 CFR 1910.1200

Skin irritation : Category 2  
Serious eye damage : Category 1  
Skin sensitisation : Category 1  
Short-term (acute) aquatic hazard : Category 2  
Long-term (chronic) aquatic hazard : Category 2

#### GHS label elements

Hazard pictograms :

Signal word : Danger

Hazard statements : H315 Causes skin irritation.  
H317 May cause an allergic skin reaction.  
H318 Causes serious eye damage.

# SAFETY DATA SHEET

Distributed By  
Freeman Manufacturing & Supply Co.  
www.freemansupply.com 800-321-8511 FREEMAN



**HUNTSMAN**  
Enriching lives through innovation

## RENCAST® 4037 US

Version 1.1      Revision Date: 02/11/2019      SDS Number: 400001012677      Date of last issue: 10/30/2015  
Date of first issue: 10/30/2015

H411 Toxic to aquatic life with long lasting effects.

Precautionary statements : **Prevention:**  
P261 Avoid breathing dust/ fume/ gas/ mist/ vapours/ spray.  
P264 Wash skin thoroughly after handling.  
P272 Contaminated work clothing must not be allowed out of the workplace.  
P273 Avoid release to the environment.  
P280 Wear protective gloves/ eye protection/ face protection.  
**Response:**  
P302 + P352 IF ON SKIN: Wash with plenty of soap and water.  
P305 + P351 + P338 + P310 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/doctor.  
P333 + P313 If skin irritation or rash occurs: Get medical advice/ attention.  
P362 Take off contaminated clothing and wash before reuse.  
P391 Collect spillage.  
**Storage:**  
Not available  
**Disposal:**  
P501 Dispose of contents/container to an approved facility in accordance with local, regional, national and international regulations.

### Other hazards

None known.

## SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

### Hazardous components

Chemical name	CAS-No.	Concentration (% w/w)
aluminium	7429-90-5	30 - 50
2,2'-[(1-methylethylidene)bis(4,1-phenyleneoxymethylene)]bisoxirane	1675-54-3	25 - 30
limestone	1317-65-3	10 - 20
Epoxyphenol Novolac Resin	28064-14-4	10 - 20
aluminium hydroxide	21645-51-2	5 - 10
1,4-bis(2,3-epoxypropoxy)butane	2425-79-8	3 - 5
p-tert-butylphenyl 1-(2,3-epoxy)propyl ether	3101-60-8	0.25 - 1

The specific chemical identity and/or exact percentage (concentration) of composition may be withheld as a trade secret.

Both 25068-38-6 and 1675-54-3 can be used to describe the epoxy resin which is produced through the reaction of bisphenol A and epichlorohydrin

## SECTION 4. FIRST AID MEASURES

# SAFETY DATA SHEET

Distributed By  
Freeman Manufacturing & Supply Co.  
www.freemansupply.com 800-321-8511  
**FREEMAN**



**HUNTSMAN**  
Enriching lives through innovation

## RENCAST® 4037 US

Version 1.1	Revision Date: 02/11/2019	SDS Number: 400001012677	Date of last issue: 10/30/2015 Date of first issue: 10/30/2015
----------------	------------------------------	-----------------------------	---

- |   |  |
|---|--|
| General advice  | : Move out of dangerous area.<br>Consult a physician.<br>Show this safety data sheet to the doctor in attendance.<br>Treat symptomatically.<br>Get medical attention if symptoms occur.  |
| If inhaled  | : If inhaled, remove to fresh air.<br>Get medical attention if symptoms occur.   |
| In case of skin contact                                     | : If skin irritation persists, call a physician.<br>If on skin, rinse well with water.<br>If on clothes, remove clothes.   |
| In case of eye contact                                      | : Small amounts splashed into eyes can cause irreversible tissue damage and blindness.<br>In the case of contact with eyes, rinse immediately with plenty of water and seek medical advice.<br>Continue rinsing eyes during transport to hospital.<br>Remove contact lenses.<br>Keep eye wide open while rinsing.<br>If eye irritation persists, consult a specialist. |
| If swallowed  | : Keep respiratory tract clear.<br>Do NOT induce vomiting.<br>Never give anything by mouth to an unconscious person.<br>If symptoms persist, call a physician.<br>Take victim immediately to hospital.   |
| Most important symptoms and effects, both acute and delayed | : None known.  |
| Notes to physician  | : Treat symptomatically.   |

## SECTION 5. FIREFIGHTING MEASURES

- |                                |  |
|--------------------------------|--|
| Suitable extinguishing media   | : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.        |
| Unsuitable extinguishing media | : High volume water jet  |
| Hazardous combustion products  | : Metal oxides<br>Carbon oxides<br>Halogenated compounds<br>Carbon dioxide (CO <sub>2</sub> )<br>Carbon monoxide |
| Specific extinguishing methods | : No data is available on the product itself.  |
| Further information            | : Collect contaminated fire extinguishing water separately. This must not be discharged into drains.             |

**RENCAS<sup>®</sup> 4037 US**

Version	Revision Date:	SDS Number:	Date of last issue:
1.1	02/11/2019	400001012677	10/30/2015
			Date of first issue: 10/30/2015

Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

Special protective equipment for firefighters : Wear self-contained breathing apparatus for firefighting if necessary.

**SECTION 6. ACCIDENTAL RELEASE MEASURES**

Personal precautions, protective equipment and emergency procedures : Use personal protective equipment.  
Refer to protective measures listed in sections 7 and 8.

Environmental precautions : Prevent product from entering drains.  
Prevent further leakage or spillage if safe to do so.  
If the product contaminates rivers and lakes or drains inform respective authorities.

Methods and materials for containment and cleaning up : Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust).  
Keep in suitable, closed containers for disposal.

**SECTION 7. HANDLING AND STORAGE**

Advice on protection against fire and explosion : Normal measures for preventive fire protection.

Advice on safe handling : Do not breathe vapours or spray mist.  
Avoid exposure - obtain special instructions before use.  
Avoid contact with skin and eyes.  
For personal protection see section 8.  
Smoking, eating and drinking should be prohibited in the application area.  
To avoid spills during handling keep bottle on a metal tray.  
Dispose of rinse water in accordance with local and national regulations.  
Persons susceptible to skin sensitisation problems or asthma, allergies, chronic or recurrent respiratory disease should not be employed in any process in which this mixture is being used.

Conditions for safe storage : Keep container tightly closed in a dry and well-ventilated place.  
Containers which are opened must be carefully resealed and kept upright to prevent leakage.  
Keep in properly labelled containers.

Materials to avoid : For incompatible materials please refer to Section 10 of this SDS.

Recommended storage temperature : 36 - 104 °F / 2 - 40 °C

Further information on storage stability : Stable under normal conditions.

# SAFETY DATA SHEET

Distributed By  
Freeman Manufacturing & Supply Co.  
www.freemansupply.com 800-321-8511 FREEMAN

**HUNTSMAN**  
Enriching lives through innovation

## RENCAS<sup>®</sup> 4037 US

Version 1.1      Revision Date: 02/11/2019      SDS Number: 400001012677      Date of last issue: 10/30/2015  
Date of first issue: 10/30/2015

### SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
aluminium	7429-90-5	TWA (total dust)	15 mg/m3 (Aluminium)	OSHA Z-1
		TWA (respirable fraction)	5 mg/m3 (Aluminium)	OSHA Z-1
		TWA (Respirable fraction)	1 mg/m3 (Aluminium)	ACGIH
		TWA (total dust)	15 mg/m3 (Aluminium)	OSHA Z-1
		TWA (respirable fraction)	5 mg/m3 (Aluminium)	OSHA Z-1
		TWA (Respirable fraction)	1 mg/m3 (Aluminium)	ACGIH
limestone	1317-65-3	TWA (total dust)	15 mg/m3	OSHA Z-1
		TWA (respirable fraction)	5 mg/m3	OSHA Z-1
aluminium hydroxide	21645-51-2	TWA (Respirable fraction)	1 mg/m3 (Aluminium)	ACGIH
		TWA (Respirable fraction)	1 mg/m3 (Aluminium)	ACGIH

#### Personal protective equipment

Respiratory protection : General and local exhaust ventilation is recommended to maintain vapor exposures below recommended limits. Where concentrations are above recommended limits or are unknown, appropriate respiratory protection should be worn. Follow OSHA respirator regulations (29 CFR 1910.134) and use NIOSH/MSHA approved respirators. Protection provided by air purifying respirators against exposure to any hazardous chemical is limited. Use a positive pressure air supplied respirator if there is any potential for uncontrolled release, exposure levels are unknown, or any other circumstance where air purifying respirators may not provide adequate protection.

Hand protection

Remarks : The suitability for a specific workplace should be discussed with the producers of the protective gloves.

**RENCAS<sup>®</sup> 4037 US**

Version	Revision Date:	SDS Number:	Date of last issue:
1.1	02/11/2019	400001012677	10/30/2015
			Date of first issue: 10/30/2015

Eye protection	: Eye wash bottle with pure water Tightly fitting safety goggles Wear face-shield and protective suit for abnormal processing problems.
Skin and body protection	: Impervious clothing Choose body protection according to the amount and concentration of the dangerous substance at the work place.
Hygiene measures	: When using do not eat or drink. When using do not smoke. Wash hands before breaks and at the end of workday.

**SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES**

Appearance	: liquid
Colour	: grey
Odour	: slight
Odour Threshold	: No data is available on the product itself.
pH	: No data is available on the product itself.
Freezing point	: No data is available on the product itself.
Melting point	: No data is available on the product itself.
Boiling point	: > 351 °F / > 177 °C
Flash point	: > 300 °F / > 149 °C Method: Pensky-Martens closed cup
Evaporation rate	: No data is available on the product itself.
Flammability (solid, gas)	: No data is available on the product itself.
Flammability (liquids)	: No data is available on the product itself.
Upper explosion limit / Upper flammability limit	: No data is available on the product itself.
Lower explosion limit / Lower flammability limit	: No data is available on the product itself.
Vapour pressure	: 0.0097309 hPa (176 °F / 80 °C)
Relative vapour density	: No data is available on the product itself.
Relative density	: 1.73 - 1.78
Density	: No data is available on the product itself.

# SAFETY DATA SHEET

Distributed By  
Freeman Manufacturing & Supply Co.  
www.freemansupply.com 800-321-8511  
 FREEMAN

  
Enriching lives through innovation

## RENCAST® 4037 US

Version	Revision Date:	SDS Number:	Date of last issue: 10/30/2015
1.1	02/11/2019	400001012677	Date of first issue: 10/30/2015

Solubility(ies)	
Water solubility	: negligible
Solubility in other solvents	: No data is available on the product itself.
Partition coefficient: n-octanol/water	: No data is available on the product itself.
Auto-ignition temperature	: No data is available on the product itself.
Thermal decomposition	: No data is available on the product itself.
Self-Accelerating decomposition temperature (SADT)	: No data is available on the product itself.
Viscosity	: No data is available on the product itself.
Explosive properties	: No data is available on the product itself.
Oxidizing properties	: No data is available on the product itself.
Particle size	: No data is available on the product itself.

### SECTION 10. STABILITY AND REACTIVITY

Reactivity	: No dangerous reaction known under conditions of normal use.
Chemical stability	: Stable under normal conditions.
Possibility of hazardous reactions	: No hazards to be specially mentioned.
Conditions to avoid	: None known.
Incompatible materials	: None known.
Hazardous decomposition products	: aluminium oxide carbon dioxide carbon monoxide Halogenated compounds

### SECTION 11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure	: No data is available on the product itself.
<b>Acute toxicity</b>	
Acute oral toxicity - Product	: Acute toxicity estimate : > 5,000 mg/kg Method: Calculation method

# SAFETY DATA SHEET

Distributed By  
Freeman Manufacturing & Supply Co.  
www.freemansupply.com 800-321-8511  
**FREEMAN**



**HUNTSMAN**

Enriching lives through innovation

## RENCAST® 4037 US

Version	Revision Date:	SDS Number:	Date of last issue: 10/30/2015
1.1	02/11/2019	400001012677	Date of first issue: 10/30/2015

Acute inhalation toxicity - Product : Acute toxicity estimate: 35.28 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist  
Method: Calculation method

Acute dermal toxicity - Product : Acute toxicity estimate : > 5,000 mg/kg  
Method: Calculation method

Acute toxicity (other routes of administration) : No data available

### Skin corrosion/irritation

#### Components:

2,2'-[(1-methylethylidene)bis(4,1-phenyleneoxymethylene)]bisoxirane:

Species: Rabbit

Assessment: Mild skin irritant

Method: OECD Test Guideline 404

Result: Irritating to skin.

Epoxyphenol Novolac Resin:

Species: Rabbit

Method: OECD Test Guideline 404

Result: Irritating to skin.

1,4-bis(2,3-epoxypropoxy)butane:

Species: Rabbit

Method: OECD Test Guideline 404

Result: Skin irritation

p-tert-butylphenyl 1-(2,3-epoxy)propyl ether:

Species: Rat

Assessment: No skin irritation

Method: OECD Test Guideline 402

Result: No skin irritation

### Serious eye damage/eye irritation

#### Components:

2,2'-[(1-methylethylidene)bis(4,1-phenyleneoxymethylene)]bisoxirane:

Species: Rabbit

Result: Irritating to eyes.

Assessment: Mild eye irritant

Method: OECD Test Guideline 405

limestone:

Species: Rabbit

Result: Mechanical irritation of the eyes is possible.

Assessment: No eye irritation

Epoxyphenol Novolac Resin:

Species: Rabbit

Result: Irritating to eyes.



**RENCAST® 4037 US**

Version	Revision Date:	SDS Number:	Date of last issue: 10/30/2015
1.1	02/11/2019	400001012677	Date of first issue: 10/30/2015

Method: OECD Test Guideline 405

1,4-bis(2,3-epoxypropoxy)butane:

Species: Rabbit

Result: Risk of serious damage to eyes.

Method: OECD Test Guideline 405

p-tert-butylphenyl 1-(2,3-epoxy)propyl ether:

Species: Rabbit

Result: No eye irritation

Assessment: No eye irritation

Method: OECD Test Guideline 405

**Respiratory or skin sensitisation****Components:**

2,2'-[(1-methylethylidene)bis(4,1-phenyleneoxymethylene)]bisoxirane:

Exposure routes: Skin

Species: Mouse

Assessment: May cause sensitisation by skin contact.

Method: OECD Test Guideline 429

Result: Causes sensitisation.

limestone:

Exposure routes: Skin

Species: Guinea pig

Method: OECD Test Guideline 406

Result: Does not cause skin sensitisation.

Epoxyphenol Novolac Resin:

Exposure routes: Skin

Species: Mouse

Method: OECD Test Guideline 429

Result: May cause sensitisation by skin contact.

1,4-bis(2,3-epoxypropoxy)butane:

Exposure routes: Skin

Species: Guinea pig

Method: OECD Test Guideline 406

Result: May cause sensitisation by skin contact.

p-tert-butylphenyl 1-(2,3-epoxy)propyl ether:

Exposure routes: Skin

Species: Mouse

Method: OECD Test Guideline 429

Result: The product is a skin sensitizer, sub-category 1A.

Assessment: No data available

**Germ cell mutagenicity****Components:**

2,2'-[(1-methylethylidene)bis(4,1-phenyleneoxymethylene)]bisoxirane:

Genotoxicity in vitro : Metabolic activation: with and without metabolic activation

Method: OECD Test Guideline 476

Result: positive

**RENCAS<sup>®</sup> 4037 US**

Version	Revision Date:	SDS Number:	Date of last issue: 10/30/2015
1.1	02/11/2019	400001012677	Date of first issue: 10/30/2015

Concentration: 0 - 5000 ug/plate  
Metabolic activation: with and without metabolic activation  
Method: OECD Test Guideline 471  
Result: positive

Epoxyphenol Novolac Resin:  
Genotoxicity in vitro

: Metabolic activation: with and without metabolic activation  
Result: positive

Concentration: 0 - 5000 ug/plate  
Metabolic activation: with and without metabolic activation  
Result: positive

1,4-bis(2,3-epoxypropoxy)butane:  
Genotoxicity in vitro

: Concentration: 10 - 5000 ug/plate  
Metabolic activation: with and without metabolic activation  
Method: OECD Test Guideline 471  
Result: positive  
Remarks: Not classified due to data which are conclusive  
although insufficient for classification.

Concentration: 1 - 100 µg/L  
Metabolic activation: with and without metabolic activation  
Method: OECD Test Guideline 473  
Result: positive  
Remarks: Not classified due to data which are conclusive  
although insufficient for classification.

p-tert-butylphenyl 1-(2,3-epoxy)propyl ether:

Genotoxicity in vitro

: Test Type: Chromosome aberration test in vitro  
Test system: Chinese hamster ovary cells  
Concentration: 50 ug/plate  
Metabolic activation: negative  
Method: OECD Test Guideline 473  
Result: positive

Test Type: Ames test  
Test system: Salmonella typhimurium  
Metabolic activation: with and without metabolic activation  
Method: OECD Test Guideline 471  
Result: positive

**Components:**

2,2'-[(1-methylethylidene)bis(4,1-phenyleneoxymethylene)]bisoxirane:

Genotoxicity in vivo

: Cell type: Germ  
Application Route: Oral  
Method: OECD Test Guideline 478  
Result: negative

Cell type: Somatic  
Application Route: Oral  
Dose: 0 - 5000 mg/kg  
Method: OPPTS 870.5395  
Result: negative

**RENCAST® 4037 US**

Version	Revision Date:	SDS Number:	Date of last issue: 10/30/2015
1.1	02/11/2019	400001012677	Date of first issue: 10/30/2015

## Epoxyphenol Novolac Resin:

Genotoxicity in vivo

: Cell type: Germ  
Application Route: Oral  
Result: negative

Cell type: Somatic  
Application Route: Oral  
Dose: 0 - 5000 mg/kg  
Result: negative

## 1,4-bis(2,3-epoxypropoxy)butane:

Genotoxicity in vivo

: Test Type: In vivo micronucleus test  
Species: Mouse  
Cell type: Somatic  
Application Route: Oral  
Exposure time: 4 d  
Dose: 187.5 - 750 mg/kg  
Method: OECD Test Guideline 474  
Result: negative

Test Type: unscheduled DNA synthesis assay  
Species: Rat  
Cell type: Liver cells  
Application Route: Oral  
Method: OECD Test Guideline 486  
Result: negative

**Components:**

## 1,4-bis(2,3-epoxypropoxy)butane:

Germ cell mutagenicity-  
Assessment

: Weight of evidence does not support classification as a germ  
cell mutagen.

Germ cell mutagenicity-  
Assessment

: No data available

**Carcinogenicity****Components:**

## 2,2'-[(1-methylethylidene)bis(4,1-phenyleneoxymethylene)]bisoxirane:

Species: Rat, male and female

Application Route: Oral

Exposure time: 24 month(s)

Dose: 15 mg/kg

Frequency of Treatment: 7 days/week

Method: OECD Test Guideline 453

Result: negative

Species: Mouse, male

Application Route: Dermal

Exposure time: 24 month(s)

Dose: 0.1 mg/kg

Frequency of Treatment: 3 days/week

Method: OECD Test Guideline 453

# SAFETY DATA SHEET

Distributed By  
Freeman Manufacturing & Supply Co.  
www.freemansupply.com 800-321-8511  
**FREEMAN**



**HUNTSMAN**  
Enriching lives through innovation

## RENCAST® 4037 US

Version 1.1	Revision Date: 02/11/2019	SDS Number: 400001012677	Date of last issue: 10/30/2015 Date of first issue: 10/30/2015
----------------	------------------------------	-----------------------------	---

Result: negative

Species: Rat, female  
Application Route: Dermal  
Exposure time: 24 month(s)  
Dose: 1 mg/kg  
Frequency of Treatment: 5 days/week  
Method: OECD Test Guideline 453  
Result: negative

Epoxyphenol Novolac Resin:  
Species: Rat, male and female  
Application Route: Oral  
Exposure time: 24 month(s)  
Dose: 15 mg/kg  
Frequency of Treatment: 7 daily  
Method: OECD Test Guideline 453  
Result: negative

Species: Mouse, male  
Application Route: Dermal  
Exposure time: 24 month(s)  
Dose: .1 mg/kg  
Frequency of Treatment: 3 daily  
Method: OECD Test Guideline 453  
Result: negative

Species: Rat, female  
Application Route: Dermal  
Exposure time: 24 month(s)  
Dose: 1 mg/kg  
Frequency of Treatment: 5 daily  
Method: OECD Test Guideline 453  
Result: negative

Carcinogenicity - Assessment : No data available

**IARC** No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

**ACGIH** No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by ACGIH.

**OSHA** No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.

**NTP** No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

### Reproductive toxicity

#### Components:

**RENCAS<sup>®</sup> 4037 US**

Version	Revision Date:	SDS Number:	Date of last issue: 10/30/2015
1.1	02/11/2019	400001012677	Date of first issue: 10/30/2015

2,2'-[(1-methylethylidene)bis(4,1-phenyleneoxymethylene)]bisoxirane:

Effects on fertility

: Test Type: Two-generation study  
Species: Rat, male and female  
Application Route: Oral  
Dose: >750 milligram per kilogram  
General Toxicity - Parent: No-observed-effect level: 540 mg/kg body weight  
General Toxicity F1: No-observed-effect level: 540 mg/kg body weight  
Symptoms: No adverse effects  
Method: OECD Test Guideline 416  
Result: No effects on fertility and early embryonic development were detected.

Epoxyphenol Novolac Resin:

Species: Rat, male and female  
Application Route: Oral  
Method: OECD Test Guideline 416  
Result: No effects on fertility and early embryonic development were detected.

**Components:**

2,2'-[(1-methylethylidene)bis(4,1-phenyleneoxymethylene)]bisoxirane:

Effects on foetal development

: Species: Rabbit, female  
Application Route: Dermal  
General Toxicity Maternal: No observed adverse effect level: 30 mg/kg body weight  
Method: Other guidelines  
Result: No teratogenic effects

Species: Rabbit, female  
Application Route: Oral  
General Toxicity Maternal: No observed adverse effect level: 60 mg/kg body weight  
Method: OECD Test Guideline 414  
Result: No teratogenic effects

Species: Rat, female  
Application Route: Oral  
General Toxicity Maternal: No observed adverse effect level: 180 mg/kg body weight  
Method: OECD Test Guideline 414  
Result: No teratogenic effects

Epoxyphenol Novolac Resin:

Species: Rabbit, female  
Application Route: Dermal  
General Toxicity Maternal: No observed adverse effect level: 30 mg/kg body weight  
Result: No teratogenic effects

Species: Rabbit, female  
Application Route: Oral  
General Toxicity Maternal: No observed adverse effect level: 60 mg/kg body weight

**RENCAST® 4037 US**

Version	Revision Date:	SDS Number:	Date of last issue: 10/30/2015
1.1	02/11/2019	400001012677	Date of first issue: 10/30/2015

Method: OECD Test Guideline 414  
Result: No teratogenic effects

Species: Rat, female  
Application Route: Oral  
General Toxicity Maternal: No observed adverse effect level:  
180 mg/kg body weight  
Method: OECD Test Guideline 414  
Result: No teratogenic effects

Reproductive toxicity - : No data available  
Assessment

**STOT - single exposure**

No data available

**STOT - repeated exposure**

No data available

**Repeated dose toxicity****Components:**

2,2'-[(1-methylethylidene)bis(4,1-phenyleneoxymethylene)]bisoxirane:

Species: Rat, male and female

NOAEL: 50 mg/kg

Application Route: Ingestion

Exposure time: 14 Weeks

Number of exposures: 7 d

Method: Subchronic toxicity

Species: Rat, male and female

NOEL: 10 mg/kg

Application Route: Skin contact

Exposure time: 13 Weeks

Number of exposures: 5 d

Method: Subchronic toxicity

Species: Mouse, male

NOAEL: 100 mg/kg

Application Route: Skin contact

Exposure time: 13 Weeks

Number of exposures: 3 d

Method: Subchronic toxicity

Epoxyphenol Novolac Resin:

Species: Rat, male and female

NOAEL: 50 mg/kg

Application Route: Ingestion

Exposure time: 14 Weeks

Number of exposures: 7 d

Method: Subchronic toxicity

Species: Rat, male and female

# SAFETY DATA SHEET

Distributed By  
Freeman Manufacturing & Supply Co.  
www.freemansupply.com 800-321-8511



**HUNTSMAN**

Enriching lives through innovation

## RENCAST® 4037 US

Version	Revision Date:	SDS Number:	Date of last issue: 10/30/2015
1.1	02/11/2019	400001012677	Date of first issue: 10/30/2015

NOEL: 10 mg/kg  
Application Route: Skin contact  
Exposure time: 13 Weeks  
Number of exposures: 5 d  
Method: Subchronic toxicity

Species: Mouse, male  
NOAEL: 100 mg/kg  
Application Route: Skin contact  
Exposure time: 13 Weeks  
Number of exposures: 3 d  
Method: Subchronic toxicity

1,4-bis(2,3-epoxypropoxy)butane:  
Species: Rat, male and female  
NOAEL: 200 mg/kg  
Application Route: Ingestion  
Exposure time: 28 d  
Number of exposures: 7 d  
Method: Subacute toxicity

Repeated dose toxicity - : No data available  
Assessment

### Aspiration toxicity

No data available

### Experience with human exposure

General Information: No data available

Inhalation: No data available

Skin contact: No data available

Eye contact: No data available

Ingestion: No data available

### Toxicology, Metabolism, Distribution

No data available

### Neurological effects

No data available

### Further information

Ingestion: No data available

**RENCAST® 4037 US**

Version	Revision Date:	SDS Number:	Date of last issue:
1.1	02/11/2019	400001012677	10/30/2015
			Date of first issue: 10/30/2015

**SECTION 12. ECOLOGICAL INFORMATION****Ecotoxicity****Components:**

2,2'-[(1-methylethylidene)bis(4,1-phenyleneoxymethylene)]bisoxirane:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 1.5 mg/l  
Exposure time: 96 h  
Test Type: static test  
Test substance: Fresh water  
Method: OECD Test Guideline 203

limestone:

Toxicity to fish : LC50: > 56,000 mg/l  
Exposure time: 96 h

Epoxyphenol Novolac Resin:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 1.5 mg/l  
Exposure time: 96 h  
Test Type: static test  
Test substance: Fresh water  
Method: OECD Test Guideline 203

aluminium hydroxide:

Toxicity to fish : LC50: > 10,000 mg/l  
Exposure time: 96 h

1,4-bis(2,3-epoxypropoxy)butane:

Toxicity to fish : LC50 (Brachydanio rerio (zebrafish)): 24 mg/l  
Exposure time: 96 h  
Test Type: static test  
Test substance: Fresh water  
Method: OECD Test Guideline 203

p-tert-butylphenyl 1-(2,3-epoxy)propyl ether:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 7.5 mg/l  
Exposure time: 96 h  
Test Type: static test  
Test substance: Fresh water  
Method: OECD Test Guideline 203

**Components:**

2,2'-[(1-methylethylidene)bis(4,1-phenyleneoxymethylene)]bisoxirane:

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 2.7 mg/l  
Exposure time: 48 h  
Test Type: static test  
Test substance: Fresh water

Epoxyphenol Novolac Resin:

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 1.7 mg/l  
Exposure time: 48 h  
Test Type: static test



**RENCAS<sup>®</sup> 4037 US**

Version	Revision Date:	SDS Number:	Date of last issue:
1.1	02/11/2019	400001012677	10/30/2015
			Date of first issue: 10/30/2015

Test substance: Fresh water  
Method: OECD Test Guideline 202

EC50 (Daphnia magna (Water flea)): 2.7 mg/l  
Exposure time: 48 h  
Test Type: static test  
Test substance: Fresh water

aluminium hydroxide:  
Toxicity to daphnia and other : EC50: > 10,000 mg/l  
aquatic invertebrates Exposure time: 48 h

1,4-bis(2,3-epoxypropoxy)butane:  
Toxicity to daphnia and other : EC50 (Daphnia magna (Water flea)): 75 mg/l  
aquatic invertebrates Exposure time: 24 h  
Test Type: static test  
Test substance: Fresh water  
Method: OECD Test Guideline 202

p-tert-butylphenyl 1-(2,3-epoxy)propyl ether:  
Toxicity to daphnia and other : EC50 (Daphnia magna (Water flea)): ca. 67.9 mg/l  
aquatic invertebrates Exposure time: 48 h  
Test Type: static test  
Test substance: Fresh water  
Method: OECD Test Guideline 202

**Components:**

2,2'-[(1-methylethylidene)bis(4,1-phenyleneoxymethylene)]bisoxirane:  
Toxicity to algae/aquatic : EC50 (Selenastrum capricornutum (green algae)): 9.4 mg/l  
plants Exposure time: 72 h  
Test Type: static test  
Test substance: Fresh water  
Method: EPA-660/3-75-009

Epoxyphenol Novolac Resin:  
Toxicity to algae/aquatic : EC50 (Selenastrum capricornutum (green algae)): 9.4 mg/l  
plants Exposure time: 72 h  
Test Type: static test  
Test substance: Fresh water

1,4-bis(2,3-epoxypropoxy)butane:  
Toxicity to algae/aquatic : EL50: > 160 mg/l  
plants Exposure time: 72 h  
Test Type: static test  
Test substance: Fresh water  
Method: OECD Test Guideline 201

p-tert-butylphenyl 1-(2,3-epoxy)propyl ether:  
Toxicity to algae/aquatic : EbC50 (Selenastrum capricornutum (green algae)): ca. 9 mg/l  
plants Exposure time: 72 h  
Test Type: static test  
Test substance: Fresh water  
Method: OECD Test Guideline 201

M-Factor (Acute aquatic) : No data available

**RENCAST® 4037 US**

Version	Revision Date:	SDS Number:	Date of last issue: 10/30/2015
1.1	02/11/2019	400001012677	Date of first issue: 10/30/2015

toxicity)

**Components:**

Epoxyphenol Novolac Resin:

Toxicity to fish (Chronic toxicity) : GLP: yes

**Components:**

2,2'-[(1-methylethylidene)bis(4,1-phenyleneoxymethylene)]bisoxirane:

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Daphnia magna (Water flea)): 0.3 mg/l  
 Exposure time: 21 d  
 Test Type: semi-static test  
 Test substance: Fresh water  
 Method: OECD Test Guideline 211

limestone:

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : EC50 (Daphnia magna (Water flea)): > 350 mg/l  
 Exposure time: 125 d  
 Test Type: semi-static test  
 Test substance: Fresh water

Epoxyphenol Novolac Resin:

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Daphnia magna (Water flea)): 0.3 mg/l  
 Exposure time: 21 d  
 Test Type: semi-static test  
 Test substance: Fresh water  
 Method: OECD Test Guideline 211

M-Factor (Chronic aquatic toxicity) : No data available

**Components:**

2,2'-[(1-methylethylidene)bis(4,1-phenyleneoxymethylene)]bisoxirane:

Toxicity to microorganisms : IC50 (activated sludge): > 100 mg/l  
 Exposure time: 3 h  
 Test Type: static test  
 Test substance: Fresh water

Epoxyphenol Novolac Resin:

Toxicity to microorganisms : IC50 (activated sludge): > 100 mg/l  
 Exposure time: 3 h  
 Test Type: static test  
 Test substance: Fresh water

1,4-bis(2,3-epoxypropoxy)butane:

Toxicity to microorganisms : IC50 (activated sludge): > 100 mg/l  
 Exposure time: 3 h  
 Test Type: static test  
 Test substance: Fresh water  
 Method: OECD Test Guideline 209

p-tert-butylphenyl 1-(2,3-epoxy)propyl ether:

Toxicity to microorganisms : EC50: > 1,000 mg/l  
 Exposure time: 3 h  
 Test Type: static test

**RENCAST® 4037 US**

Version	Revision Date:	SDS Number:	Date of last issue: 10/30/2015
1.1	02/11/2019	400001012677	Date of first issue: 10/30/2015

Test substance: Fresh water  
 Method: OECD Test Guideline 209

Toxicity to soil dwelling organisms : No data available

Plant toxicity : No data available

Sediment toxicity : No data available

Toxicity to terrestrial organisms : No data available

Ecotoxicology Assessment  
 Acute aquatic toxicity : No data available

Chronic aquatic toxicity : No data available

Toxicity Data on Soil : No data available

Other organisms relevant to the environment : No data available

**Persistence and degradability****Components:**

2,2'-[(1-methylethylidene)bis(4,1-phenyleneoxymethylene)]bisoxirane:

Biodegradability : Inoculum: Sewage (STP effluent)  
 Concentration: 20 mg/l  
 Result: Not readily biodegradable.  
 Biodegradation: 5 %  
 Exposure time: 28 d  
 Method: OECD Test Guideline 301F

Epoxyphenol Novolac Resin:

Biodegradability : Inoculum: Sewage (STP effluent)  
 Concentration: 20 mg/l  
 Result: Not readily biodegradable.  
 Biodegradation: 5 %  
 Exposure time: 28 d  
 Method: OECD Test Guideline 301F

1,4-bis(2,3-epoxypropoxy)butane:

Biodegradability : Inoculum: activated sludge  
 Concentration: 20 mg/l  
 Result: Not readily biodegradable.  
 Biodegradation: 43 %  
 Exposure time: 28 d  
 Method: OECD Test Guideline 301F

p-tert-butylphenyl 1-(2,3-epoxy)propyl ether:

Biodegradability : Test Type: aerobic  
 Inoculum: activated sludge  
 Concentration: 5 mg/l  
 Result: Not readily biodegradable.  
 Biodegradation: ca. 1.1 %

# SAFETY DATA SHEET

Distributed By  
Freeman Manufacturing & Supply Co.  
www.freemansupply.com 800-321-8511 **FREEMAN**



**HUNTSMAN**  
Enriching lives through innovation

## RENCAST® 4037 US

Version	Revision Date:	SDS Number:	Date of last issue:
1.1	02/11/2019	400001012677	10/30/2015
			Date of first issue: 10/30/2015

Exposure time: 28 d  
Method: OECD Test Guideline 301D

Biochemical Oxygen Demand (BOD) : No data available

Chemical Oxygen Demand (COD) : No data available

BOD/COD : No data available

ThOD : No data available

BOD/ThOD : No data available

Dissolved organic carbon (DOC) : No data available

Physico-chemical removability : No data available

### **Components:**

2,2'-[(1-methylethylidene)bis(4,1-phenyleneoxymethylene)]bisoxirane:

Stability in water : Degradation half life(DT50): 4.83 d (77 °F / 25 °C) pH: 4  
Method: OECD Test Guideline 111  
Remarks: Fresh water

Degradation half life(DT50): 7.1 d (77 °F / 25 °C) pH: 9  
Method: OECD Test Guideline 111  
Remarks: Fresh water

Degradation half life(DT50): 3.58 d (77 °F / 25 °C) pH: 7  
Method: OECD Test Guideline 111  
Remarks: Fresh water

Epoxyphenol Novolac Resin:

Stability in water : Degradation half life(DT50): 4.83 d (77 °F / 25 °C) pH: 4  
Method: OECD Test Guideline 111  
Remarks: Fresh water

Degradation half life(DT50): 7.1 d (77 °F / 25 °C) pH: 9  
Method: OECD Test Guideline 111  
Remarks: Fresh water

Degradation half life(DT50): 3.58 d (77 °F / 25 °C) pH: 7  
Method: OECD Test Guideline 111  
Remarks: Fresh water

p-tert-butylphenyl 1-(2,3-epoxy)propyl ether:

Stability in water : Degradation half life(DT50): ca. 17 d (77 °F / 25 °C) pH: 7  
Method: OECD Test Guideline 111  
Remarks: Fresh water

Degradation half life(DT50): ca. 7.98 d (77 °F / 25 °C) pH: 4

# SAFETY DATA SHEET

Distributed By  
Freeman Manufacturing & Supply Co.  
www.freemansupply.com 800-321-8511 **FREEMAN**



**HUNTSMAN**  
Enriching lives through innovation

## RENCAS<sup>®</sup> 4037 US

Version	Revision Date:	SDS Number:	Date of last issue:
1.1	02/11/2019	400001012677	10/30/2015
			Date of first issue: 10/30/2015

Method: OECD Test Guideline 111  
Remarks: Fresh water

Degradation half life(DT50): ca. 10.8 d (77 °F / 25 °C) pH: 9  
Method: OECD Test Guideline 111  
Remarks: Fresh water

Photodegradation : No data available

Impact on Sewage Treatment : No data available

### Bioaccumulative potential

#### Components:

2,2'-[(1-methylethylidene)bis(4,1-phenyleneoxymethylene)]bisoxirane:  
Bioaccumulation : Bioconcentration factor (BCF): 31  
Remarks: Does not bioaccumulate.

Epoxyphenol Novolac Resin:  
Bioaccumulation : Bioconcentration factor (BCF): 31  
Remarks: Does not bioaccumulate.

#### Components:

2,2'-[(1-methylethylidene)bis(4,1-phenyleneoxymethylene)]bisoxirane:  
Partition coefficient: n-octanol/water : log Pow: 3.242 (77 °F / 25 °C)  
pH: 7.1  
Method: OECD Test Guideline 117

limestone:  
Partition coefficient: n-octanol/water : log Pow: < 1

Epoxyphenol Novolac Resin:  
Partition coefficient: n-octanol/water : log Pow: 3.242 (77 °F / 25 °C)  
pH: 7.1  
Method: OECD Test Guideline 117

1,4-bis(2,3-epoxypropoxy)butane:  
Partition coefficient: n-octanol/water : log Pow: -0.269 (77 °F / 25 °C)  
pH: 6.7  
Method: OECD Test Guideline 117

p-tert-butylphenyl 1-(2,3-epoxy)propyl ether:  
Partition coefficient: n-octanol/water : log Pow: 3.59 (68 °F / 20 °C)  
pH: 7  
Method: OECD Test Guideline 107

### Mobility in soil

Mobility : No data available

#### Components:

2,2'-[(1-methylethylidene)bis(4,1-phenyleneoxymethylene)]bisoxirane:

# SAFETY DATA SHEET

Distributed By  
Freeman Manufacturing & Supply Co.  
www.freemansupply.com 800-321-8511



**HUNTSMAN**  
Enriching lives through innovation

## RENCAST® 4037 US

Version	Revision Date:	SDS Number:	Date of last issue:
1.1	02/11/2019	400001012677	10/30/2015
			Date of first issue: 10/30/2015

Distribution among environmental compartments : Koc: 445  
Epoxyphenol Novolac Resin:  
Distribution among environmental compartments : Koc: 445  
1,4-bis(2,3-epoxypropoxy)butane:  
Distribution among environmental compartments : Koc: 12.59  
Method: OECD Test Guideline 121

p-tert-butylphenyl 1-(2,3-epoxy)propyl ether:  
Distribution among environmental compartments : OECD Test Guideline 121  
Koc: ca. 755, log Koc: ca. 2.88  
Method: OECD Test Guideline 121

Stability in soil : No data available

### Other adverse effects

Environmental fate and pathways : No data available

Results of PBT and vPvB assessment : No data available

Endocrine disrupting potential : No data available

Adsorbed organic bound halogens (AOX) : No data available

### Hazardous to the ozone layer

Ozone-Depletion Potential : Regulation: 40 CFR Protection of Environment; Part 82  
Protection of Stratospheric Ozone - CAA Section 602 Class I Substances  
Remarks: This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B).

Additional ecological information - Product : An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.  
Toxic to aquatic life with long lasting effects.

Global warming potential (GWP) : No data available

## SECTION 13. DISPOSAL CONSIDERATIONS

### Disposal methods

Waste from residues : The product should not be allowed to enter drains, water courses or the soil.  
Do not contaminate ponds, waterways or ditches with chemical or used container.  
Send to a licensed waste management company.

# SAFETY DATA SHEET

Distributed By  
Freeman Manufacturing & Supply Co.  
www.freemansupply.com 800-321-8511 FREEMAN



**HUNTSMAN**

Enriching lives through innovation

## RENCAST® 4037 US

Version	Revision Date:	SDS Number:	Date of last issue: 10/30/2015
1.1	02/11/2019	400001012677	Date of first issue: 10/30/2015

Dispose of as hazardous waste in compliance with local and national regulations.

Dispose of contents/ container to an approved waste disposal plant.

Contaminated packaging : Empty remaining contents.  
Dispose of as unused product.  
Do not re-use empty containers.

## SECTION 14. TRANSPORT INFORMATION

### International Regulations

#### IATA

UN/ID No.	: UN 3082
Proper shipping name	: Environmentally hazardous substance, liquid, n.o.s. (BISPHENOL A EPOXY RESIN, EPOXY PHENOL NOVOLAC RESIN)
Class	: 9
Packing group	: III
Labels	: Miscellaneous
Packing instruction (cargo aircraft)	: 964
Packing instruction (passenger aircraft)	: 964
Environmentally hazardous	: yes

#### IMDG

UN number	: UN 3082
Proper shipping name	: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (BISPHENOL A EPOXY RESIN, EPOXY PHENOL NOVOLAC RESIN)
Class	: 9
Packing group	: III
Labels	: 9
EmS Code	: F-A, S-F
Marine pollutant	: yes

### Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

### National Regulations

#### DOT Classification

UN/ID/NA number	: UN 3082
Proper shipping name	: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (BISPHENOL A EPOXY RESIN, EPOXY PHENOL NOVOLAC RESIN)

# SAFETY DATA SHEET

Distributed By  
Freeman Manufacturing & Supply Co.  
www.freemansupply.com 800-321-8511  
**FREEMAN**

**HUNTSMAN**  
Enriching lives through innovation

## RENCAST® 4037 US

Version	Revision Date:	SDS Number:	Date of last issue:
1.1	02/11/2019	400001012677	10/30/2015
			Date of first issue: 10/30/2015

Class	: 9
Packing group	: III
Labels	: CLASS 9
ERG Code	: 171
Marine pollutant	: yes(BISPHENOL A EPOXY RESIN, EPOXY PHENOL NOVOLAC RESIN)
Remarks	: Shipment by ground under DOT is non-regulated; however it may be shipped per the applicable hazard classification to facilitate multi-modal transport involving ICAO (IATA) or IMO.

### Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

## SECTION 15. REGULATORY INFORMATION

### EPCRA - Emergency Planning and Community Right-to-Know Act

#### CERCLA Reportable Quantity

Components	CAS-No.	Component RQ (lbs)	Calculated product RQ (lbs)
1-chloro-2,3-epoxypropane	106-89-8	100	*

\*: Calculated RQ exceeds reasonably attainable upper limit.

**SARA 311/312 Hazards** : Skin corrosion or irritation  
Serious eye damage or eye irritation  
Respiratory or skin sensitisation

**SARA 313** : This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

This product does not contain any hazardous air pollutants (HAP), as defined by the U.S. Clean Air Act Section 112 (40 CFR 61).

### California Prop. 65

WARNING: This product can expose you to chemicals including 4,4'-isopropylidenediphenol, which is/are known to the State of California to cause birth defects or other reproductive harm. For more information go to [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov).

### The components of this product are reported in the following inventories:

CH INV	: On the inventory, or in compliance with the inventory
DSL	: This product contains one or several components listed in the Canadian NDSL.
AICS	: On the inventory, or in compliance with the inventory
NZIoC	: not determined
ENCS	: On the inventory, or in compliance with the inventory



# SAFETY DATA SHEET

Distributed By  
Freeman Manufacturing & Supply Co.  
www.freemansupply.com 800-321-8511



**HUNTSMAN**  
Enriching lives through innovation

## RENCAST® 4037 US

Version	Revision Date:	SDS Number:	Date of last issue:
1.1	02/11/2019	400001012677	10/30/2015
			Date of first issue: 10/30/2015

KECI : On the inventory, or in compliance with the inventory

PICCS : On the inventory, or in compliance with the inventory

IECSC : On the inventory, or in compliance with the inventory

TCSI : On the inventory, or in compliance with the inventory

TSCA : On the inventory, or in compliance with the inventory

### Inventories

AICS (Australia), DSL (Canada), IECSC (China), REACH (European Union), ENCS (Japan), ISHL (Japan), KECI (Korea), NZIoC (New Zealand), PICCS (Philippines), TCSI (Taiwan), TSCA (USA)

### TSCA - 5(a) Significant New Use Rule List of Chemicals

No substances are subject to a Significant New Use Rule.


### US. Toxic Substances Control Act (TSCA) Section 12(b) Export Notification (40 CFR 707, Subpt D)

No substances are subject to TSCA 12(b) export notification requirements.

## SECTION 16. OTHER INFORMATION

### Further information

#### NFPA 704:



#### HMIS® IV:

HEALTH		3
FLAMMABILITY		1
PHYSICAL HAZARD		0

HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. The "\*" represents a chronic hazard, while the "/" represents the absence of a chronic hazard

Revision Date : 02/11/2019

ACGIH : USA. ACGIH Threshold Limit Values (TLV)

OSHA Z-1 : USA. Occupational Exposure Limits (OSHA) - Table Z-1  
Limits for Air Contaminants

ACGIH / TWA : 8-hour, time-weighted average

OSHA Z-1 / TWA : 8-hour time weighted average

# SAFETY DATA SHEET

Distributed By  
Freeman Manufacturing & Supply Co.  
www.freemansupply.com 800-321-8511



**HUNTSMAN**  
Enriching lives through innovation

## RENCAST® 4037 US

Version	Revision Date:	SDS Number:	Date of last issue: 10/30/2015
1.1	02/11/2019	400001012677	Date of first issue: 10/30/2015

The information and recommendations in this publication are to the best of our knowledge, information and belief accurate at the date of publication, NOTHING HEREIN IS TO BE CONSTRUED AS A WARRANTY, EXPRESS OR OTHERWISE.

IN ALL CASES, IT IS THE RESPONSIBILITY OF THE USER TO DETERMINE THE APPLICABILITY OF SUCH INFORMATION AND RECOMMENDATIONS AND THE SUITABILITY OF ANY PRODUCT FOR ITS OWN PARTICULAR PURPOSE.

THE PRODUCT MAY PRESENT HAZARDS AND SHOULD BE USED WITH CAUTION. WHILE CERTAIN HAZARDS ARE DESCRIBED IN THIS PUBLICATION, NO GUARANTEE IS MADE THAT THESE ARE THE ONLY HAZARDS THAT EXIST.

Hazards, toxicity and behaviour of the products may differ when used with other materials and are dependent upon the manufacturing circumstances or other processes. Such hazards, toxicity and behaviour should be determined by the user and made known to handlers, processors and end users.

The trademarks above are the property of Huntsman Corporation or an affiliate thereof.

NO PERSON OR ORGANIZATION EXCEPT A DULY AUTHORIZED HUNTSMAN EMPLOYEE IS AUTHORIZED TO PROVIDE OR MAKE AVAILABLE DATA SHEETS FOR HUNTSMAN PRODUCTS. DATA SHEETS FROM UNAUTHORIZED SOURCES MAY CONTAIN INFORMATION THAT IS NO LONGER CURRENT OR ACCURATE.

**REN® 4037 US**

Version	Revision Date:	SDS Number:	Date of last issue:
1.1	07/18/2017	400001012654	05/26/2016
			Date of first issue: 05/26/2016

**SECTION 1. IDENTIFICATION**

Product name : REN® 4037 US

**Manufacturer or supplier's details**

Company name of supplier : Huntsman Advanced Materials Americas LLC  
Address : P.O. Box 4980  
The Woodlands,  
TX 77387  
United States of America (USA)  
Telephone : Non-Emergency: (800) 257-5547  
E-mail address of person responsible for the SDS : MSDS@huntsman.com  
Emergency telephone number : Chemtrec: (800) 424-9300 or (703) 527-3887

**Recommended use of the chemical and restrictions on use**

Recommended use : Hardener

**SECTION 2. HAZARDS IDENTIFICATION****GHS classification in accordance with 29 CFR 1910.1200**

Acute toxicity (Oral) : Category 4  
Acute toxicity (Inhalation) : Category 4  
Skin corrosion : Category 1B  
Serious eye damage : Category 1  
Skin sensitisation : Category 1  
Reproductive toxicity : Category 1B  
Specific target organ toxicity - repeated exposure (Oral) : Category 2 (Kidney, Liver, Pancreas)  
Acute aquatic toxicity : Category 1  
Chronic aquatic toxicity : Category 1

**GHS label elements**

Hazard pictograms :



Signal word : Danger

# SAFETY DATA SHEET

Distributed By  
Freeman Manufacturing & Supply Co.  
www.freemansupply.com 800-321-8511



**HUNTSMAN**  
Enriching lives through innovation

## REN® 4037 US

Version	Revision Date:	SDS Number:	Date of last issue:
1.1	07/18/2017	400001012654	05/26/2016
			Date of first issue: 05/26/2016

**Hazard statements** : H302 + H332 Harmful if swallowed or if inhaled.  
H314 Causes severe skin burns and eye damage.  
H317 May cause an allergic skin reaction.  
H360F May damage fertility.  
H373 May cause damage to organs (Kidney, Liver, Pancreas) through prolonged or repeated exposure if swallowed.  
H410 Very toxic to aquatic life with long lasting effects.

**Precautionary statements** : **Prevention:**  
P201 Obtain special instructions before use.  
P202 Do not handle until all safety precautions have been read and understood.  
P260 Do not breathe dust/ fume/ gas/ mist/ vapours/ spray.  
P264 Wash skin thoroughly after handling.  
P270 Do not eat, drink or smoke when using this product.  
P271 Use only outdoors or in a well-ventilated area.  
P272 Contaminated work clothing should not be allowed out of the workplace.  
P273 Avoid release to the environment.  
P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.  
**Response:**  
P301 + P312 + P330 IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell. Rinse mouth.  
P301 + P330 + P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.  
P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.  
P304 + P340 + P310 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER/doctor.  
P305 + P351 + P338 + P310 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/doctor.  
P308 + P313 IF exposed or concerned: Get medical advice/ attention.  
P333 + P313 If skin irritation or rash occurs: Get medical advice/ attention.  
P363 Wash contaminated clothing before reuse.  
P391 Collect spillage.  
**Storage:**  
P405 Store locked up.  
**Disposal:**  
P501 Dispose of contents/container to an approved facility in accordance with local, regional, national and international regulations.

**Other hazards**  
None known.

## SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

**REN® 4037 US**

Version	Revision Date:	SDS Number:	Date of last issue: 05/26/2016
1.1	07/18/2017	400001012654	Date of first issue: 05/26/2016

**Hazardous components**

Chemical name	CAS-No.	Concentration (% w/w)
diethylmethylbenzenediamine	68479-98-1	30 - 60
isophorone diamine	2855-13-2	13 - 30
metaxylenediamine	1477-55-0	3 - 7
2,2'-iminodi(ethylamine)	111-40-0	3 - 7
4,4'-isopropylidenediphenol	80-05-7	1 - 3

The specific chemical identity and/or exact percentage (concentration) of composition may be withheld as a trade secret.

**SECTION 4. FIRST AID MEASURES**

- |   |  |
|---|--|
| General advice  | : Move out of dangerous area.<br>Consult a physician.<br>Show this safety data sheet to the doctor in attendance.<br>Do not leave the victim unattended.   |
| If inhaled  | : Remove to fresh air immediately. Get medical attention immediately.  |
| In case of skin contact                                     | : Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes.<br>Get medical attention if irritation develops and persists.  |
| In case of eye contact                                      | : Immediately flush eyes for at least 15 minutes. Get medical attention.<br>Remove contact lenses.<br>Protect unharmed eye.<br>Small amounts splashed into eyes can cause irreversible tissue damage and blindness.<br>Keep eye wide open while rinsing. |
| If swallowed  | : If swallowed, DO NOT induce vomiting unless directed to do so by medical personnel.<br>Keep respiratory tract clear.<br>Never give anything by mouth to an unconscious person.   |
| Most important symptoms and effects, both acute and delayed | : None known.  |

**SECTION 5. FIREFIGHTING MEASURES**

- |                                      |   |
|--------------------------------------|---|
| Suitable extinguishing media         | : No data is available on the product itself.                               |
| Unsuitable extinguishing media       | : High volume water jet   |
| Specific hazards during firefighting | : Do not allow run-off from fire fighting to enter drains or water courses. |

**REN® 4037 US**

Version	Revision Date:	SDS Number:	Date of last issue: 05/26/2016
1.1	07/18/2017	400001012654	Date of first issue: 05/26/2016

- |   |   |
|---|---|
| Hazardous combustion products                 | : No data is available on the product itself.   |
| Specific extinguishing methods                | : No data is available on the product itself.   |
| Further information                           | : Collect contaminated fire extinguishing water separately. This must not be discharged into drains.<br>Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations. |
| Special protective equipment for firefighters | : Wear self-contained breathing apparatus for firefighting if necessary.  |

**SECTION 6. ACCIDENTAL RELEASE MEASURES**

- |   |   |
|---|---|
| Personal precautions, protective equipment and emergency procedures | : Use personal protective equipment.  |
| Environmental precautions   | : Prevent product from entering drains.<br>Prevent further leakage or spillage if safe to do so.<br>If the product contaminates rivers and lakes or drains inform respective authorities. |
| Methods and materials for containment and cleaning up               | : Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust).<br>Keep in suitable, closed containers for disposal.                             |

**SECTION 7. HANDLING AND STORAGE**

- |   |  |
|---|--|
| Advice on protection against fire and explosion | : Normal measures for preventive fire protection.  |
| Advice on safe handling                         | : Do not breathe vapours/dust.<br>Avoid exposure - obtain special instructions before use.<br>Avoid contact with skin and eyes.<br>For personal protection see section 8.<br>Smoking, eating and drinking should be prohibited in the application area.<br>To avoid spills during handling keep bottle on a metal tray.<br>Dispose of rinse water in accordance with local and national regulations.<br>Persons susceptible to skin sensitisation problems or asthma, allergies, chronic or recurrent respiratory disease should not be employed in any process in which this mixture is being used. |
| Conditions for safe storage                     | : Keep container tightly closed in a dry and well-ventilated place.<br>Containers which are opened must be carefully resealed and kept upright to prevent leakage.<br>Observe label precautions.<br>Electrical installations / working materials must comply with the technological safety standards.  |



**REN® 4037 US**

Version	Revision Date:	SDS Number:	Date of last issue:
1.1	07/18/2017	400001012654	05/26/2016
			Date of first issue: 05/26/2016

Further information on storage stability : No decomposition if stored and applied as directed.

**SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION****Components with workplace control parameters**

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
metaxylenediamine	1477-55-0	C	0.1 mg/m <sup>3</sup>	ACGIH
2,2'-iminodi(ethylamine)	111-40-0	TWA	1 ppm	ACGIH

**Personal protective equipment**

Respiratory protection : No personal respiratory protective equipment normally required.

Respiratory protection : In the case of vapour formation use a respirator with an approved filter.

Hand protection  
Remarks : The suitability for a specific workplace should be discussed with the producers of the protective gloves.

Eye protection : Eye wash bottle with pure water  
Tightly fitting safety goggles  
Wear face-shield and protective suit for abnormal processing problems.

Skin and body protection : Impervious clothing  
Choose body protection according to the amount and concentration of the dangerous substance at the work place.

Hygiene measures : When using do not eat or drink.  
When using do not smoke.  
Wash hands before breaks and at the end of workday.

**SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES**

Appearance : liquid

Colour : brown

Odour : amine-like

Odour Threshold : No data is available on the product itself.

pH : No data is available on the product itself.

Freezing point : No data is available on the product itself.

Melting point : No data is available on the product itself.

# SAFETY DATA SHEET

Distributed By  
Freeman Manufacturing & Supply Co.  
www.freemansupply.com 800-321-8511



**HUNTSMAN**  
Enriching lives through innovation

## REN® 4037 US

Version 1.1	Revision Date: 07/18/2017	SDS Number: 400001012654	Date of last issue: 05/26/2016 Date of first issue: 05/26/2016
----------------	------------------------------	-----------------------------	---

Boiling point	No data is available on the product itself.
Flash point	: > 93.33 °C Method: estimated, closed cup
Evaporation rate	: No data is available on the product itself.
Flammability (solid, gas)	: No data is available on the product itself.
Flammability (liquids)	: No data is available on the product itself.
Upper explosion limit / Upper flammability limit	: No data is available on the product itself.
Lower explosion limit / Lower flammability limit	: No data is available on the product itself.
Vapour pressure	: > 0.1333 hPa (25 °C)
Relative vapour density	: No data is available on the product itself.
Relative density	: 1.01
Density	: No data is available on the product itself.
Solubility(ies)	
Water solubility	: slightly soluble
Solubility in other solvents	: No data is available on the product itself.
Partition coefficient: n-octanol/water	: No data is available on the product itself.
Auto-ignition temperature	: No data is available on the product itself.
Thermal decomposition	: No data is available on the product itself.
Self-Accelerating decomposition temperature (SADT)	: No data is available on the product itself.
Viscosity	: No data is available on the product itself.
Explosive properties	: No data is available on the product itself.
Oxidizing properties	: No data is available on the product itself.
Particle size	: No data is available on the product itself.

## SECTION 10. STABILITY AND REACTIVITY

Reactivity	: No decomposition if stored and applied as directed.
Chemical stability	: No decomposition if stored and applied as directed.
Possibility of hazardous	: No decomposition if stored and applied as directed.



**REN® 4037 US**

Version	Revision Date:	SDS Number:	Date of last issue: 05/26/2016
1.1	07/18/2017	400001012654	Date of first issue: 05/26/2016

reactions  
Conditions to avoid : No data available

**SECTION 11. TOXICOLOGICAL INFORMATION**

Information on likely routes of exposure : No data is available on the product itself.

**Acute toxicity**

Acute oral toxicity - Product : Acute toxicity estimate : 1,093 mg/kg  
Method: Calculation method

Acute inhalation toxicity - Product : Acute toxicity estimate: 3.83 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist  
Method: Calculation method

Acute dermal toxicity - Product : Acute toxicity estimate : > 5,000 mg/kg  
Method: Calculation method

Acute toxicity (other routes of administration) : No data available

**Skin corrosion/irritation****Product:**

Remarks: Extremely corrosive and destructive to tissue.

**Serious eye damage/eye irritation****Product:**

Remarks: May cause irreversible eye damage.

**Respiratory or skin sensitisation****Product:**

Remarks: Causes sensitisation.

**Components:**

metaxylenediamine:

Assessment: Harmful if swallowed or if inhaled., May be harmful in contact with skin., Causes severe skin burns and eye damage.  
May cause an allergic skin reaction.

**Germ cell mutagenicity****Components:**

diethylmethylbenzenediamine:

Genotoxicity in vitro : Metabolic activation: negative  
Method: OECD Test Guideline 476

**REN® 4037 US**

Version	Revision Date:	SDS Number:	Date of last issue: 05/26/2016
1.1	07/18/2017	400001012654	Date of first issue: 05/26/2016

Result: negative

metaxylenediamine:  
 Genotoxicity in vitro

: Test Type: Ames test  
 Test system: Salmonella typhimurium  
 Metabolic activation: with and without metabolic activation  
 Method: OECD Test Guideline 471  
 Result: negative

Test Type: Chromosome aberration test in vitro  
 Test system: Chinese hamster lung cells  
 Metabolic activation: with and without metabolic activation  
 Method: OECD Test Guideline 473  
 Result: negative

Test Type: In vitro mammalian cell gene mutation test  
 Test system: mouse lymphoma cells  
 Metabolic activation: with and without metabolic activation  
 Method: OECD Test Guideline 476  
 Result: negative

4,4'-isopropylidenediphenol:  
 Genotoxicity in vitro

: Metabolic activation: with and without metabolic activation  
 Result: negative

**Components:**

diethylmethylbenzenediamine:  
 Genotoxicity in vivo

: Application Route: Oral  
 Method: OECD Test Guideline 474  
 Result: negative

metaxylenediamine:  
 Genotoxicity in vivo

: Test Type: In vivo micronucleus test  
 Species: Mouse (male and female)  
 Cell type: Bone marrow  
 Application Route: Oral  
 Exposure time: single dose  
 Dose: 750 mg/kg body weight  
 Method: OECD Test Guideline 474  
 Result: negative

2,2'-iminodi(ethylamine):  
 Genotoxicity in vivo

: Cell type: Somatic  
 Application Route: Oral  
 Dose: 85 - 850 mg/kg  
 Method: OECD Test Guideline 474  
 Result: negative

Application Route: Oral  
 Result: negative

4,4'-isopropylidenediphenol:  
 Genotoxicity in vivo

: Method: OECD Test Guideline 474  
 Result: negative

**REN® 4037 US**

Version	Revision Date:	SDS Number:	Date of last issue: 05/26/2016
1.1	07/18/2017	400001012654	Date of first issue: 05/26/2016

**Components:**

metaxylenediamine:

Germ cell mutagenicity-  
Assessment: Tests on bacterial or mammalian cell cultures did not show  
mutagenic effects., Animal testing did not show any mutagenic  
effects.Germ cell mutagenicity-  
Assessment

: No data available

**Carcinogenicity****Components:**

diethylmethylbenzenediamine:

Species: Rat, (male and female)

Application Route: Oral

Exposure time: 24 month(s)

Dose: 1.8 - 3.2 mg/kg

Frequency of Treatment: 7 daily

Method: OECD Test Guideline 451

Result: negative

2,2'-iminodi(ethylamine):

Species: Mouse, (male)

Application Route: Dermal

Dose: 56.3 mg/kg

Frequency of Treatment: 3 daily

Result: negative

4,4'-isopropylidenediphenol:

Species: Rat, (male and female)

Application Route: Oral

Exposure time: 103 weeks

Frequency of Treatment: 7 daily

Result: negative

Carcinogenicity -  
Assessment

: No data available

**IARC**No component of this product present at levels greater than or  
equal to 0.1% is identified as probable, possible or confirmed  
human carcinogen by IARC.**ACGIH**No component of this product present at levels greater than or  
equal to 0.1% is identified as a carcinogen or potential  
carcinogen by ACGIH.**OSHA**No component of this product present at levels greater than or  
equal to 0.1% is on OSHA's list of regulated carcinogens.**NTP**No component of this product present at levels greater than or  
equal to 0.1% is identified as a known or anticipated carcinogen  
by NTP.

**REN® 4037 US**

Version	Revision Date:	SDS Number:	Date of last issue: 05/26/2016
1.1	07/18/2017	400001012654	Date of first issue: 05/26/2016

**Reproductive toxicity****Components:**

metaxylenediamine:  
Effects on fertility

: Species: Rat, male and female  
Application Route: Oral  
Dose: 0, 50, 150 and 450 mg/kg  
General Toxicity - Parent: No-observed-effect level: 50 - 150 mg/kg body weight  
General Toxicity F1: No-observed-effect level: 450 mg/kg body weight  
Method: OECD Test Guideline 421  
Result: No effects on fertility and early embryonic development were detected.

2,2'-iminodi(ethylamine):

Species: Rat, male and female  
Application Route: Oral  
General Toxicity - Parent: No observed adverse effect level: 30 mg/kg wet weight  
Method: OECD Test Guideline 421  
Result: positive

4,4'-isopropylidenediphenol:

Species: Rat, male and female  
Application Route: Oral  
Method: OECD Test Guideline 416  
Result: Embryotoxic effects and adverse effects on the offspring were detected.

**Components:**

isophorone diamine:  
Effects on foetal development

: Species: Rat, female  
Application Route: Oral  
General Toxicity Maternal: No-observed-effect level: 50 mg/kg body weight  
Method: OECD Test Guideline 414  
Result: No teratogenic effects

metaxylenediamine:

Test Type: Pre-natal  
Species: Rat, male and female  
Strain: Sprague-Dawley  
Application Route: Oral  
Dose: 0, 30, 100, 300 mg/kg milligram per kilogram  
Duration of Single Treatment: 19 d  
Frequency of Treatment: 1 daily  
General Toxicity Maternal: No observed adverse effect level: 100 mg/kg body weight  
Embryo-foetal toxicity: No observed adverse effect level: 300 mg/kg body weight  
Method: OECD Test Guideline 414  
Result: No effects on fertility and early embryonic development were detected.

2,2'-iminodi(ethylamine):

**REN® 4037 US**

Version	Revision Date:	SDS Number:	Date of last issue:
1.1	07/18/2017	400001012654	05/26/2016
			Date of first issue: 05/26/2016

Species: Rat  
Application Route: Oral  
General Toxicity Maternal: No observed adverse effect level:  
100 mg/kg body weight  
Method: OECD Test Guideline 421  
Result: No adverse effects

4,4'-isopropylidenediphenol:

Species: Rat, female  
Application Route: Oral  
General Toxicity Maternal: No observed adverse effect level:  
< 160 mg/kg body weight  
Method: OECD Test Guideline 416  
Result: No teratogenic effects

**Components:**

metaxylenediamine:

Reproductive toxicity - Assessment : No evidence of adverse effects on sexual function and fertility, or on development, based on animal experiments.

4,4'-isopropylidenediphenol:

Reproductive toxicity - Assessment : Clear evidence of adverse effects on sexual function and fertility, based on animal experiments.

**STOT - single exposure****Components:**

2,2'-iminodi(ethylamine):

Target Organs: Respiratory Tract

Assessment: May cause respiratory irritation.

4,4'-isopropylidenediphenol:

Assessment: The substance or mixture is classified as specific target organ toxicant, single exposure, category 3 with respiratory tract irritation.

**STOT - repeated exposure****Components:**

diethylmethylbenzenediamine:

Exposure routes: Ingestion

Target Organs: Pancreas, Liver, Kidney

Assessment: May cause damage to organs through prolonged or repeated exposure.

**Repeated dose toxicity****Components:**

diethylmethylbenzenediamine:

Species: Rat, male and female

NOAEL: 8 - 10 mg/kg

Application Route: Ingestion

Exposure time: 2,160 h

Method: Subchronic toxicity



# SAFETY DATA SHEET

Distributed By  
Freeman Manufacturing & Supply Co.  
www.freemansupply.com 800-321-8511



**HUNTSMAN**

Enriching lives through innovation

## REN® 4037 US

Version	Revision Date:	SDS Number:	Date of last issue: 05/26/2016
1.1	07/18/2017	400001012654	Date of first issue: 05/26/2016

isophorone diamine:

Species: Rat, male and female

NOEC: 60 mg/kg, 200 mg/m<sup>3</sup>

Application Route: Ingestion

Test atmosphere: dust/mist

Exposure time: 216 h

Number of exposures: 6 h

Method: Subchronic toxicity

metaxylenediamine:

Species: Rat, male and female

NOEL: 150 mg/kg

Application Route: oral (gavage)

Exposure time: 672 h

Number of exposures: 7 d

Dose: 0, 10, 40, 150 and 600 mg/kg/d

Method: OECD Test Guideline 407

Species: Rat, male and female

NOEC: 0.6 mg/m<sup>3</sup>

Application Route: Inhalation

Exposure time: 13 weeks

Number of exposures: 6 hours per day, 5 days per week

Dose: 0, 0.64, 5.1, 31 mg/m<sup>3</sup>

Method: OECD Test Guideline 413

Target Organs: Lungs

2,2'-iminodi(ethylamine):

Species: Rat, male and female

NOEC: 70 - 80 mg/m<sup>3</sup>

Application Route: Ingestion

Test atmosphere: vapour

Exposure time: 360 h

Number of exposures: 7 d

Method: Subchronic toxicity

Species: Rat, male and female

NOAEL: 114 mg/kg/d

Application Route: Skin contact

Exposure time: 9,600 h

Number of exposures: 6 d

Method: Chronic toxicity

4,4'-isopropylidenediphenol:

Species: Dog, male and female

NOEC: 75 mg/kg, 10 mg/m<sup>3</sup>

Application Route: Ingestion

Test atmosphere: dust/mist

Exposure time: 2,160 h

Number of exposures: 7 d

Method: Subchronic toxicity

# SAFETY DATA SHEET

Distributed By  
Freeman Manufacturing & Supply Co.  
www.freemansupply.com 800-321-8511



**HUNTSMAN**  
Enriching lives through innovation

## REN® 4037 US

Version	Revision Date:	SDS Number:	Date of last issue: 05/26/2016
1.1	07/18/2017	400001012654	Date of first issue: 05/26/2016

Species: Rat, male and female  
LOAEL: 600 mg/kg  
Application Route: Ingestion  
Exposure time: 672 h  
Number of exposures: 7 d  
Method: Subchronic toxicity

### Components:

metaxylenediamine:

Repeated dose toxicity -  
Assessment

: Harmful if swallowed or if inhaled., May be harmful in contact with skin., Causes severe skin burns and eye damage.  
No adverse effect has been observed in chronic toxicity tests.

### **Aspiration toxicity**

No data available

### **Experience with human exposure**

General Information: No data available

Inhalation: No data available

Skin contact: No data available

Eye contact: No data available

Ingestion: No data available

### **Toxicology, Metabolism, Distribution**

No data available

### **Neurological effects**

No data available

### **Further information**

#### Product:

Remarks: No data available

## SECTION 12. ECOLOGICAL INFORMATION

### **Ecotoxicity**

#### Components:

**REN® 4037 US**

Version	Revision Date:	SDS Number:	Date of last issue: 05/26/2016
1.1	07/18/2017	400001012654	Date of first issue: 05/26/2016

**diethylmethylbenzenediamine:**

Toxicity to fish : LC50 (Leuciscus idus (Golden orfe)): 200 mg/l  
 Exposure time: 48 h  
 Test Type: static test  
 Test substance: Fresh water  
 Method: DIN 38412

**isophorone diamine:**

Toxicity to fish : LC50 (Leuciscus idus (Golden orfe)): 110 mg/l  
 Exposure time: 96 h  
 Test Type: semi-static test  
 Test substance: Fresh water  
 Method: Directive 67/548/EEC, Annex V, C.1.

**metaxylenediamine:**

Toxicity to fish : LC50 (Oryzias latipes (Orange-red killifish)): 87.6 mg/l  
 Exposure time: 96 h  
 Test Type: semi-static test  
 Method: OECD Test Guideline 203

**2,2'-iminodi(ethylamine):**

Toxicity to fish : LC50: 430 mg/l  
 Exposure time: 96 h  
 Test Type: semi-static test  
 Test substance: Fresh water  
 Method: Directive 67/548/EEC, Annex V, C.1.

**4,4'-isopropylidenediphenol:**

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 7.5 mg/l  
 Exposure time: 96 h

**Components:****diethylmethylbenzenediamine:**

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 0.5 mg/l  
 Exposure time: 48 h  
 Test Type: static test  
 Test substance: Fresh water  
 Method: Directive 67/548/EEC, Annex V, C.2.

**isophorone diamine:**

Toxicity to daphnia and other aquatic invertebrates : EC50: 23 mg/l  
 Exposure time: 48 h  
 Test Type: static test  
 Test substance: Fresh water  
 Method: OECD Test Guideline 202

**metaxylenediamine:**

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 15.2 mg/l  
 Exposure time: 48 h  
 Test Type: static test  
 Method: OECD Test Guideline 202

**2,2'-iminodi(ethylamine):**

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 32 mg/l  
 Exposure time: 48 h



**REN® 4037 US**

Version	Revision Date:	SDS Number:	Date of last issue: 05/26/2016
1.1	07/18/2017	400001012654	Date of first issue: 05/26/2016

Test Type: static test  
Test substance: Fresh water

4,4'-isopropylidenediphenol:  
Toxicity to daphnia and other  
aquatic invertebrates : EC50: 3.9 - 10.2 mg/l  
Exposure time: 48 h

(Ceriodaphnia dubia (Water flea)):

**Components:**

diethylmethylbenzenediamine:

Toxicity to algae : ErC50 (Desmodesmus subspicatus (green algae)): ca. 104  
mg/l  
Exposure time: 72 h  
Test Type: static test  
Test substance: Fresh water  
Method: OECD Test Guideline 201

isophorone diamine:

Toxicity to algae : EC50: 37 mg/l  
Exposure time: 72 h  
Test Type: static test  
Test substance: Fresh water  
Method: Directive 67/548/EEC, Annex V, C.3.

metaxylenediamine:

Toxicity to algae : ErC50 (Selenastrum capricornutum (green algae)): 32.1 mg/l  
Exposure time: 72 h  
Test Type: static test  
Method: OECD Test Guideline 201

2,2'-iminodi(ethylamine):

Toxicity to algae : EbC50 (Selenastrum capricornutum (green algae)): 1,164  
mg/l  
Exposure time: 72 h  
Test Type: static test  
Test substance: Fresh water  
Method: OECD Test Guideline 201

4,4'-isopropylidenediphenol:

Toxicity to algae : EC50 (Selenastrum capricornutum (green algae)): 2.5 - 3.1  
mg/l  
Exposure time: 96 h

**Components:**

diethylmethylbenzenediamine:

M-Factor (Acute aquatic  
toxicity) : 1

**Components:**

2,2'-iminodi(ethylamine):

Toxicity to fish (Chronic  
toxicity) : NOEC: 10 mg/l  
Exposure time: 28 d  
Test Type: semi-static test  
Test substance: Fresh water

**REN® 4037 US**

Version	Revision Date:	SDS Number:	Date of last issue:
1.1	07/18/2017	400001012654	05/26/2016
			Date of first issue: 05/26/2016

Method: OECD Test Guideline 210

4,4'-isopropylidenediphenol:  
 Toxicity to fish (Chronic toxicity)

: NOEC (Pimephales promelas (fathead minnow)): 0.016 mg/l  
 Exposure time: 444 d  
 Test Type: flow-through test  
 Test substance: Fresh water  
 Method: Fish Life Cycle Toxicity  
 Remarks: Toxic to aquatic organisms.

**Components:**

metaxylenediamine:

Toxicity to daphnia and other  
 aquatic invertebrates  
 (Chronic toxicity)

: NOEC (Daphnia magna (Water flea)): 4.7 mg/l  
 Exposure time: 21 d  
 Test Type: semi-static test  
 Method: OECD Test Guideline 211

2,2'-iminodi(ethylamine):

Toxicity to daphnia and other  
 aquatic invertebrates  
 (Chronic toxicity)

: NOEC (Daphnia magna (Water flea)): 5.6 mg/l  
 Exposure time: 21 d  
 Test Type: semi-static test  
 Test substance: Fresh water  
 Method: Directive 67/548/EEC, Annex V, C.20

**Components:**

4,4'-isopropylidenediphenol:  
 M-Factor (Chronic aquatic toxicity)

: 1

**Components:**

diethylmethylbenzenediamine:

Toxicity to microorganisms

: EC50 (Pseudomonas putida): >= 170 mg/l  
 Exposure time: 24 h  
 Test Type: static test  
 Test substance: Fresh water

isophorone diamine:

Toxicity to microorganisms

: EC10: 1,120 mg/l  
 Exposure time: 18 h  
 Method: Measured  
  
 : (Pseudomonas putida): 1,120 mg/l  
 Exposure time: 18 h  
 Test Type: static test  
 Test substance: Fresh water

metaxylenediamine:

Toxicity to microorganisms

: EC50 (activated sludge): > 1,000 mg/l  
 Exposure time: 0.5 h  
 Test Type: static test  
 Method: OECD Test Guideline 209

**Components:**

2,2'-iminodi(ethylamine):

**REN® 4037 US**

Version	Revision Date:	SDS Number:	Date of last issue:
1.1	07/18/2017	400001012654	05/26/2016
			Date of first issue: 05/26/2016

Toxicity to soil dwelling organisms : EC50 (Eisenia fetida (earthworms)): > 1,000 mg/kg  
Exposure time: 56 d  
Method: OECD Test Guideline 222

Plant toxicity : No data available

Sediment toxicity : No data available

Toxicity to terrestrial organisms : No data available

**Ecotoxicology Assessment****Components:**

2,2'-iminodi(ethylamine):

Acute aquatic toxicity : This product has no known ecotoxicological effects.

**Components:**

4,4'-isopropylidenediphenol:

Chronic aquatic toxicity : Toxic to aquatic life with long lasting effects.

Toxicity Data on Soil : No data available

Other organisms relevant to the environment : No data available

**Persistence and degradability****Components:**

diethylmethylbenzenediamine:

Biodegradability : Result: Not readily biodegradable.  
Biodegradation: < 60 %  
Exposure time: 28 d

Result: Not readily biodegradable.  
Biodegradation: < 1 %  
Exposure time: 28 d  
Method: OECD Test Guideline 301D

isophorone diamine:

Biodegradability : Inoculum: activated sludge  
Concentration: 6.9 mg/l  
Result: Not readily biodegradable.  
Biodegradation: 8 %  
Exposure time: 28 d  
Method: Directive 67/548/EEC Annex V, C.4.A.

metaxylenediamine:

Biodegradability : Inoculum: activated sludge  
Concentration: 14.2 mg/l  
Result: Not readily biodegradable.  
Biodegradation: 49 %  
Exposure time: 28 d  
Method: OECD Test Guideline 301B

# SAFETY DATA SHEET

Distributed By  
Freeman Manufacturing & Supply Co.  
www.freemansupply.com 800-321-8511  
**FREEMAN**



**HUNTSMAN**  
Enriching lives through innovation

## REN® 4037 US

Version	Revision Date:	SDS Number:	Date of last issue: 05/26/2016
1.1	07/18/2017	400001012654	Date of first issue: 05/26/2016

### 2,2'-iminodi(ethylamine):

#### Biodegradability

: Inoculum: activated sludge  
Result: Readily biodegradable.  
Biodegradation: 87 %  
Exposure time: 21 d  
Method: OECD Test Guideline 301D

### 4,4'-isopropylidenediphenol:

#### Biodegradability

: Result: Not readily biodegradable.  
Biodegradation: 1 - 2 %  
Exposure time: 28 d

#### Biochemical Oxygen Demand (BOD)

: No data available

#### Chemical Oxygen Demand (COD)

: No data available

#### BOD/COD

: No data available

#### ThOD

: No data available

#### BOD/ThOD

: No data available

#### Dissolved organic carbon (DOC)

: No data available

#### Physico-chemical removability

: No data available

#### Stability in water

: No data available

### Components:

#### diethylmethylbenzenediamine:

##### Photodegradation

: Test Type: Air  
Rate constant: < .00001

### 2,2'-iminodi(ethylamine):

##### Photodegradation

: Test Type: Air  
Rate constant: 500000  
Degradation (direct photolysis): 50 %

#### Impact on Sewage Treatment

: No data available

### Bioaccumulative potential

### Components:

#### diethylmethylbenzenediamine:

##### Bioaccumulation

: Bioconcentration factor (BCF): 13.82  
Remarks: Bioaccumulation is unlikely.

Bioconcentration factor (BCF): 2.75  
Remarks: Does not bioaccumulate.

# SAFETY DATA SHEET

Distributed By  
Freeman Manufacturing & Supply Co.  
www.freemansupply.com 800-321-8511



**HUNTSMAN**

Enriching lives through innovation

## REN® 4037 US

Version	Revision Date:	SDS Number:	Date of last issue:
1.1	07/18/2017	400001012654	05/26/2016
			Date of first issue: 05/26/2016

metaxylenediamine:

Bioaccumulation

: Species: Cyprinus carpio (Carp)  
Bioconcentration factor (BCF): < 0.3  
Remarks: Does not bioaccumulate.

2,2'-iminodi(ethylamine):

Bioaccumulation

: Species: Cyprinus carpio (Carp)  
Bioconcentration factor (BCF): 0.3 - 6.3  
Exposure time: 42 d  
Test substance: Fresh water  
Method: flow-through test  
Remarks: Bioaccumulation is unlikely.

### Components:

diethylmethylbenzenediamine:

Partition coefficient: n-octanol/water

: log Pow: 1.17 (25 °C)  
Method: OECD Test Guideline 107

isophorone diamine:

Partition coefficient: n-octanol/water

: log Pow: 0.99 (23 °C)  
pH: 6.34  
Method: OECD Test Guideline 107

metaxylenediamine:

Partition coefficient: n-octanol/water

: log Pow: 0.18 (25 °C)  
pH: 10.3 - 10.4  
Method: OECD Test Guideline 107

2,2'-iminodi(ethylamine):

Partition coefficient: n-octanol/water

: log Pow: -1.58 (20 °C)  
pH: 7

### **Mobility in soil**

Mobility

: No data available

### Components:

diethylmethylbenzenediamine:

Distribution among environmental compartments

: Koc: 132 - 170  
Koc: 31.72 - 551

isophorone diamine:

Distribution among environmental compartments

: Koc: 928

2,2'-iminodi(ethylamine):

Distribution among environmental compartments

: Koc: 19111

Stability in soil

: No data available

### **Other adverse effects**

Environmental fate and pathways

: No data available

**REN® 4037 US**

Version	Revision Date:	SDS Number:	Date of last issue: 05/26/2016
1.1	07/18/2017	400001012654	Date of first issue: 05/26/2016

Results of PBT and vPvB assessment : No data available

Endocrine disrupting potential : No data available

Adsorbed organic bound halogens (AOX) : No data available

**Hazardous to the ozone layer**

Ozone-Depletion Potential : Regulation: 40 CFR Protection of Environment; Part 82 Protection of Stratospheric Ozone - CAA Section 602 Class I Substances  
Remarks: This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B).

Additional ecological information - Product : An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.  
Very toxic to aquatic life with long lasting effects.

Global warming potential (GWP) : No data available

**SECTION 13. DISPOSAL CONSIDERATIONS****Disposal methods**

Waste from residues : The product should not be allowed to enter drains, water courses or the soil.  
Do not contaminate ponds, waterways or ditches with chemical or used container.  
Send to a licensed waste management company.

Contaminated packaging : Empty remaining contents.  
Dispose of as unused product.  
Do not re-use empty containers.

**SECTION 14. TRANSPORT INFORMATION****International Regulations****IATA**

UN/ID No.	: UN 2735
Proper shipping name	: Polyamines, liquid, corrosive, n.o.s. (ISOPHORONE DIAMINE, DIETHYLENE TRIAMINE)
Class	: 8
Packing group	: II



# SAFETY DATA SHEET

Distributed By  
Freeman Manufacturing & Supply Co.  
www.freemansupply.com 800-321-8511



**HUNTSMAN**  
Enriching lives through innovation

## REN® 4037 US

Version	Revision Date:	SDS Number:	Date of last issue: 05/26/2016
1.1	07/18/2017	400001012654	Date of first issue: 05/26/2016

Labels : Corrosive  
Packing instruction (cargo aircraft) : 855  
Packing instruction (passenger aircraft) : 851

### IMDG

UN number : UN 2735  
Proper shipping name : POLYAMINES, LIQUID, CORROSIVE, N.O.S.  
(ISOPHORONE DIAMINE, DIETHYLENE TRIAMINE)  
Class : 8  
Packing group : II  
Labels : 8  
EmS Code : F-A, S-B  
Marine pollutant : yes

### Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

### National Regulations

#### DOT Classification

UN/ID/NA number : UN 2735  
Proper shipping name : POLYAMINES, LIQUID, CORROSIVE, N.O.S.  
(ISOPHORONE DIAMINE, DIETHYLENE TRIAMINE)  
Class : 8  
Packing group : II  
Labels : CORROSIVE  
ERG Code : 153  
Marine pollutant : yes(DIETHYLTOLUENEDIAMINE, 4,4'-ISOPROPYLDENEDIPHENOL)

## SECTION 15. REGULATORY INFORMATION

### EPCRA - Emergency Planning and Community Right-to-Know Act

**SARA 311/312 Hazards** : Acute toxicity (any route of exposure)  
Skin corrosion or irritation  
Serious eye damage or eye irritation  
Respiratory or skin sensitisation  
Reproductive toxicity  
Specific target organ toxicity (single or repeated exposure)

**SARA 313** : The following components are subject to reporting levels established by SARA Title III, Section 313:

4,4'-isopropylidenediphenol	80-05-7	1.998 %
-----------------------------	---------	---------

This product does not contain any hazardous air pollutants (HAP), as defined by the U.S. Clean Air Act Section 112 (40 CFR 61).

**REN® 4037 US**

Version	Revision Date:	SDS Number:	Date of last issue: 05/26/2016
1.1	07/18/2017	400001012654	Date of first issue: 05/26/2016

**California Prop. 65**

WARNING: This product can expose you to chemicals including 4,4'-isopropylidenediphenol, which is/are known to the State of California to cause birth defects or other reproductive harm. For more information go to [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov).

**The components of this product are reported in the following inventories:**

CH INV	: The formulation contains substances listed on the Swiss Inventory, Not in compliance with the inventory
DSL	: This product contains one or several components that are not on the Canadian DSL nor NDSL.
AICS	: Not in compliance with the inventory
NZIoC	: Not in compliance with the inventory
ENCS	: Not in compliance with the inventory
KECI	: Not in compliance with the inventory
PICCS	: Not in compliance with the inventory
IECSC	: Low volume exemption, On the inventory, or in compliance with the inventory
TCSI	: Not in compliance with the inventory
TSCA	: On the inventory, or in compliance with the inventory

**Inventories**

AICS (Australia), DSL (Canada), IECSC (China), REACH (European Union), ENCS (Japan), ISHL (Japan), KECI (Korea), NZIoC (New Zealand), PICCS (Philippines), TCSI (Taiwan), TSCA (USA)

**TSCA - 5(a) Significant New Use Rule List of Chemicals**

No substances are subject to a Significant New Use Rule.

**US. Toxic Substances Control Act (TSCA) Section 12(b) Export Notification (40 CFR 707, Subpt D)**

US. Toxic Substances Control Act (TSCA) Section 12(b) Export Notification (40 CFR 707, Subpt D)

diethylmethylbenzenediamine

68479-98-1



# SAFETY DATA SHEET

Distributed By  
Freeman Manufacturing & Supply Co.  
www.freemansupply.com 800-321-8511



**HUNTSMAN**  
Enriching lives through innovation


## REN® 4037 US

Version	Revision Date:	SDS Number:	Date of last issue: 05/26/2016
1.1	07/18/2017	400001012654	Date of first issue: 05/26/2016

### SECTION 16. OTHER INFORMATION

#### Further information

##### NFPA:



##### HMIS® IV:

HEALTH	*	3
FLAMMABILITY		1
PHYSICAL HAZARD		1

HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. The "\*" represents a chronic hazard, while the "/" represents the absence of a chronic hazard.

Revision Date : 07/18/2017

ACGIH : USA. ACGIH Threshold Limit Values (TLV)  
ACGIH / TWA : 8-hour, time-weighted average  
ACGIH / C : Ceiling limit

The information and recommendations in this publication are to the best of our knowledge, information and belief accurate at the date of publication, NOTHING HEREIN IS TO BE CONSTRUED AS A WARRANTY, EXPRESS OR OTHERWISE.

IN ALL CASES, IT IS THE RESPONSIBILITY OF THE USER TO DETERMINE THE APPLICABILITY OF SUCH INFORMATION AND RECOMMENDATIONS AND THE SUITABILITY OF ANY PRODUCT FOR ITS OWN PARTICULAR PURPOSE.

THE PRODUCT MAY PRESENT HAZARDS AND SHOULD BE USED WITH CAUTION. WHILE CERTAIN HAZARDS ARE DESCRIBED IN THIS PUBLICATION, NO GUARANTEE IS MADE THAT THESE ARE THE ONLY HAZARDS THAT EXIST.

Hazards, toxicity and behaviour of the products may differ when used with other materials and are dependent upon the manufacturing circumstances or other processes. Such hazards, toxicity and behaviour should be determined by the user and made known to handlers, processors and end users.

The trademarks above are the property of Huntsman Corporation or an affiliate thereof.

NO PERSON OR ORGANIZATION EXCEPT A DULY AUTHORIZED HUNTSMAN EMPLOYEE IS AUTHORIZED TO PROVIDE OR MAKE AVAILABLE DATA SHEETS FOR HUNTSMAN PRODUCTS. DATA SHEETS FROM UNAUTHORIZED SOURCES MAY CONTAIN INFORMATION THAT IS NO LONGER CURRENT OR ACCURATE.

# SAFETY DATA SHEET

Distributed By  
Freeman Manufacturing & Supply Co.  
www.freemansupply.com 800-321-8511



**HUNTSMAN**

Enriching lives through innovation

## REN® 4037 US

Version	Revision Date:	SDS Number:	Date of last issue: 05/26/2016
1.1	07/18/2017	400001012654	Date of first issue: 05/26/2016