

RENSHAPE® 5169 US

Version 1.1 Revision Date: 03/11/2022 SDS Number: 400001012846 Date of last issue: 04/03/2017
Date of first issue: 04/03/2017

Print Date 02/14/2023

SECTION 1. IDENTIFICATION

Product name : RENSHAPE® 5169 US

Manufacturer or supplier's details

Company name of supplier : Huntsman Advanced Materials Americas LLC
Address : P.O. Box 4980

The Woodlands,
TX 77387
United States of America (USA)

Telephone : Non-Emergency: (800) 257-5547

E-mail address of person responsible for the SDS : Global_Product_EHS_AdMat@huntsman.com

Emergency telephone number : Chemtrec: (800) 424-9300 or (703) 527-3887

Recommended use of the chemical and restrictions on use

Recommended use : Article

SECTION 2. HAZARDS IDENTIFICATION**GHS classification in accordance with the OSHA Hazard Communication Standard (29 CFR 1910.1200)**

Not a hazardous substance or mixture.

GHS label elements

Not a hazardous substance or mixture.

Other hazards

None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Reaction Product

Hazardous components

Chemical name	CAS-No.	Concentration (% w/w)
silicon dioxide	7631-86-9	1 - 5

SECTION 4. FIRST AID MEASURES

General advice : Do not leave the victim unattended.

RENSHAPE® 5169 US

Version	Revision Date:	SDS Number:	Date of last issue:
1.1	03/11/2022	400001012846	04/03/2017
			Date of first issue: 04/03/2017

Print Date 02/14/2023

If inhaled	:	If unconscious, place in recovery position and seek medical advice. If symptoms persist, call a physician.
In case of eye contact	:	Remove contact lenses. Protect unharmed eye. If eye irritation persists, consult a specialist.
If swallowed	:	Keep respiratory tract clear. Do not give milk or alcoholic beverages. Never give anything by mouth to an unconscious person. If symptoms persist, call a physician.
Most important symptoms and effects, both acute and delayed	:	None known.

SECTION 5. FIREFIGHTING MEASURES

Further information	:	Standard procedure for chemical fires. Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Special protective equipment for firefighters	:	Wear self-contained breathing apparatus for firefighting if necessary.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures	:	Avoid dust formation.
Methods and materials for containment and cleaning up	:	Pick up and arrange disposal without creating dust. Sweep up and shovel. Keep in suitable, closed containers for disposal.

SECTION 7. HANDLING AND STORAGE

Advice on protection against fire and explosion	:	Provide appropriate exhaust ventilation at places where dust is formed.
Advice on safe handling	:	For personal protection see section 8. Smoking, eating and drinking should be prohibited in the application area.
Conditions for safe storage	:	Electrical installations / working materials must comply with the technological safety standards.
Materials to avoid	:	No materials to be especially mentioned.

RENSHAPE® 5169 US

Version 1.1 Revision Date: 03/11/2022 SDS Number: 400001012846 Date of last issue: 04/03/2017
 Date of first issue: 04/03/2017

Print Date 02/14/2023

Further information on storage stability : No decomposition if stored and applied as directed.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION
Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
silicon dioxide	7631-86-9	TWA (Dust)	20 Million particles per cubic foot (Silica)	OSHA Z-3
		TWA (Dust)	80 mg/m ³ / %SiO ₂ (Silica)	OSHA Z-3
		TWA (Respirable dust)	0.05 mg/m ³ (Silica)	NIOSH REL
		TWA	6 mg/m ³ (Silica)	NIOSH REL
		PEL (respirable)	0.05 mg/m ³	OSHA CARC

Personal protective equipment

Respiratory protection : No personal respiratory protective equipment normally required.

Eye protection : Safety glasses

Skin and body protection : Protective suit

Hygiene measures : General industrial hygiene practice.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : solid

Colour : red

Odour : No data is available on the product itself.

Odour Threshold : No data is available on the product itself.

pH : No data is available on the product itself.

Melting point/freezing point : No data is available on the product itself.

Boiling point : No data is available on the product itself.

Flash point : No data is available on the product itself.

RENSHAPE® 5169 US

Version	Revision Date:	SDS Number:	Date of last issue: 04/03/2017
1.1	03/11/2022	400001012846	Date of first issue: 04/03/2017

Print Date 02/14/2023

Evaporation rate	: No data is available on the product itself.
Flammability (solid, gas)	: No data is available on the product itself.
Flammability (liquids)	: No data is available on the product itself.
Upper explosion limit / Upper flammability limit	: No data is available on the product itself.
Lower explosion limit / Lower flammability limit	: No data is available on the product itself.
Vapour pressure	: No data is available on the product itself.
Relative vapour density	: No data is available on the product itself.
Relative density	: 1.17
Density	: No data is available on the product itself.
Solubility(ies)	
Water solubility	: insoluble
Solubility in other solvents	: No data is available on the product itself.
Partition coefficient: n-octanol/water	: No data is available on the product itself.
Auto-ignition temperature	: No data is available on the product itself.
Decomposition temperature	: No data is available on the product itself.
Self-Accelerating decomposition temperature (SADT)	: No data is available on the product itself.
Viscosity	: No data is available on the product itself.
Explosive properties	: No data is available on the product itself.
Oxidizing properties	: No data is available on the product itself.
Particle size	: No data is available on the product itself.

SECTION 10. STABILITY AND REACTIVITY

Reactivity	: No decomposition if stored and applied as directed.
Chemical stability	: No decomposition if stored and applied as directed.
Possibility of hazardous reactions	: Stable under recommended storage conditions. No hazards to be specially mentioned.
Conditions to avoid	: No data available

RENSHAPE® 5169 US

Version	Revision Date:	SDS Number:	Date of last issue: 04/03/2017
1.1	03/11/2022	400001012846	Date of first issue: 04/03/2017

Print Date 02/14/2023

SECTION 11. TOXICOLOGICAL INFORMATION**Acute toxicity****Components:****silicon dioxide:**

Acute oral toxicity	:	LD50 (Rat): > 5,000 mg/kg Method: OECD Test Guideline 401
Acute inhalation toxicity	:	LC50 (Rat, male and female): > 58.8 mg/l Exposure time: 4 h Test atmosphere: dust/mist Method: OECD Test Guideline 403
Acute dermal toxicity	:	LD50 (Rabbit): > 5,000 mg/kg

Skin corrosion/irritation**Components:****silicon dioxide:**

Species	:	Rabbit
Assessment	:	No skin irritation
Method	:	OECD Test Guideline 404
Result	:	No skin irritation

Serious eye damage/eye irritation**Components:****silicon dioxide:**

Species	:	Rabbit
Result	:	No eye irritation
Assessment	:	No eye irritation
Method	:	OECD Test Guideline 405

Respiratory or skin sensitisation

No data available

Germ cell mutagenicity**Components:****silicon dioxide:**

Genotoxicity in vitro	:	Metabolic activation: with and without metabolic activation Method: OECD Test Guideline 473 Result: negative
		Metabolic activation: with and without metabolic activation Method: OECD Test Guideline 476 Result: negative
		Metabolic activation: with and without metabolic activation Method: OECD Test Guideline 471

RENSHAPE® 5169 US

Version	Revision Date:	SDS Number:	Date of last issue: 04/03/2017
1.1	03/11/2022	400001012846	Date of first issue: 04/03/2017

Print Date 02/14/2023

Result: negative

Genotoxicity in vivo : Application Route: Inhalation
Dose: 50 mg/m3
Result: negative

Carcinogenicity**Components:****silicon dioxide:**

Species : Rat, male and female
Application Route : Oral
Exposure time : 103 weeks
Dose : 1800 - 3200 mg/kg
Frequency of Treatment : 7 daily
Method : OECD Test Guideline 453
Result : negative

IARC No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

OSHA No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.

NTP No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

Reproductive toxicity**Components:****silicon dioxide:**

Effects on foetal development : Species: Mouse
Application Route: Oral
General Toxicity Maternal: NOAEL: 1,340 mg/kg body weight
Method: OECD Test Guideline 414
Result: No teratogenic effects

Species: Rabbit
Application Route: Oral
General Toxicity Maternal: NOAEL: 1,600 mg/kg body weight
Method: OECD Test Guideline 414
Result: No teratogenic effects

Species: Rat
Application Route: Oral
General Toxicity Maternal: NOAEL: 1,350 mg/kg body weight
Method: OECD Test Guideline 414
Result: No teratogenic effects

STOT - single exposure

No data available

STOT - repeated exposure

No data available

RENSHAPE® 5169 US

Version	Revision Date:	SDS Number:	Date of last issue: 04/03/2017
1.1	03/11/2022	400001012846	Date of first issue: 04/03/2017

Print Date 02/14/2023

Repeated dose toxicity**Components:****silicon dioxide:**

Species	:	Rat, male and female
NOEC	:	4000 - 4500 mg/m3
Application Route	:	Ingestion
Test atmosphere	:	dust/mist
Exposure time	:	13 Weeks
Number of exposures	:	7 d
Method	:	OECD Test Guideline 413

Aspiration toxicity

No data available

Experience with human exposure

No data available

Toxicology, Metabolism, Distribution

No data available

Neurological effects

No data available

Further information**Product:**

Remarks : No data available

SECTION 12. ECOLOGICAL INFORMATION**Ecotoxicity****Components:****silicon dioxide:**

Toxicity to fish	:	LL50 (Brachydanio rerio (zebrafish)): > 10,000 mg/l Exposure time: 96 h Test Type: static test Test substance: Fresh water Method: OECD Test Guideline 202
Toxicity to daphnia and other aquatic invertebrates	:	EL50 (Daphnia magna (Water flea)): >= 1,000 mg/l Exposure time: 24 h Test Type: static test Test substance: Fresh water Method: OECD Test Guideline 202
Toxicity to algae/aquatic plants	:	EL50 (Desmodesmus subspicatus (green algae)): > 10,000 mg/l Exposure time: 72 h Test Type: static test Test substance: Fresh water Method: OECD Test Guideline 201

RENSHAPE® 5169 US

Version	Revision Date:	SDS Number:	Date of last issue: 04/03/2017
1.1	03/11/2022	400001012846	Date of first issue: 04/03/2017

Print Date 02/14/2023

Persistence and degradability

No data available

Bioaccumulative potential

No data available

Mobility in soil

No data available

Other adverse effects**Product:**Additional ecological : No data available
information**SECTION 13. DISPOSAL CONSIDERATIONS****Disposal methods**Contaminated packaging : Empty containers should be taken to an approved waste
handling site for recycling or disposal.**SECTION 14. TRANSPORT INFORMATION****International Regulations****UNRTDG**

Not regulated as dangerous goods

IATA-DGR

Not regulated as dangerous goods

IMDG-Code

Not regulated as dangerous goods

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

National Regulations**49 CFR**

Not regulated as dangerous goods

Special precautions for user

Not applicable

SECTION 15. REGULATORY INFORMATION**SARA 311/312 Hazards** : No SARA Hazards

RENSHAPE® 5169 US

Version	Revision Date:	SDS Number:	Date of last issue: 04/03/2017
1.1	03/11/2022	400001012846	Date of first issue: 04/03/2017

Print Date 02/14/2023

California Prop. 65

WARNING: This product can expose you to chemicals including formaldehyde, titanium dioxide, which is/are known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov.

The components of this product are reported in the following inventories:

DSL	: Exemptions from the obligation to register
AIIC	: Exemptions from the obligation to register
NZIoC	: Exemptions from the obligation to register
ENCS	: Exemptions from the obligation to register
KECI	: Exemptions from the obligation to register
PICCS	: Exemptions from the obligation to register
IECSC	: Exemptions from the obligation to register
TCSI	: Exemptions from the obligation to register
TSCA	: This product meets the 40 CFR §710.3(d) article definition and is therefore exempt from the TSCA Inventory

Inventories

AIIC (Australia), DSL (Canada), IECSC (China), REACH (European Union), ENCS (Japan), ISHL (Japan), KECI (Korea), NZIoC (New Zealand), PICCS (Philippines), TCSI (Taiwan), TECI (Thailand), TSCA (USA)

TSCA - 5(a) Significant New Use Rule List of Chemicals

This product meets the 40 CFR §710.3(d) article definition and is therefore exempt from TSCA 5(a) requirements


US. Toxic Substances Control Act (TSCA) Section 12(b) Export Notification (40 CFR 707, Subpt D)

This product meets the 40 CFR §710.3(d) article definition and is therefore exempt from TSCA 12(b) requirements

RENSHAPE® 5169 US

Version 1.1 Revision Date: 03/11/2022 SDS Number: 400001012846 Date of last issue: 04/03/2017
 Date of first issue: 04/03/2017

Print Date 02/14/2023

SECTION 16. OTHER INFORMATION**Further information****NFPA 704:****HMIS® IV:**

HEALTH		0
FLAMMABILITY		1
PHYSICAL HAZARD		0

HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. The "*" represents a chronic hazard, while the "/" represents the absence of a chronic hazard.

Revision Date : 03/11/2022

NIOSH REL : USA. NIOSH Recommended Exposure Limits
 OSHA CARC : OSHA Specifically Regulated Chemicals/Carcinogens
 OSHA Z-3 : USA. Occupational Exposure Limits (OSHA) - Table Z-3 Mineral Dusts

NIOSH REL / TWA : Time-weighted average concentration for up to a 10-hour workday during a 40-hour workweek

OSHA CARC / PEL : Permissible exposure limit (PEL)
 OSHA Z-3 / TWA : 8-hour time weighted average

The information and recommendations in this publication are to the best of our knowledge, information and belief accurate at the date of publication, NOTHING HEREIN IS TO BE CONSTRUED AS A WARRANTY, EXPRESS OR OTHERWISE.

IN ALL CASES, IT IS THE RESPONSIBILITY OF THE USER TO DETERMINE THE APPLICABILITY OF SUCH INFORMATION AND RECOMMENDATIONS AND THE SUITABILITY OF ANY PRODUCT FOR ITS OWN PARTICULAR PURPOSE.

THE PRODUCT MAY PRESENT HAZARDS AND SHOULD BE USED WITH CAUTION. WHILE CERTAIN HAZARDS ARE DESCRIBED IN THIS PUBLICATION, NO GUARANTEE IS MADE THAT THESE ARE THE ONLY HAZARDS THAT EXIST.

Hazards, toxicity and behaviour of the products may differ when used with other materials and are dependent upon the manufacturing circumstances or other processes. Such hazards, toxicity and behaviour should be determined by the user and made known to handlers, processors and end users.

The trademarks above are the property of Huntsman Corporation or an affiliate thereof.

SAFETY DATA SHEET



Enriching lives through innovation

RENSHAPE® 5169 US

Version	Revision Date:	SDS Number:	Date of last issue: 04/03/2017
1.1	03/11/2022	400001012846	Date of first issue: 04/03/2017

Print Date 02/14/2023

NO PERSON OR ORGANIZATION EXCEPT A DULY AUTHORIZED HUNTSMAN EMPLOYEE IS AUTHORIZED TO PROVIDE OR MAKE AVAILABLE DATA SHEETS FOR HUNTSMAN PRODUCTS. DATA SHEETS FROM UNAUTHORIZED SOURCES MAY CONTAIN INFORMATION THAT IS NO LONGER CURRENT OR ACCURATE.