

**ARALDITE® 2014 A US**

Version 1.3      Revision Date: 09/19/2022      SDS Number: 400001014236      Date of last issue: 02/07/2019  
Date of first issue: 08/25/2017

Print Date 07/29/2024

**SECTION 1. IDENTIFICATION**

Product name : ARALDITE® 2014 A US

**Manufacturer or supplier's details**

Company name of supplier : Huntsman Advanced Materials Americas LLC  
Address : P.O. Box 4980  
The Woodlands,  
TX 77387  
United States of America (USA)

Telephone : Non-Emergency: (800) 257-5547

E-mail address : Global\_Product\_EHS\_AdMat@huntsman.com

Emergency telephone number : Chemtrec: (800) 424-9300 or (703) 527-3887

**Recommended use of the chemical and restrictions on use**

Recommended use : Adhesives

**SECTION 2. HAZARDS IDENTIFICATION****GHS classification in accordance with the OSHA Hazard Communication Standard (29 CFR 1910.1200)**

Skin irritation : Category 2

Serious eye damage : Category 1

Skin sensitisation : Category 1

Germ cell mutagenicity : Category 2

Specific target organ toxicity : Category 2 (Cardio-vascular system)  
- repeated exposure (Oral)

Short-term (acute) aquatic hazard : Category 2

Long-term (chronic) aquatic hazard : Category 2

**GHS label elements**

Hazard pictograms :



Signal word : Danger

Hazard statements : H315 Causes skin irritation.

## ARALDITE® 2014 A US

Version 1.3      Revision Date: 09/19/2022      SDS Number: 400001014236      Date of last issue: 02/07/2019  
 Date of first issue: 08/25/2017

Print Date 07/29/2024

H317 May cause an allergic skin reaction.  
 H318 Causes serious eye damage.  
 H341 Suspected of causing genetic defects.  
 H373 May cause damage to organs (Cardio-vascular system) through prolonged or repeated exposure if swallowed.  
 H411 Toxic to aquatic life with long lasting effects.

## Precautionary statements

: **Prevention:**

P201 Obtain special instructions before use.  
 P202 Do not handle until all safety precautions have been read and understood.  
 P260 Do not breathe mist or vapours.  
 P264 Wash skin thoroughly after handling.  
 P272 Contaminated work clothing must not be allowed out of the workplace.  
 P273 Avoid release to the environment.  
 P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

**Response:**

P302 + P352 IF ON SKIN: Wash with plenty of soap and water.  
 P305 + P351 + P338 + P310 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/ doctor.

P308 + P313 IF exposed or concerned: Get medical advice/ attention.

P333 + P313 If skin irritation or rash occurs: Get medical advice/ attention.

P362 Take off contaminated clothing and wash before reuse.

P391 Collect spillage.

**Storage:**

P405 Store locked up.

**Disposal:**

P501 Dispose of contents/container to an approved facility in accordance with local, regional, national and international regulations.

**Other hazards**

None known.

## SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

**Hazardous components**

Chemical name	CAS-No.	Concentration (% w/w)
2,2'-[(1-methylethylidene)bis(4,1-phenyleneoxymethylene)]bisoxirane	1675-54-3	30 - 50
barium sulfate	7727-43-7	30 - 50
1,4-bis(2,3-epoxypropoxy)butane	2425-79-8	1 - 5

**ARALDITE® 2014 A US**

Version 1.3      Revision Date: 09/19/2022      SDS Number: 400001014236      Date of last issue: 02/07/2019  
 Date of first issue: 08/25/2017

Print Date 07/29/2024

1,3,5-tris(oxiranylmethyl)-1,3,5-triazine-2,4,6(1H,3H,5H)-trione	2451-62-9	1 - 5
--	-----------	-------

The specific chemical identity and/or exact percentage (concentration) of composition may be withheld as a trade secret.

Both 25068-38-6 and 1675-54-3 can be used to describe the epoxy resin which is produced through the reaction of bisphenol A and epichlorohydrin

**SECTION 4. FIRST AID MEASURES**

- General advice : Move out of dangerous area.  
 Consult a physician.  
 Show this safety data sheet to the doctor in attendance.  
 Treat symptomatically.  
 Get medical attention if symptoms occur.
- If inhaled : Call a physician or poison control centre immediately.  
 If inhaled, remove to fresh air.  
 Get medical attention if symptoms occur.
- In case of skin contact : If skin irritation persists, call a physician.  
 If on skin, rinse well with water.  
 If on clothes, remove clothes.
- In case of eye contact : Small amounts splashed into eyes can cause irreversible tissue damage and blindness.  
 In the case of contact with eyes, rinse immediately with plenty of water and seek medical advice.  
 Continue rinsing eyes during transport to hospital.  
 Remove contact lenses.  
 Keep eye wide open while rinsing.  
 If eye irritation persists, consult a specialist.
- If swallowed : Induce vomiting immediately and call a physician.  
 Keep respiratory tract clear.  
 Never give anything by mouth to an unconscious person.  
 If symptoms persist, call a physician.  
 Take victim immediately to hospital.
- Most important symptoms and effects, both acute and delayed : None known.
- Protection of first-aiders : First Aid responders should pay attention to self-protection and use the recommended protective clothing  
 If potential for exposure exists refer to Section 8 for specific personal protective equipment.  
 Avoid inhalation, ingestion and contact with skin and eyes.  
 No action shall be taken involving any personal risk or without suitable training.  
 It may be dangerous to the person providing aid to give

**ARALDITE® 2014 A US**

Version 1.3      Revision Date: 09/19/2022      SDS Number: 400001014236      Date of last issue: 02/07/2019  
Date of first issue: 08/25/2017

Print Date 07/29/2024

mouth-to-mouth resuscitation.

Notes to physician : Treat symptomatically.

**SECTION 5. FIREFIGHTING MEASURES**

- Suitable extinguishing media : Water spray  
Alcohol-resistant foam  
Carbon dioxide (CO<sub>2</sub>)  
Dry chemical
- Unsuitable extinguishing media : Exercise caution when using a high volume water jet as it may scatter and spread fire
- Specific hazards during firefighting : Do not allow run-off from fire fighting to enter drains or water courses.
- Hazardous combustion products : Carbon oxides  
Halogenated compounds
- Specific extinguishing methods : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
- Further information : Collect contaminated fire extinguishing water separately. This must not be discharged into drains.  
Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.
- Special protective equipment for firefighters : Wear self-contained breathing apparatus for firefighting if necessary.

**SECTION 6. ACCIDENTAL RELEASE MEASURES**

- Personal precautions, protective equipment and emergency procedures : Use personal protective equipment.  
Ensure adequate ventilation.  
Refer to protective measures listed in sections 7 and 8.
- Environmental precautions : Prevent product from entering drains.  
Prevent further leakage or spillage if safe to do so.  
If the product contaminates rivers and lakes or drains inform respective authorities.
- Methods and materials for containment and cleaning up : Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust).  
Keep in suitable, closed containers for disposal.

**SECTION 7. HANDLING AND STORAGE**

- Advice on protection against : Normal measures for preventive fire protection.

## ARALDITE® 2014 A US

Version 1.3      Revision Date: 09/19/2022      SDS Number: 400001014236      Date of last issue: 02/07/2019  
 Date of first issue: 08/25/2017

Print Date 07/29/2024

fire and explosion

Advice on safe handling : Repeated or prolonged skin contact may cause skin irritation and/or dermatitis and sensitisation of susceptible persons. Persons suffering from asthma, eczema or skin problems should avoid contact, including dermal contact, with this product.  
 Do not breathe vapours/dust.  
 Avoid exposure - obtain special instructions before use.  
 Avoid contact with skin and eyes.  
 For personal protection see section 8.  
 Smoking, eating and drinking should be prohibited in the application area.  
 To avoid spills during handling keep bottle on a metal tray.  
 Dispose of rinse water in accordance with local and national regulations.

Conditions for safe storage : Keep container tightly closed in a dry and well-ventilated place.  
 Containers which are opened must be carefully resealed and kept upright to prevent leakage.  
 Observe label precautions.  
 Keep in properly labelled containers.

Materials to avoid : For incompatible materials please refer to Section 10 of this SDS.

Recommended storage temperature : 36 - 104 °F / 2 - 40 °C

Further information on storage stability : Stable under normal conditions.

## SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

## Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
barium sulfate	7727-43-7	TWA (total dust)	15 mg/m <sup>3</sup>	OSHA Z-1
		TWA (respirable fraction)	5 mg/m <sup>3</sup>	OSHA Z-1
		TWA (Inhalable particulate matter)	5 mg/m <sup>3</sup>	ACGIH
		TWA (Respirable)	5 mg/m <sup>3</sup>	NIOSH REL
		TWA (total)	10 mg/m <sup>3</sup>	NIOSH REL
		TWA (Total dust)	10 mg/m <sup>3</sup>	OSHA P0

## ARALDITE® 2014 A US

Version 1.3      Revision Date: 09/19/2022      SDS Number: 400001014236      Date of last issue: 02/07/2019  
 Date of first issue: 08/25/2017

Print Date 07/29/2024

		TWA (respirable dust fraction)	5 mg/m3	OSHA P0
1,3,5-tris(oxiranylmethyl)- 1,3,5-triazine-2,4,6(1H,3H,5H)- trione	2451-62-9	TWA	0.05 mg/m3	ACGIH

**Personal protective equipment**

Respiratory protection : **W A R N I N G !** This product contains quartz, which has been classified by IARC as carcinogenic for humans (Group 1), and which can cause silicosis and lung cancer following exposure to respirable dust. It is therefore important to take particular care to avoid inhalation exposure when mechanically processing cured material (e.g. grinding, sanding, sawing).

Hand protection

Remarks : Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary.  
 The suitability for a specific workplace should be discussed with the producers of the protective gloves.

Eye protection : Eye wash bottle with pure water  
 Tightly fitting safety goggles  
 Wear face-shield and protective suit for abnormal processing problems.

Skin and body protection : Impervious clothing  
 Choose body protection according to the amount and concentration of the dangerous substance at the work place.

Hygiene measures : When using do not eat or drink.  
 When using do not smoke.  
 Wash hands before breaks and at the end of workday.

**SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES**

Appearance : paste

Colour : beige

Odour : slight

Odour Threshold : No data is available on the product itself.

pH : substance/mixture is non-soluble (in water)

Melting point/freezing point : No data available

Initial boiling point and boiling range : No data available

**ARALDITE® 2014 A US**

Version 1.3      Revision Date: 09/19/2022      SDS Number: 400001014236      Date of last issue: 02/07/2019  
Date of first issue: 08/25/2017

Print Date 07/29/2024

Flash point : > 201 °F / > 94 °C  
Method: estimated, closed cup

Evaporation rate : No data is available on the product itself.

Flammability (solid, gas) : No data is available on the product itself.

Flammability (liquids) : No data is available on the product itself.

Upper explosion limit / Upper flammability limit : No data is available on the product itself.

Lower explosion limit / Lower flammability limit : No data is available on the product itself.

Vapour pressure : No data is available on the product itself.

Relative vapour density : No data is available on the product itself.

Relative density : 1.55

Density : No data is available on the product itself.

Solubility(ies)  
Water solubility : negligible

Solubility in other solvents : No data is available on the product itself.

Partition coefficient: n-octanol/water : No data is available on the product itself.

Auto-ignition temperature : No data is available on the product itself.

Decomposition temperature : No data is available on the product itself.

Self-Accelerating decomposition temperature (SADT) : No data is available on the product itself.

Viscosity  
Viscosity, dynamic : ca. 100,000 mPa.s (77 °F / 25 °C)

Explosive properties : No data is available on the product itself.

Oxidizing properties : No data is available on the product itself.

Molecular weight : No data available

Particle size : No data is available on the product itself.

**SECTION 10. STABILITY AND REACTIVITY**

Reactivity : No dangerous reaction known under conditions of normal use.

**ARALDITE® 2014 A US**

Version 1.3      Revision Date: 09/19/2022      SDS Number: 400001014236      Date of last issue: 02/07/2019  
Date of first issue: 08/25/2017

Print Date 07/29/2024

Chemical stability : Stable under normal conditions.

Possibility of hazardous reactions : No hazards to be specially mentioned.

Conditions to avoid : None known.

Incompatible materials : None known.

Hazardous decomposition products : carbon dioxide  
carbon monoxide  
Halogenated compounds

**SECTION 11. TOXICOLOGICAL INFORMATION****Acute toxicity****Product:**

Acute oral toxicity : Acute toxicity estimate: > 5,000 mg/kg  
Method: Calculation method

Acute inhalation toxicity : Acute toxicity estimate: 29.3 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist  
Method: Calculation method

Acute dermal toxicity : Acute toxicity estimate: > 5,000 mg/kg  
Method: Calculation method

**Components:****2,2'-[(1-methylethylidene)bis(4,1-phenyleneoxymethylene)]bisoxirane:**

Acute oral toxicity : LD50 (Rat, female): > 2,000 mg/kg  
Method: OECD Test Guideline 420  
Assessment: The substance or mixture has no acute oral toxicity  
Remarks: No mortality observed at this dose.

Acute dermal toxicity : LD50 (Rat, male and female): > 2,000 mg/kg  
Method: OECD Test Guideline 402  
Assessment: The substance or mixture has no acute dermal toxicity

**1,4-bis(2,3-epoxypropoxy)butane:**

Acute oral toxicity : LD50 (Rat, male and female): 1,163 mg/kg  
Method: OECD Test Guideline 401  
GLP: yes  
Assessment: The component/mixture is moderately toxic after single ingestion.

Acute inhalation toxicity : LC50 (Rat): > 2.068 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist



**ARALDITE® 2014 A US**

Version 1.3      Revision Date: 09/19/2022      SDS Number: 400001014236      Date of last issue: 02/07/2019  
Date of first issue: 08/25/2017

Print Date 07/29/2024

Test atmosphere: dust/mist  
Method: Expert judgement  
Assessment: The component/mixture is moderately toxic after short term inhalation.

Acute dermal toxicity : Acute toxicity estimate: 1,100 mg/kg  
Method: Converted acute toxicity point estimate

Assessment: The component/mixture is moderately toxic after single contact with skin.

**1,3,5-tris(oxiranylmethyl)-1,3,5-triazine-2,4,6(1H,3H,5H)-trione:**

Acute oral toxicity : LD50 (Rat, male and female): 400 - 800 mg/kg  
Method: OECD Test Guideline 423  
GLP: yes  
Assessment: The component/mixture is moderately toxic after single ingestion.

Acute inhalation toxicity : LC50 (Rat, male and female): 1.14 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist  
Method: OECD Test Guideline 403  
Assessment: The component/mixture is toxic after short term inhalation.

Acute dermal toxicity : LD50 (Rat, male and female): > 2,000 mg/kg  
Method: OECD Test Guideline 402  
GLP: yes  
Assessment: The substance or mixture has no acute dermal toxicity

**Skin corrosion/irritation****Components:****2,2'-[(1-methylethylidene)bis(4,1-phenyleneoxymethylene)]bisoxirane:**

Species : Rabbit  
Exposure time : 4 h  
Assessment : Irritating to skin.  
Method : OECD Test Guideline 404  
Result : Irritating to skin.

**barium sulfate:**

Species : human skin  
Assessment : No skin irritation  
Result : No skin irritation

**1,4-bis(2,3-epoxypropoxy)butane:**

Species : Rabbit  
Method : OECD Test Guideline 404  
Result : Skin irritation  
GLP : yes

**1,3,5-tris(oxiranylmethyl)-1,3,5-triazine-2,4,6(1H,3H,5H)-trione:**

**ARALDITE® 2014 A US**

Version 1.3      Revision Date: 09/19/2022      SDS Number: 400001014236      Date of last issue: 02/07/2019  
Date of first issue: 08/25/2017

Print Date 07/29/2024

Species : Rabbit  
Exposure time : 4 h  
Assessment : No skin irritation  
Method : OECD Test Guideline 404  
Result : No skin irritation  
GLP : yes

**Serious eye damage/eye irritation****Components:****2,2'-[(1-methylethylidene)bis(4,1-phenyleneoxymethylene)]bisoxirane:**

Species : Rabbit  
Result : Irritating to eyes.  
Assessment : Irritating to eyes.  
Method : OECD Test Guideline 405

**barium sulfate:**

Species : Rabbit  
Result : No eye irritation  
Assessment : No eye irritation  
Method : OECD Test Guideline 405

**1,4-bis(2,3-epoxypropoxy)butane:**

Species : Rabbit  
Assessment : Risk of serious damage to eyes.  
Method : OECD Test Guideline 405  
GLP : yes

**1,3,5-tris(oxiranylmethyl)-1,3,5-triazine-2,4,6(1H,3H,5H)-trione:**

Species : Rabbit  
Result : Risk of serious damage to eyes.  
Assessment : Risk of serious damage to eyes.  
GLP : yes

**Respiratory or skin sensitisation****Components:****2,2'-[(1-methylethylidene)bis(4,1-phenyleneoxymethylene)]bisoxirane:**

Test Type : Local lymph node assay (LLNA)  
Exposure routes : Skin  
Species : Mouse  
Method : OECD Test Guideline 429  
Result : The product is a skin sensitiser, sub-category 1B.

**barium sulfate:**

Exposure routes : Skin  
Species : Mouse  
Method : OECD Test Guideline 429  
Result : Does not cause skin sensitisation.

**ARALDITE® 2014 A US**

Version 1.3      Revision Date: 09/19/2022      SDS Number: 400001014236      Date of last issue: 02/07/2019  
Date of first issue: 08/25/2017

Print Date 07/29/2024

**1,4-bis(2,3-epoxypropoxy)butane:**

Exposure routes : Skin  
Species : Guinea pig  
Method : OECD Test Guideline 406  
Result : May cause sensitisation by skin contact.  
GLP : yes

Assessment : Harmful if inhaled.

**1,3,5-tris(oxiranylmethyl)-1,3,5-triazine-2,4,6(1H,3H,5H)-trione:**

Exposure routes : Skin  
Species : Guinea pig  
Method : OECD Test Guideline 406  
Result : May cause sensitisation by skin contact.

**Germ cell mutagenicity****Components:****2,2'-[(1-methylethylidene)bis(4,1-phenyleneoxymethylene)]bisoxirane:**

Genotoxicity in vitro : Test Type: In vitro mammalian cell gene mutation test  
Test system: mouse lymphoma cells  
Metabolic activation: without metabolic activation  
Result: positive

Test Type: reverse mutation assay  
Test system: Salmonella typhimurium  
Metabolic activation: with and without metabolic activation  
Method: Mutagenicity (Salmonella typhimurium - reverse mutation assay)  
Result: negative

Genotoxicity in vivo : Test Type: in vivo assay  
Species: Mouse (male)  
Cell type: Germ  
Application Route: Oral  
Dose: 3333, 10000 mg/kg  
Result: negative

Test Type: gene mutation test  
Species: Rat (male)  
Cell type: Somatic  
Application Route: Oral  
Dose: 50,250,500,1000 mg/kg bw/day  
Method: OECD Test Guideline 488  
Result: negative

**barium sulfate:**

Genotoxicity in vitro : Metabolic activation: with and without metabolic activation  
Method: OECD Test Guideline 476  
Result: negative

Metabolic activation: with and without metabolic activation  
Method: OECD Test Guideline 471  
Result: negative

**ARALDITE® 2014 A US**

Version 1.3      Revision Date: 09/19/2022      SDS Number: 400001014236      Date of last issue: 02/07/2019  
Date of first issue: 08/25/2017

Print Date 07/29/2024

Metabolic activation: with and without metabolic activation  
Method: OECD Test Guideline 473  
Result: negative

**1,4-bis(2,3-epoxypropoxy)butane:**

Genotoxicity in vitro : Test Type: reverse mutation assay  
Concentration: 10 - 5000 ug/plate  
Metabolic activation: with and without metabolic activation  
Method: OECD Test Guideline 471  
Result: positive  
GLP: yes  
Remarks: Not classified due to data which are conclusive although insufficient for classification.

Test Type: Chromosome aberration test in vitro  
Test system: Chinese hamster lung cells  
Concentration: 1 - 100 µg/L  
Metabolic activation: with and without metabolic activation  
Method: OECD Test Guideline 473  
Result: positive  
GLP: yes  
Remarks: Not classified due to data which are conclusive although insufficient for classification.

Test Type: In vitro mammalian cell gene mutation test  
Test system: Chinese hamster lung cells  
Metabolic activation: with and without metabolic activation  
Method: OECD Test Guideline 476  
Result: positive  
GLP: no  
Remarks: Not classified due to data which are conclusive although insufficient for classification.

Genotoxicity in vivo : Test Type: In vivo micronucleus test  
Species: Mouse (male)  
Cell type: Somatic  
Application Route: Oral  
Exposure time: 4 d  
Dose: 187.5 - 750 mg/kg  
Method: OECD Test Guideline 474  
Result: negative  
GLP: yes

Test Type: unscheduled DNA synthesis assay  
Species: Rat  
Cell type: Liver cells  
Application Route: Oral  
Method: OECD Test Guideline 486  
Result: negative

Germ cell mutagenicity - Assessment : Weight of evidence does not support classification as a germ cell mutagen., Animal testing did not show any mutagenic effects.

**ARALDITE® 2014 A US**

Version 1.3      Revision Date: 09/19/2022      SDS Number: 400001014236      Date of last issue: 02/07/2019  
Date of first issue: 08/25/2017

Print Date 07/29/2024

**1,3,5-tris(oxiranylmethyl)-1,3,5-triazine-2,4,6(1H,3H,5H)-trione:**

Genotoxicity in vitro : Test Type: reverse mutation assay  
Test system: Salmonella typhimurium  
Metabolic activation: with and without metabolic activation  
Method: OECD Test Guideline 471  
Result: positive  
GLP: yes

Test Type: In vitro mammalian cell gene mutation test  
Test system: mouse lymphoma cells  
Metabolic activation: with and without metabolic activation  
Result: positive  
GLP: yes

Test Type: Chromosome aberration test in vitro  
Test system: Human lymphocytes  
Metabolic activation: with and without metabolic activation  
Result: positive  
GLP: yes

Genotoxicity in vivo : Test Type: in vivo assay  
Species: Mouse (male)  
Cell type: Germ  
Application Route: Oral  
Dose: 0/28.75/57.5/115 mg/kg  
Method: OECD Test Guideline 483  
Result: positive  
GLP: yes

Test Type: In vivo micronucleus test  
Species: Chinese hamster (male and female)  
Cell type: Bone marrow  
Application Route: Oral  
Dose: 0/140/280/560 mg/kg  
Result: positive  
GLP: yes

Test Type: in vivo assay  
Species: Mouse (male)  
Cell type: Germ  
Application Route: Oral  
Exposure time: 5 d  
Dose: 0/28.75/57.5/115 mg/kg  
Method: OECD Test Guideline 483  
Result: positive  
GLP: yes

Germ cell mutagenicity - Assessment : Positive result(s) from in vivo somatic cell mutagenicity tests supported by positive results from in vitro mutagenicity assays or chemical structure activity relationship to known germ cell mutagens

## ARALDITE® 2014 A US

Version 1.3      Revision Date: 09/19/2022      SDS Number: 400001014236      Date of last issue: 02/07/2019  
 Date of first issue: 08/25/2017

Print Date 07/29/2024

**Carcinogenicity****Components:****2,2'-[(1-methylethylidene)bis(4,1-phenyleneoxymethylene)]bisoxirane:**

Species : Rat, male  
 Application Route : Oral  
 Exposure time : 24 month(s)  
 Dose : 0, 2, 15, or 100 mg/kg bw/day  
 Frequency of Treatment : 7 days/week  
 NOAEL : 15 mg/kg bw/day  
 Method : OECD Test Guideline 453  
 Result : negative  
 Target Organs : Digestive organs

Species : Mouse, male  
 Application Route : Dermal  
 Exposure time : 24 month(s)  
 Dose : 0, 0.1, 10, 100 mg/kg bw/day  
 Frequency of Treatment : 3 days/week  
 NOEL : 0.1 mg/kg body weight  
 Method : OECD Test Guideline 453  
 Result : negative  
 Target Organs : Digestive organs

Species : Rat, female  
 Application Route : Dermal  
 Exposure time : 24 month(s)  
 Dose : 0.1, 100, 1000 mg/kg bw/day  
 Frequency of Treatment : 5 days/week  
 NOEL : 100 mg/kg body weight  
 Method : OECD Test Guideline 453  
 Result : negative

Species : Rat, female  
 Application Route : Oral  
 Exposure time : 24 month(s)  
 Dose : 0, 2, 15, or 100 mg/kg bw/day  
 Frequency of Treatment : 7 days/week  
 NOAEL : 100 mg/kg bw/day  
 Method : OECD Test Guideline 453  
 Result : negative  
 Target Organs : Digestive organs

Species : Rat, females  
 Application Route : Oral  
 Exposure time : 24 month(s)  
 Dose : 0, 2, 15, or 100 mg/kg bw/day  
 Frequency of Treatment : 7 days/week  
 NOEL : 2 mg/kg bw/day  
 Method : OECD Test Guideline 453  
 Result : negative  
 Target Organs : Digestive organs

**barium sulfate:**

Species : Rat, male and female

**ARALDITE® 2014 A US**

Version	Revision Date:	SDS Number:	Date of last issue: 02/07/2019
1.3	09/19/2022	400001014236	Date of first issue: 08/25/2017

Print Date 07/29/2024

Application Route : Oral  
 Exposure time : 104 weeks  
 Dose : 60 - 75 mg/kg  
 Method : OPPTS 870.4200  
 Result : negative

Species : Mouse, male and female  
 Application Route : Oral  
 Dose : 160 - 200 mg/kg  
 Method : OPPTS 870.4200  
 Result : negative

**1,3,5-tris(oxiranylmethyl)-1,3,5-triazine-2,4,6(1H,3H,5H)-trione:**

Species : Rat, male  
 Application Route : Oral  
 Exposure time : 99 weeks  
 Dose : 0/10/30/100/300 ppm  
 Frequency of Treatment : 24 hour  
 NOAEL : 4.36 mg/kg bw/day  
 Method : OECD Test Guideline 451  
 Result : negative  
 GLP : yes

**IARC** No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

**OSHA** No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.

**NTP** No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

**Reproductive toxicity****Components:****2,2'-[(1-methylethylidene)bis(4,1-phenyleneoxymethylene)]bisoxirane:**

Effects on fertility : Test Type: Two-generation study  
 Species: Rat, male and female  
 Application Route: Oral  
 Dose: 0, 50, 180, 540 or 750 milligram per kilogram  
 Duration of Single Treatment: 238 d  
 Frequency of Treatment: 1 daily  
 General Toxicity - Parent: NOEL: 540 mg/kg body weight  
 General Toxicity F1: NOEL: 750 mg/kg body weight  
 Symptoms: No adverse effects  
 Method: OECD Test Guideline 416  
 Result: No effects on fertility and early embryonic development were detected.

Effects on foetal development : Species: Rabbit, female  
 Application Route: Dermal  
 Dose: 0, 30, 100 or 300 milligram per kilogram  
 Duration of Single Treatment: 28 d  
 Frequency of Treatment: 1 daily  
 General Toxicity Maternal: NOAEL: 30 mg/kg body weight

**ARALDITE® 2014 A US**

Version	Revision Date:	SDS Number:	Date of last issue: 02/07/2019
1.3	09/19/2022	400001014236	Date of first issue: 08/25/2017

Print Date 07/29/2024

Developmental Toxicity: NOAEL: 300 mg/kg body weight  
Method: Other guidelines  
Result: No teratogenic effects

Test Type: Pre-natal  
Species: Rabbit, female  
Application Route: Oral  
Dose: 0, 20, 60 or 180 milligram per kilogram  
Duration of Single Treatment: 13 d  
Frequency of Treatment: 1 daily  
General Toxicity Maternal: NOAEL: 60 mg/kg body weight  
Developmental Toxicity: NOAEL: 180 mg/kg body weight  
Method: OECD Test Guideline 414  
Result: No teratogenic effects

Test Type: Pre-natal  
Species: Rat, female  
Application Route: Oral  
Dose: 0, 60, 180 and 540 milligram per kilogram  
Duration of Single Treatment: 10 d  
Frequency of Treatment: 1 daily  
General Toxicity Maternal: NOAEL: 180 mg/kg body weight  
Developmental Toxicity: NOAEL: > 540 mg/kg body weight  
Method: OECD Test Guideline 414  
Result: No teratogenic effects

**1,4-bis(2,3-epoxypropoxy)butane:**

Effects on foetal development : Test Type: Pre-natal  
Species: Rat, female  
Application Route: Oral  
Dose: 0/30/100/300 mg/kg bw/day  
Duration of Single Treatment: 17 d  
General Toxicity Maternal: NOAEL: 300 mg/kg body weight  
Developmental Toxicity: NOAEL: 300 mg/kg body weight  
Method: OECD Test Guideline 414  
GLP: yes  
Remarks: Information given is based on data obtained from similar substances.

**1,3,5-tris(oxiranylmethyl)-1,3,5-triazine-2,4,6(1H,3H,5H)-trione:**

Effects on fertility : Species: Mouse, male  
Application Route: inhalation (dust/mist/fume)  
Dose: 2.5/10/50 mg/m<sup>3</sup>  
General Toxicity - Parent: NOAEC: ca. 2.5 mg/m<sup>3</sup>  
Method: OECD Test Guideline 478  
GLP: yes

Test Type: Fertility  
Species: Rat, male  
Application Route: Oral  
Dose: 0.72/2.08/7.32 milligram per kilogram  
Duration of Single Treatment: 64 d  
Frequency of Treatment: 7 days/week  
General Toxicity - Parent: NOAEL: 7.32 mg/kg body weight  
General Toxicity F1: NOEL: 2.08 mg/kg body weight



## ARALDITE® 2014 A US

Version	Revision Date:	SDS Number:	Date of last issue: 02/07/2019
1.3	09/19/2022	400001014236	Date of first issue: 08/25/2017

Print Date 07/29/2024

Target Organs: Reproductive organs  
 Method: OECD Test Guideline 408  
 Result: negative  
 GLP: yes

**STOT - single exposure**

No data available

**STOT - repeated exposure****Components:****1,3,5-tris(oxiranylmethyl)-1,3,5-triazine-2,4,6(1H,3H,5H)-trione:**

Exposure routes	:	Ingestion
Target Organs	:	Cardio-vascular system
Assessment	:	May cause damage to organs through prolonged or repeated exposure.

**Repeated dose toxicity****Components:****2,2'-[(1-methylethylidene)bis(4,1-phenyleneoxymethylene)]bisoxirane:**

Species	:	Rat, male and female
NOAEL	:	50 mg/kg
Application Route	:	oral (gavage)
Exposure time	:	14 Weeks
Number of exposures	:	7 d
Dose	:	0, 50, 250, 1000 mg/kg/day
Method	:	OECD Test Guideline 408

Species	:	Rat, male and female
NOAEL	:	>= 10 mg/kg
Application Route	:	Skin contact
Exposure time	:	13 Weeks
Number of exposures	:	5 d
Dose	:	0, 10, 100, 1000 mg/kg/day
Method	:	OECD Test Guideline 411

Species	:	Mouse, male
NOAEL	:	100 mg/kg
Application Route	:	Skin contact
Exposure time	:	13 Weeks
Number of exposures	:	3 d
Dose	:	0, 1, 10, 100 mg/kg/day
Method	:	OECD Test Guideline 411

**barium sulfate:**

Species	:	Rat
LOEC	:	>= 104 mg/kg, 40 mg/m3
Application Route	:	Ingestion
Test atmosphere	:	dust/mist
Exposure time	:	5 h
Number of exposures	:	5 d
Method	:	Subchronic toxicity

**ARALDITE® 2014 A US**

Version 1.3      Revision Date: 09/19/2022      SDS Number: 400001014236      Date of last issue: 02/07/2019  
Date of first issue: 08/25/2017

Print Date 07/29/2024

**1,4-bis(2,3-epoxypropoxy)butane:**

Species : Rat, male and female  
NOAEL : 200 mg/kg  
Application Route : Oral  
Exposure time : 28 d  
Number of exposures : daily  
Dose : 25, 100, 200, 400 mg/kg  
Method : Subacute toxicity

Species : Rat, male and female  
NOAEL : 263 mg/kg  
Application Route : Oral  
Exposure time : 90 h  
Number of exposures : daily  
Dose : 0,30,100,300 mg/kg bw/day  
Method : OECD Test Guideline 408  
GLP : yes  
Remarks : Information given is based on data obtained from similar substances.

Repeated dose toxicity - Assessment : Harmful if inhaled.

**1,3,5-tris(oxiranylmethyl)-1,3,5-triazine-2,4,6(1H,3H,5H)-trione:**

Species : Rat, male and female  
NOEL : 2.08 mg/kg  
LOAEL : 7.32 mg/kg  
Application Route : oral (feed)  
Exposure time : 94 d  
Number of exposures : 7 days/week  
Dose : 0/10/30/100 ppm  
Method : OECD Test Guideline 408  
GLP : yes

Species : Mouse, male  
NOAEL : =<100 mg/m<sup>3</sup>  
Application Route : inhalation (dust/mist/fume)  
Exposure time : 5 d 6 h  
Dose : 0/100/350/750 mg/m<sup>3</sup>  
Method : OECD Test Guideline 412  
GLP : yes

**Aspiration toxicity**

No data available

**Experience with human exposure**

No data available

**Toxicology, Metabolism, Distribution**

No data available

**Neurological effects**

No data available

**ARALDITE® 2014 A US**

Version 1.3      Revision Date: 09/19/2022      SDS Number: 400001014236      Date of last issue: 02/07/2019  
Date of first issue: 08/25/2017

Print Date 07/29/2024

**Further information**

No data available

**SECTION 12. ECOLOGICAL INFORMATION****Ecotoxicity****Components:****2,2'-[(1-methylethylidene)bis(4,1-phenyleneoxymethylene)]bisoxirane:**

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 2 mg/l  
Exposure time: 96 h  
Method: OECD Test Guideline 203

Toxicity to daphnia and other : EC50 (Daphnia magna (Water flea)): 1.8 mg/l  
aquatic invertebrates : Exposure time: 48 h  
Test Type: static test  
Test substance: Fresh water  
Method: OECD Test Guideline 202

Toxicity to algae/aquatic : EC50: 11 mg/l  
plants : Exposure time: 72 h  
Test Type: static test  
Test substance: Fresh water  
Method: EPA-660/3-75-009

NOEC: 4.2 mg/l  
Exposure time: 72 h  
Test Type: static test  
Test substance: Fresh water  
Method: EPA-660/3-75-009

Toxicity to daphnia and other : NOEC (Daphnia magna (Water flea)): 0.3 mg/l  
aquatic invertebrates : Exposure time: 21 d  
(Chronic toxicity) : Test Type: semi-static test  
Test substance: Fresh water  
Method: OECD Test Guideline 211

Toxicity to microorganisms : IC50 (activated sludge): > 100 mg/l  
Exposure time: 3 h  
Test Type: static test  
Test substance: Fresh water

**Ecotoxicology Assessment**

Chronic aquatic toxicity : Toxic to aquatic life with long lasting effects.

**barium sulfate:**

Toxicity to fish : LC50: 174 mg/l  
Exposure time: 96 h  
Test Type: static test  
Test substance: Fresh water  
Method: OECD Test Guideline 203

Toxicity to daphnia and other : LC50 (Daphnia magna (Water flea)): 14.5 mg/l  
aquatic invertebrates : Exposure time: 48 h

**ARALDITE® 2014 A US**

Version 1.3      Revision Date: 09/19/2022      SDS Number: 400001014236      Date of last issue: 02/07/2019  
Date of first issue: 08/25/2017

Print Date 07/29/2024

Test Type: static test  
Test substance: Fresh water  
Method: OECD Test Guideline 202

Toxicity to algae/aquatic plants : EC50: > 100 mg/l  
Exposure time: 72 h  
Test Type: static test  
Test substance: Fresh water  
Method: OECD Test Guideline 201

NOEC: > 1.15 mg/l  
Exposure time: 72 h  
Test Type: static test  
Test substance: Fresh water  
Method: OECD Test Guideline 201

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Daphnia magna (Water flea)): 5.8 mg/l  
Exposure time: 21 d  
Test Type: semi-static test  
Test substance: Fresh water  
Method: OECD Test Guideline 211

**1,4-bis(2,3-epoxypropoxy)butane:**

Toxicity to fish : LC50 (Brachydanio rerio (zebrafish)): 24 mg/l  
End point: mortality  
Exposure time: 96 h  
Test Type: static test  
Analytical monitoring: no  
Test substance: Fresh water  
Method: OECD Test Guideline 203  
GLP: no

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 75 mg/l  
End point: Immobilization  
Exposure time: 24 h  
Test Type: static test  
Analytical monitoring: no  
Test substance: Fresh water  
Method: OECD Test Guideline 202  
GLP: no

Toxicity to algae/aquatic plants : EL50 (Pseudokirchneriella subcapitata (green algae)): > 160 mg/l  
Exposure time: 72 h  
Test Type: static test  
Analytical monitoring: yes  
Test substance: Fresh water  
Method: OECD Test Guideline 201  
GLP: yes

NOELR (Pseudokirchneriella subcapitata (green algae)): 40 mg/l  
Exposure time: 72 h  
Test Type: static test  
Analytical monitoring: yes  
Test substance: Fresh water

**ARALDITE® 2014 A US**

Version 1.3      Revision Date: 09/19/2022      SDS Number: 400001014236      Date of last issue: 02/07/2019  
Date of first issue: 08/25/2017

Print Date 07/29/2024

Method: OECD Test Guideline 201  
GLP: yes

Toxicity to microorganisms : IC50 (activated sludge): > 100 mg/l  
Exposure time: 3 h  
Test Type: static test  
Analytical monitoring: no  
Test substance: Fresh water  
Method: OECD Test Guideline 209  
GLP: no

**1,3,5-tris(oxiranylmethyl)-1,3,5-triazine-2,4,6(1H,3H,5H)-trione:**

Toxicity to fish : LC50 (Brachydanio rerio (zebrafish)): > 77 mg/l  
End point: mortality  
Exposure time: 96 h  
Test Type: static test  
Analytical monitoring: yes  
Test substance: Fresh water  
Method: OECD Test Guideline 203  
GLP: no

Toxicity to daphnia and other aquatic invertebrates : LC50 (Daphnia magna (Water flea)): > 100 mg/l  
End point: Immobilization  
Exposure time: 24 h  
Test Type: static test  
Analytical monitoring: yes  
Test substance: Fresh water  
Method: OECD Test Guideline 202  
GLP: no

Toxicity to algae/aquatic plants : EbC50 (Desmodesmus subspicatus (green algae)): 29 mg/l  
Exposure time: 72 h  
Test Type: static test  
Analytical monitoring: yes  
Test substance: Fresh water  
Method: OECD Test Guideline 201  
GLP: yes

Toxicity to microorganisms : IC50 (activated sludge): > 100 mg/l  
Exposure time: 3 h  
Test Type: static test  
Test substance: Fresh water  
Method: OECD Test Guideline 209  
GLP: yes

**Persistence and degradability****Components:****2,2'-[(1-methylethylidene)bis(4,1-phenyleneoxymethylene)]bisoxirane:**

Biodegradability : aerobic  
Inoculum: activated sludge, non-adapted  
Concentration: 20 mg/l  
Result: Not readily biodegradable.  
Biodegradation: 5 %  
Exposure time: 28 d

**ARALDITE® 2014 A US**

Version	Revision Date:	SDS Number:	Date of last issue:
1.3	09/19/2022	400001014236	02/07/2019
			Date of first issue: 08/25/2017

Print Date 07/29/2024

Method: OECD Test Guideline 301F

Stability in water : Degradation half life (DT50): 4.83 d (25 °C) pH: 4  
Method: OECD Test Guideline 111  
Remarks: Fresh water

Degradation half life (DT50): 7.1 d (25 °C) pH: 9  
Method: OECD Test Guideline 111  
Remarks: Fresh water

Degradation half life (DT50): 3.58 d (25 °C) pH: 7  
Method: OECD Test Guideline 111  
Remarks: Fresh water

**1,4-bis(2,3-epoxypropoxy)butane:**

Biodegradability : aerobic  
Inoculum: activated sludge  
Concentration: 20 mg/l  
Result: Not readily biodegradable.  
Biodegradation: 43 %  
Exposure time: 28 d  
Method: OECD Test Guideline 301F  
GLP: yes

aerobic  
Inoculum: Sewage (STP effluent)  
Concentration: 20 mg/l  
Dissolved organic carbon (DOC)  
Result: Not readily biodegradable.  
Biodegradation: 38 %  
Exposure time: 28 d  
Method: OECD Test Guideline 301E  
GLP: no

**1,3,5-tris(oxiranylmethyl)-1,3,5-triazine-2,4,6(1H,3H,5H)-trione:**

Biodegradability : aerobic  
Inoculum: activated sludge  
Result: Not readily biodegradable.  
Biodegradation: > 0.5 - < 1 %  
Exposure time: 44 d  
Method: OECD Test Guideline 301B  
GLP: yes

Stability in water : Degradation half life (DT50): 6.66 d (25 °C) pH: 7  
Method: OECD Test Guideline 111  
Remarks: Fresh water

**Bioaccumulative potential****Components:****2,2'-[(1-methylethylidene)bis(4,1-phenyleneoxymethylene)]bisoxirane:**

Bioaccumulation : Bioconcentration factor (BCF): 31  
Remarks: Does not bioaccumulate.

**ARALDITE® 2014 A US**

Version	Revision Date:	SDS Number:	Date of last issue:
1.3	09/19/2022	400001014236	02/07/2019
			Date of first issue: 08/25/2017

Print Date 07/29/2024

Partition coefficient: n-octanol/water : log Pow: 3.242 (77 °F / 25 °C)  
pH: 7.1  
Method: OECD Test Guideline 117

**1,4-bis(2,3-epoxypropoxy)butane:**

Partition coefficient: n-octanol/water : log Pow: -0.269 (77 °F / 25 °C)  
pH: 6.7  
Method: OECD Test Guideline 117  
GLP: yes

**1,3,5-tris(oxiranylmethyl)-1,3,5-triazine-2,4,6(1H,3H,5H)-trione:**

Partition coefficient: n-octanol/water : log Pow: ca. -0.8 (203 °F / 95 °C)  
pH: 5 - 8  
Method: OECD Test Guideline 107

**Mobility in soil****Components:****2,2'-[(1-methylethylidene)bis(4,1-phenyleneoxymethylene)]bisoxirane:**

Distribution among environmental compartments : Koc: 445

**1,4-bis(2,3-epoxypropoxy)butane:**

Distribution among environmental compartments : Koc: 12.59  
Method: OECD Test Guideline 121

**1,3,5-tris(oxiranylmethyl)-1,3,5-triazine-2,4,6(1H,3H,5H)-trione:**

Distribution among environmental compartments : Koc: 31.7  
Method: OECD Test Guideline 121

Koc: 50.1  
Method: OECD Test Guideline 121

**Other adverse effects****Product:**

Ozone-Depletion Potential : Regulation: 40 CFR Protection of Environment; Part 82  
Protection of Stratospheric Ozone - CAA Section 602 Class I  
Substances  
Remarks: This product neither contains, nor was  
manufactured with a Class I or Class II ODS as defined by the  
U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A +  
B).

Additional ecological information : An environmental hazard cannot be excluded in the event of  
unprofessional handling or disposal.  
Toxic to aquatic life with long lasting effects.

**Components:****1,3,5-tris(oxiranylmethyl)-1,3,5-triazine-2,4,6(1H,3H,5H)-trione:**

Results of PBT and vPvB : This substance/mixture contains components considered to

**ARALDITE® 2014 A US**

Version	Revision Date:	SDS Number:	Date of last issue: 02/07/2019
1.3	09/19/2022	400001014236	Date of first issue: 08/25/2017

Print Date 07/29/2024

assessment be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB).

**SECTION 13. DISPOSAL CONSIDERATIONS****Disposal methods**

- Waste from residues : Dispose of contents and container in accordance with all local, regional, national and international regulations.  
Do not dispose of waste into sewer.  
Do not contaminate ponds, waterways or ditches with chemical or used container.
- Contaminated packaging : Empty remaining contents.  
Dispose of as unused product.  
Do not re-use empty containers.

**SECTION 14. TRANSPORT INFORMATION****International Regulations****IATA-DGR**

- UN/ID No. : UN 3082  
 Proper shipping name : Environmentally hazardous substance, liquid, n.o.s.  
 (BISPHENOL A EPOXY RESIN)  
 Class : 9  
 Packing group : III  
 Labels : Miscellaneous  
 Packing instruction (cargo aircraft) : 964  
 Packing instruction (passenger aircraft) : 964  
 Environmentally hazardous : yes

**IMDG-Code**

- UN number : UN 3082  
 Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,  
 N.O.S.  
 (BISPHENOL A EPOXY RESIN)  
 Class : 9  
 Packing group : III  
 Labels : 9  
 EmS Code : F-A, S-F  
 Marine pollutant : yes

**Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code**

Not applicable for product as supplied.

**National Regulations****49 CFR**

- UN/ID/NA number : UN 3082  
 Proper shipping name : Environmentally hazardous substance, liquid, n.o.s.  
 (BISPHENOL A EPOXY RESIN)  
 Class : 9  
 Packing group : III



**ARALDITE® 2014 A US**

Version	Revision Date:	SDS Number:	Date of last issue:
1.3	09/19/2022	400001014236	02/07/2019
			Date of first issue: 08/25/2017

Print Date 07/29/2024

Labels	:	CLASS 9
ERG Code	:	171
Marine pollutant	:	yes
Remarks	:	Shipment by ground under DOT is non-regulated; however it may be shipped per the applicable hazard classification to facilitate multi-modal transport involving ICAO (IATA) or IMO.

**Special precautions for user**

Remarks	:	49CFR: no dangerous good in non-bulk packaging
---------	---	--

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

**SECTION 15. REGULATORY INFORMATION****CERCLA Reportable Quantity**

Listed substances in the product are at low enough levels to not be expected to exceed the RQ

<b>SARA 311/312 Hazards</b>	:	Respiratory or skin sensitisation Specific target organ toxicity (single or repeated exposure) Skin corrosion or irritation Serious eye damage or eye irritation Germ cell mutagenicity
-----------------------------	---	---

<b>SARA 313</b>	:	This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.
-----------------	---	---

This product does not contain any hazardous air pollutants (HAP)  $\geq 0.1\%$ , as defined by the U.S. Clean Air Act Section 112 (40 CFR 61)

**California Prop. 65**

WARNING: This product can expose you to chemicals including methanol, which is/are known to the State of California to cause birth defects or other reproductive harm. For more information go to [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov).

**The components of this product are reported in the following inventories:**

DSL	:	All components of this product are on the Canadian DSL
AIIC	:	All components are listed on the inventory, regulatory obligations/restrictions apply
NZIoC	:	Not in compliance with the inventory
ENCS	:	Not in compliance with the inventory
KECI	:	Not in compliance with the inventory
PICCS	:	Not in compliance with the inventory
IECSC	:	On the inventory, or in compliance with the inventory

## ARALDITE® 2014 A US

Version 1.3      Revision Date: 09/19/2022      SDS Number: 400001014236      Date of last issue: 02/07/2019  
 Date of first issue: 08/25/2017

Print Date 07/29/2024

TCSI : On the inventory, or in compliance with the inventory

TSCA : All substances listed as active on the TSCA inventory

**Inventories**


AIIC (Australia), DSL (Canada), IECSC (China), REACH (European Union), ENCS (Japan), ISHL (Japan), KECI (Korea), NZIoC (New Zealand), PICCS (Philippines), TCSI (Taiwan), TECI (Thailand), TSCA (USA)

**TSCA - 5(a) Significant New Use Rule List of Chemicals**

No substances are subject to a Significant New Use Rule.

**US. Toxic Substances Control Act (TSCA) Section 12(b) Export Notification (40 CFR 707, Subpt D)**

No substances are subject to TSCA 12(b) export notification requirements.

**SECTION 16. OTHER INFORMATION****Further information****NFPA 704:****HMIS® IV:**

<b>HEALTH</b>	*	<b>3</b>
<b>FLAMMABILITY</b>		<b>1</b>
<b>PHYSICAL HAZARD</b>		<b>0</b>

HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. The "\*" represents a chronic hazard, while the "/" represents the absence of a chronic hazard

Revision Date : 09/19/2022

ACGIH : USA. ACGIH Threshold Limit Values (TLV)  
 NIOSH REL : USA. NIOSH Recommended Exposure Limits  
 OSHA P0 : USA. Table Z-1-A Limits for Air Contaminants (1989 vacated values)

OSHA Z-1 : USA. Occupational Exposure Limits (OSHA) - Table Z-1 Limits for Air Contaminants

ACGIH / TWA : 8-hour, time-weighted average  
 NIOSH REL / TWA : Time-weighted average concentration for up to a 10-hour workday during a 40-hour workweek

OSHA P0 / TWA : 8-hour time weighted average  
 OSHA Z-1 / TWA : 8-hour time weighted average

**ARALDITE® 2014 A US**

Version	Revision Date:	SDS Number:	Date of last issue: 02/07/2019
1.3	09/19/2022	400001014236	Date of first issue: 08/25/2017

Print Date 07/29/2024

The information and recommendations in this publication are to the best of our knowledge, information and belief accurate at the date of publication, NOTHING HEREIN IS TO BE CONSTRUED AS A WARRANTY, EXPRESS OR OTHERWISE.

IN ALL CASES, IT IS THE RESPONSIBILITY OF THE USER TO DETERMINE THE APPLICABILITY OF SUCH INFORMATION AND RECOMMENDATIONS AND THE SUITABILITY OF ANY PRODUCT FOR ITS OWN PARTICULAR PURPOSE.

THE PRODUCT MAY PRESENT HAZARDS AND SHOULD BE USED WITH CAUTION. WHILE CERTAIN HAZARDS ARE DESCRIBED IN THIS PUBLICATION, NO GUARANTEE IS MADE THAT THESE ARE THE ONLY HAZARDS THAT EXIST.

Hazards, toxicity and behaviour of the products may differ when used with other materials and are dependent upon the manufacturing circumstances or other processes. Such hazards, toxicity and behaviour should be determined by the user and made known to handlers, processors and end users.

The trademarks above are the property of Huntsman Corporation or an affiliate thereof.

NO PERSON OR ORGANIZATION EXCEPT A DULY AUTHORIZED HUNTSMAN EMPLOYEE IS AUTHORIZED TO PROVIDE OR MAKE AVAILABLE DATA SHEETS FOR HUNTSMAN PRODUCTS. DATA SHEETS FROM UNAUTHORIZED SOURCES MAY CONTAIN INFORMATION THAT IS NO LONGER CURRENT OR ACCURATE.

## ARALDITE® 2014 B US

Version 2.1      Revision Date: 01/09/2024      SDS Number: 400001012585      Date of last issue: 10/15/2020  
Date of first issue: 04/12/2016

Print Date 07/29/2024

### SECTION 1. IDENTIFICATION

Product name : ARALDITE® 2014 B US

#### Manufacturer or supplier's details

Company name of supplier : Huntsman Advanced Materials Americas LLC  
Address : P.O. Box 4980

The Woodlands,  
TX 77387

United States of America (USA)

Telephone : Non-Emergency: (800) 257-5547

E-mail address : Global\_Product\_EHS\_AdMat@huntsman.com

Emergency telephone number : Chemtrec: (800) 424-9300 or (703) 527-3887

#### Recommended use of the chemical and restrictions on use

Recommended use : Hardener

Restrictions on use : For Research and Development or Export Only.

### SECTION 2. HAZARDS IDENTIFICATION

#### GHS classification in accordance with the OSHA Hazard Communication Standard (29 CFR 1910.1200)

Skin irritation : Category 2

Serious eye damage : Category 1

Skin sensitisation : Category 1

Reproductive toxicity : Category 1B

Short-term (acute) aquatic hazard : Category 2

Long-term (chronic) aquatic hazard : Category 2

#### GHS label elements

Hazard pictograms :



## ARALDITE® 2014 B US

Version 2.1      Revision Date: 01/09/2024      SDS Number: 400001012585      Date of last issue: 10/15/2020  
Date of first issue: 04/12/2016

Print Date 07/29/2024

Signal word : Danger

Hazard statements : H315 Causes skin irritation.  
H317 May cause an allergic skin reaction.  
H318 Causes serious eye damage.  
H360F May damage fertility.  
H411 Toxic to aquatic life with long lasting effects.

Precautionary statements : **Prevention:**  
P201 Obtain special instructions before use.  
P202 Do not handle until all safety precautions have been read and understood.  
P261 Avoid breathing mist or vapours.  
P264 Wash skin thoroughly after handling.  
P272 Contaminated work clothing must not be allowed out of the workplace.  
P273 Avoid release to the environment.  
P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.  
**Response:**  
P302 + P352 IF ON SKIN: Wash with plenty of soap and water.  
P305 + P351 + P338 + P310 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/ doctor.  
P308 + P313 IF exposed or concerned: Get medical advice/ attention.  
P333 + P313 If skin irritation or rash occurs: Get medical advice/ attention.  
P362 Take off contaminated clothing and wash before reuse.  
P391 Collect spillage.  
**Storage:**  
P405 Store locked up.  
**Disposal:**  
P501 Dispose of contents/container to an approved facility in accordance with local, regional, national and international regulations.

### Other hazards

None known.

## SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

### Hazardous components

Chemical name	CAS-No.	Concentration (% w/w)
barium sulfate	7727-43-7	30 - 50
Fatty acids, C18-unsatd., dimers, polymers with tall-oil fatty acids and triethylenetetramine	68082-29-1	20 - 30

**ARALDITE® 2014 B US**

Version 2.1      Revision Date: 01/09/2024      SDS Number: 400001012585      Date of last issue: 10/15/2020  
Date of first issue: 04/12/2016

Print Date 07/29/2024

Fatty acids, C16-18 and C18-unsatd., branched and linear, polymers with C18-unsatd. fatty acids dimers, and an amine	ACCN #: 255120	5 - 10
N'-(3-aminopropyl)-N,N-dimethylpropane-1,3-diamine	10563-29-8	5 - 9.65
Diethylenetriamine	111-40-0	1 - 5
Triethylenetetramine	112-24-3	1 - 5
4,4'-isopropylidenediphenol	80-05-7	1 - 5

The specific chemical identity and/or exact percentage (concentration) of composition may be withheld as a trade secret.

**SECTION 4. FIRST AID MEASURES**

- General advice : Move out of dangerous area.  
Consult a physician.  
Show this safety data sheet to the doctor in attendance.  
Treat symptomatically.
- If inhaled : Get medical attention if symptoms occur.  
Consult a physician after significant exposure.  
If inhaled, remove to fresh air.  
Get medical attention if symptoms occur.
- In case of skin contact : If skin irritation persists, call a physician.  
If on skin, rinse well with water.  
If on clothes, remove clothes.
- In case of eye contact : Small amounts splashed into eyes can cause irreversible tissue damage and blindness.  
In the case of contact with eyes, rinse immediately with plenty of water and seek medical advice.  
Continue rinsing eyes during transport to hospital.  
Remove contact lenses.  
Keep eye wide open while rinsing.  
If eye irritation persists, consult a specialist.
- If swallowed : Induce vomiting immediately and call a physician.  
Keep respiratory tract clear.  
Never give anything by mouth to an unconscious person.  
If symptoms persist, call a physician.  
Take victim immediately to hospital.
- Most important symptoms and effects, both acute and delayed : Causes skin irritation.  
May cause an allergic skin reaction.  
Causes serious eye damage.

## ARALDITE® 2014 B US

Version	Revision Date:	SDS Number:	Date of last issue: 10/15/2020
2.1	01/09/2024	400001012585	Date of first issue: 04/12/2016

Print Date 07/29/2024

May damage fertility.

Protection of first-aiders : First Aid responders should pay attention to self-protection and use the recommended protective clothing  
If potential for exposure exists refer to Section 8 for specific personal protective equipment.  
Avoid inhalation, ingestion and contact with skin and eyes.  
No action shall be taken involving any personal risk or without suitable training.  
It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation.

Notes to physician : Treat symptomatically.

### SECTION 5. FIREFIGHTING MEASURES

Suitable extinguishing media : Water spray  
Alcohol-resistant foam  
Carbon dioxide (CO<sub>2</sub>)  
Dry chemical

Unsuitable extinguishing media : Exercise caution when using a high volume water jet as it may scatter and spread fire

Specific hazards during firefighting : Do not allow run-off from fire fighting to enter drains or water courses.

Hazardous combustion products : Sulphur oxides  
Carbon oxides  
Nitrogen oxides (NO<sub>x</sub>)

Specific extinguishing methods : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Further information : Collect contaminated fire extinguishing water separately. This must not be discharged into drains.  
Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

Special protective equipment for firefighters : Wear self-contained breathing apparatus for firefighting if necessary.

### SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures : Use personal protective equipment.  
Ensure adequate ventilation.  
Refer to protective measures listed in sections 7 and 8.

Environmental precautions : Prevent product from entering drains.  
Prevent further leakage or spillage if safe to do so.

## ARALDITE® 2014 B US

Version 2.1      Revision Date: 01/09/2024      SDS Number: 400001012585      Date of last issue: 10/15/2020  
Date of first issue: 04/12/2016

Print Date 07/29/2024

If the product contaminates rivers and lakes or drains inform respective authorities.

Methods and materials for containment and cleaning up : Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust).  
Keep in suitable, closed containers for disposal.

### SECTION 7. HANDLING AND STORAGE

- Advice on protection against fire and explosion : Normal measures for preventive fire protection.
- Advice on safe handling : Repeated or prolonged skin contact may cause skin irritation and/or dermatitis and sensitisation of susceptible persons. Persons suffering from asthma, eczema or skin problems should avoid contact, including dermal contact, with this product.  
Avoid formation of aerosol.  
Do not breathe vapours/dust.  
Avoid exposure - obtain special instructions before use.  
Avoid contact with skin and eyes.  
For personal protection see section 8.  
Smoking, eating and drinking should be prohibited in the application area.  
Provide sufficient air exchange and/or exhaust in work rooms.  
To avoid spills during handling keep bottle on a metal tray.  
Dispose of rinse water in accordance with local and national regulations.
- Conditions for safe storage : Keep container tightly closed in a dry and well-ventilated place.  
Containers which are opened must be carefully resealed and kept upright to prevent leakage.  
Observe label precautions.  
Keep in properly labelled containers.
- Materials to avoid : For incompatible materials please refer to Section 10 of this SDS.
- Recommended storage temperature : 36 - 104 °F / 2 - 40 °C
- Further information on storage stability : Stable under normal conditions.

### SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Components with workplace control parameters

Components	CAS-No.	Value type	Control	Basis
------------	---------	------------	---------	-------



**ARALDITE® 2014 B US**

Version 2.1      Revision Date: 01/09/2024      SDS Number: 400001012585      Date of last issue: 10/15/2020  
Date of first issue: 04/12/2016

Print Date 07/29/2024

		(Form of exposure)	parameters / Permissible concentration	
barium sulfate	7727-43-7	TWA (total dust)	15 mg/m3	OSHA Z-1
		TWA (respirable fraction)	5 mg/m3	OSHA Z-1
		TWA (Inhalable particulate matter)	5 mg/m3	ACGIH
		TWA (Respirable)	5 mg/m3	NIOSH REL
		TWA (total)	10 mg/m3	NIOSH REL
		TWA (Total dust)	10 mg/m3	OSHA P0
		TWA (respirable dust fraction)	5 mg/m3	OSHA P0
Diethylenetriamine	111-40-0	TWA	1 ppm	ACGIH
		TWA	1 ppm 4 mg/m3	NIOSH REL
		TWA	1 ppm 4 mg/m3	OSHA P0

**Personal protective equipment**

**Respiratory protection** : General and local exhaust ventilation is recommended to maintain vapor exposures below recommended limits. Where concentrations are above recommended limits or are unknown, appropriate respiratory protection should be worn. Follow OSHA respirator regulations (29 CFR 1910.134) and use NIOSH/MSHA approved respirators. Protection provided by air purifying respirators against exposure to any hazardous chemical is limited. Use a positive pressure air supplied respirator if there is any potential for uncontrolled release, exposure levels are unknown, or any other circumstance where air purifying respirators may not provide adequate protection.

**Respiratory protection** : In the case of vapour formation use a respirator with an approved filter.

**Hand protection**

**Material** : butyl-rubber  
**Break through time** : > 8 h

**Material** : Nitrile rubber  
**Break through time** : 10 - 480 min

**Material** : Ethyl Vinyl Alcohol Laminate (EVAL)  
**Break through time** : > 8 h

## ARALDITE® 2014 B US

Version 2.1      Revision Date: 01/09/2024      SDS Number: 400001012585      Date of last issue: 10/15/2020  
Date of first issue: 04/12/2016

Print Date 07/29/2024

- Remarks : The selected protective gloves have to satisfy the specifications of Regulation (EU) 2016/425 and the standard EN 374 derived from it.  
Gloves should be discarded and replaced if there is any indication of degradation or chemical breakthrough.  
Take note of the information given by the producer concerning permeability and break through times, and of special workplace conditions (mechanical strain, duration of contact).  
Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary.  
The suitability for a specific workplace should be discussed with the producers of the protective gloves.
- Eye protection : Eye wash bottle with pure water  
Tightly fitting safety goggles  
Wear face-shield and protective suit for abnormal processing problems.
- Skin and body protection : Impervious clothing  
Choose body protection according to the amount and concentration of the dangerous substance at the work place.
- Hygiene measures : When using do not eat or drink.  
When using do not smoke.  
Wash hands before breaks and at the end of workday.

### SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

- Appearance : paste
- Colour : grey
- Odour : slight
- Odour Threshold : No data is available on the product itself.
- pH : substance/mixture is non-soluble (in water)
- Melting point/freezing point : No data is available on the product itself.
- Boiling point : No data is available on the product itself.
- Flash point : > 199 °F / > 93 °C  
Method: estimated, closed cup
- Evaporation rate : No data is available on the product itself.
- Flammability (solid, gas) : No data is available on the product itself.

## ARALDITE® 2014 B US

Version 2.1      Revision Date: 01/09/2024      SDS Number: 400001012585      Date of last issue: 10/15/2020  
Date of first issue: 04/12/2016

Print Date 07/29/2024

Flammability (liquids)	:	No data is available on the product itself.
Upper explosion limit / Upper flammability limit	:	No data is available on the product itself.
Lower explosion limit / Lower flammability limit	:	No data is available on the product itself.
Vapour pressure	:	No data is available on the product itself.
Relative vapour density	:	No data is available on the product itself.
Relative density	:	1.57
Density	:	No data is available on the product itself.
Solubility(ies)	:	
Water solubility	:	< 0.1 g/l (68 °F / 20 °C)
Solubility in other solvents	:	No data is available on the product itself.
Partition coefficient: n-octanol/water	:	No data is available on the product itself.
Auto-ignition temperature	:	No data is available on the product itself.
Decomposition temperature	:	No data is available on the product itself.
Self-Accelerating decomposition temperature (SADT)	:	No data is available on the product itself.
Viscosity	:	
Viscosity, dynamic	:	thixotropic
Explosive properties	:	No data is available on the product itself.
Oxidizing properties	:	No data is available on the product itself.
Particle size	:	No data is available on the product itself.

### SECTION 10. STABILITY AND REACTIVITY

Reactivity	:	No dangerous reaction known under conditions of normal use.
Chemical stability	:	Stable under normal conditions.
Possibility of hazardous reactions	:	No hazards to be specially mentioned.
Conditions to avoid	:	None known.

## ARALDITE® 2014 B US

Version 2.1      Revision Date: 01/09/2024      SDS Number: 400001012585      Date of last issue: 10/15/2020  
Date of first issue: 04/12/2016

Print Date 07/29/2024

Incompatible materials : None known.  
Hazardous decomposition products : No hazardous decomposition products are known.

### SECTION 11. TOXICOLOGICAL INFORMATION

#### Acute toxicity

Not classified due to lack of data.

#### Product:

Acute oral toxicity : Acute toxicity estimate: > 5,000 mg/kg  
Method: Calculation method  
Acute inhalation toxicity : Acute toxicity estimate: 6.02 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist  
Method: Calculation method  
Acute dermal toxicity : Acute toxicity estimate: > 5,000 mg/kg  
Method: Calculation method

#### Components:

##### **Fatty acids, C18-unsatd., dimers, polymers with tall-oil fatty acids and triethylenetetramine:**

Acute oral toxicity : LD50 (Rat, female): > 2,000 mg/kg  
Method: OECD Test Guideline 423  
GLP: yes  
Assessment: The substance or mixture has no acute oral toxicity  
Acute dermal toxicity : LD50 (Rat, male and female): > 2,000 mg/kg  
Method: OECD Test Guideline 402  
GLP: yes  
Assessment: The substance or mixture has no acute dermal toxicity

##### **N'-(3-aminopropyl)-N,N-dimethylpropane-1,3-diamine:**

Acute oral toxicity : LD50 (Rat, male and female): 1,669 mg/kg  
Method: OECD Test Guideline 401  
GLP: no  
Assessment: The component/mixture is moderately toxic after single ingestion.

##### **Diethylenetriamine:**

Acute oral toxicity : LD50 (Rat, male): 1,553 mg/kg  
Assessment: The component/mixture is moderately toxic after single ingestion.  
Acute inhalation toxicity : Acute toxicity estimate: 0.185 mg/l  
Test atmosphere: dust/mist

## ARALDITE® 2014 B US

Version 2.1      Revision Date: 01/09/2024      SDS Number: 400001012585      Date of last issue: 10/15/2020  
Date of first issue: 04/12/2016

Print Date 07/29/2024

Method: Expert judgement  
Assessment: The component/mixture is highly toxic after short term inhalation.

LC0 (Rat, male and female): 0.07 mg/l  
Test atmosphere: dust/mist  
Method: OECD Test Guideline 403  
GLP: yes  
Assessment: The component/mixture is highly toxic after short term inhalation.

LC100 (Rat, male and female): 0.3 mg/l  
Test atmosphere: dust/mist  
Method: OECD Test Guideline 403  
GLP: yes  
Assessment: The component/mixture is highly toxic after short term inhalation.

Acute dermal toxicity : LD50 (Rabbit): 1,045 mg/kg  
GLP: no

### **Triethylenetetramine:**

Acute oral toxicity : LD50 (Rat, male and female): 1,716.2 mg/kg  
Method: OECD Test Guideline 401  
Assessment: The component/mixture is moderately toxic after single ingestion.

Acute dermal toxicity : LD50 (Rabbit, male and female): 1,465.4 mg/kg  
Method: OECD Test Guideline 402  
Assessment: The component/mixture is moderately toxic after single contact with skin.

### **4,4'-isopropylidenediphenol:**

Acute oral toxicity : LD50 (Rat, male and female): > 2,000 - < 5,000 mg/kg  
Method: OECD Test Guideline 401  
Assessment: The substance or mixture has no acute oral toxicity

Acute inhalation toxicity : LC50 (Rat, male and female): > 170 mg/m<sup>3</sup>  
Exposure time: 6 h  
Test atmosphere: dust/mist

Acute dermal toxicity : LD50 (Rabbit, male): ca. 6,400 mg/kg  
Assessment: The substance or mixture has no acute dermal toxicity

### **Skin corrosion/irritation**

Causes skin irritation.

### **Product:**

Result : Skin irritation

## ARALDITE® 2014 B US

Version 2.1      Revision Date: 01/09/2024      SDS Number: 400001012585      Date of last issue: 10/15/2020  
Date of first issue: 04/12/2016

Print Date 07/29/2024

### Components:

#### **barium sulfate:**

Species : human skin  
Assessment : No skin irritation  
Result : No skin irritation

#### **Fatty acids, C18-unsatd., dimers, polymers with tall-oil fatty acids and triethylenetetramine:**

Species : Human  
Exposure time : 1 h  
Method : OECD Test Guideline 439  
Result : Skin irritation  
GLP : yes

#### **N'-(3-aminopropyl)-N,N-dimethylpropane-1,3-diamine:**

Species : Rabbit  
Assessment : Causes severe burns.  
Method : OECD Test Guideline 404  
Result : Extremely corrosive and destructive to tissue.  
GLP : yes

#### **Diethylenetriamine:**

Species : Rabbit  
Assessment : Causes burns.  
Result : Causes burns.  
GLP : no

#### **Triethylenetetramine:**

Species : reconstructed human epidermis (RhE)  
Assessment : Causes burns.  
Method : OECD Test Guideline 435  
Result : Corrosive after 3 minutes to 1 hour of exposure

Species : Rabbit  
Assessment : Causes burns.  
Method : OECD Test Guideline 404  
Result : Corrosive after 3 minutes to 1 hour of exposure

#### **4,4'-isopropylidenediphenol:**

Species : Rabbit  
Assessment : No skin irritation  
Method : OECD Test Guideline 404  
Result : No skin irritation  
GLP : yes

#### **Serious eye damage/eye irritation**

Causes serious eye damage.

### Product:

Result : Irreversible effects on the eye

## ARALDITE® 2014 B US

Version 2.1      Revision Date: 01/09/2024      SDS Number: 400001012585      Date of last issue: 10/15/2020  
Date of first issue: 04/12/2016

Print Date 07/29/2024

Method : OECD Test Guideline 405  
GLP : yes

### **Components:**

#### **barium sulfate:**

Species : Rabbit  
Result : No eye irritation  
Assessment : No eye irritation  
Method : OECD Test Guideline 405

#### **Fatty acids, C18-unsatd., dimers, polymers with tall-oil fatty acids and triethylenetetramine:**

Species : Rabbit  
Result : Irreversible effects on the eye  
Method : OECD Test Guideline 405  
GLP : yes

#### **Fatty acids, C16-18 and C18-unsatd., branched and linear, polymers with C18-unsatd. fatty acids dimers, and an amine:**

Result : Risk of serious damage to eyes.  
Assessment : Risk of serious damage to eyes.

#### **N'-(3-aminopropyl)-N,N-dimethylpropane-1,3-diamine:**

Result : Risk of serious damage to eyes.  
Assessment : Risk of serious damage to eyes.  
GLP : no

#### **Diethylenetriamine:**

Species : Rabbit  
Result : Corrosive  
Assessment : Corrosive  
GLP : no

#### **Triethylenetetramine:**

Species : Rabbit  
Result : Irreversible effects on the eye  
Assessment : Risk of serious damage to eyes.  
Method : OECD Test Guideline 405

#### **4,4'-isopropylidenediphenol:**

Species : Rabbit  
Result : Risk of serious damage to eyes.  
Assessment : Risk of serious damage to eyes.  
Method : OECD Test Guideline 405  
GLP : yes

## ARALDITE® 2014 B US

Version 2.1      Revision Date: 01/09/2024      SDS Number: 400001012585      Date of last issue: 10/15/2020  
Date of first issue: 04/12/2016

Print Date 07/29/2024

### Respiratory or skin sensitisation

#### Skin sensitisation

May cause an allergic skin reaction.

#### Respiratory sensitisation

Not classified due to lack of data.

#### Components:

##### barium sulfate:

Exposure routes : Skin  
Species : Mouse  
Method : OECD Test Guideline 429  
Result : Does not cause skin sensitisation.

##### Fatty acids, C18-unsatd., dimers, polymers with tall-oil fatty acids and triethylenetetramine:

Test Type : Local lymph node assay (LLNA)  
Exposure routes : Skin  
Species : Mouse  
Method : OECD Test Guideline 429  
Result : Probability or evidence of high skin sensitisation rate in humans  
GLP : yes

##### N'-(3-aminopropyl)-N,N-dimethylpropane-1,3-diamine:

Test Type : Maximisation Test  
Exposure routes : Skin  
Species : Guinea pig  
Assessment : Probability or evidence of low to moderate skin sensitisation rate in humans  
Method : OECD Test Guideline 406  
Result : Probability or evidence of low to moderate skin sensitisation rate in humans  
GLP : yes

##### Diethylenetriamine:

Exposure routes : Skin  
Species : Mouse  
Assessment : Probability or evidence of low to moderate skin sensitisation rate in humans  
Method : OECD Test Guideline 429  
Result : Probability or evidence of low to moderate skin sensitisation rate in humans  
GLP : yes  
Remarks : Causes sensitisation.

Exposure routes : Respiratory Tract  
Species : Mouse  
Result : Does not cause respiratory sensitisation.



## ARALDITE® 2014 B US

Version 2.1      Revision Date: 01/09/2024      SDS Number: 400001012585      Date of last issue: 10/15/2020  
Date of first issue: 04/12/2016

Print Date 07/29/2024

### Triethylenetetramine:

Exposure routes : Skin  
Species : Guinea pig  
Assessment : Probability or evidence of skin sensitisation in humans  
Method : OECD Test Guideline 406  
Result : Probability or evidence of skin sensitisation in humans

### 4,4'-isopropylidenediphenol:

Exposure routes : Skin  
Species : Mouse  
Assessment : Did not cause sensitisation on laboratory animals.  
Method : OECD Test Guideline 429  
Result : Did not cause sensitisation on laboratory animals.  
GLP : yes

Exposure routes : Skin  
Species : Humans  
Assessment : May cause sensitisation by skin contact.  
Result : Causes sensitisation.

### Germ cell mutagenicity

Not classified due to lack of data.

### Components:

#### barium sulfate:

Genotoxicity in vitro : Metabolic activation: with and without metabolic activation  
Method: OECD Test Guideline 476  
Result: negative  
  
Metabolic activation: with and without metabolic activation  
Method: OECD Test Guideline 471  
Result: negative  
  
Metabolic activation: with and without metabolic activation  
Method: OECD Test Guideline 473  
Result: negative

### Fatty acids, C18-unsatd., dimers, polymers with tall-oil fatty acids and triethylenetetramine:

Genotoxicity in vitro : Test Type: Micronucleus test  
Test system: Human lymphocytes  
Metabolic activation: with and without metabolic activation  
Method: OECD Test Guideline 487  
Result: negative  
GLP: yes  
  
Test Type: reverse mutation assay  
Test system: Salmonella typhimurium  
Metabolic activation: with and without metabolic activation  
Method: OECD Test Guideline 471  
Result: negative  
GLP: yes

## ARALDITE® 2014 B US

Version 2.1      Revision Date: 01/09/2024      SDS Number: 400001012585      Date of last issue: 10/15/2020  
Date of first issue: 04/12/2016

Print Date 07/29/2024

Test Type: In vitro mammalian cell gene mutation test  
Test system: mouse lymphoma cells  
Metabolic activation: with and without metabolic activation  
Method: OECD Test Guideline 476  
Result: negative  
GLP: yes

### **N'-(3-aminopropyl)-N,N-dimethylpropane-1,3-diamine:**

Genotoxicity in vitro : Test Type: Chromosome aberration test in vitro  
Test system: Human lymphocytes  
Metabolic activation: with and without metabolic activation  
Method: OECD Test Guideline 487  
Result: negative  
GLP: yes

Test Type: reverse mutation assay  
Test system: Salmonella typhimurium  
Metabolic activation: with and without metabolic activation  
Method: OECD Test Guideline 471  
Result: negative

Test Type: In vitro mammalian cell gene mutation test  
Test system: mouse lymphoma cells  
Metabolic activation: with and without metabolic activation  
Method: OECD Test Guideline 476  
Result: negative  
GLP: yes

Test Type: reverse mutation assay  
Test system: Salmonella tryphimurium and E. coli  
Metabolic activation: with and without metabolic activation  
Method: OECD Test Guideline 471  
Result: negative

### **Diethylenetriamine:**

Genotoxicity in vitro : Test Type: reverse mutation assay  
Test system: Salmonella tryphimurium and E. coli  
Metabolic activation: with and without metabolic activation  
Method: OECD Test Guideline 471  
Result: negative  
GLP: yes

Test Type: Chromosome aberration test in vitro  
Test system: Chinese hamster ovary cells  
Metabolic activation: without metabolic activation  
Result: negative  
GLP: yes

Test Type: gene mutation test  
Test system: Chinese hamster ovary cells  
Metabolic activation: with and without metabolic activation  
Result: negative

## ARALDITE® 2014 B US

Version 2.1      Revision Date: 01/09/2024      SDS Number: 400001012585      Date of last issue: 10/15/2020  
Date of first issue: 04/12/2016

Print Date 07/29/2024

Genotoxicity in vivo : Test Type: gene mutation test  
Test system: rat hepatocytes  
Metabolic activation: with and without metabolic activation  
Result: negative

: Test Type: Transgenic rodent somatic cell gene mutation assay  
Species: Mouse (male)  
Cell type: Bone marrow  
Application Route: Oral  
Exposure time: 5 and 28 days  
Dose: 10 mL/kg  
Method: OECD Test Guideline 488  
Result: negative  
GLP: yes

Test Type: gene mutation test  
Species: Drosophila melanogaster (vinegar fly) (male)  
Exposure time: 22 and 24 hours  
Result: negative  
GLP: yes

Test Type: Micronucleus test  
Species: Mouse (male and female)  
Cell type: Bone marrow  
Application Route: Oral  
Dose: 85, 283 and 850 mg/kg bw  
Method: OECD Test Guideline 474  
Result: negative  
GLP: yes

### Triethylenetetramine:

Genotoxicity in vitro : Test Type: reverse mutation assay  
Test system: Salmonella tryphimurium and E. coli  
Metabolic activation: with and without metabolic activation  
Method: OECD Test Guideline 471  
Result: positive  
GLP: yes

Test Type: Micronucleus test  
Test system: Human lymphocytes  
Metabolic activation: with and without metabolic activation  
Method: OECD Test Guideline 487  
Result: negative

Genotoxicity in vivo : Test Type: In vivo micronucleus test  
Species: Mouse (male and female)  
Cell type: Bone marrow  
Application Route: Intraperitoneal injection  
Dose: 0 - 600 mg/kg  
Method: OECD Test Guideline 474  
Result: negative

## ARALDITE® 2014 B US

Version 2.1      Revision Date: 01/09/2024      SDS Number: 400001012585      Date of last issue: 10/15/2020  
Date of first issue: 04/12/2016

Print Date 07/29/2024

### 4,4'-isopropylidenediphenol:

Genotoxicity in vitro : Test Type: Chromosome aberration test in vitro  
Test system: Chinese hamster ovary cells  
Metabolic activation: with and without metabolic activation  
Result: negative

Test Type: reverse mutation assay  
Test system: Salmonella tryphimurium and E. coli  
Metabolic activation: with and without metabolic activation  
Result: negative

Test Type: gene mutation test  
Test system: mouse lymphoma cells  
Metabolic activation: with and without metabolic activation  
Result: negative

Genotoxicity in vivo : Test Type: Micronucleus test  
Species: Mouse (male and female)  
Cell type: Bone marrow  
Application Route: Oral  
Dose: 0, 500, 1000, or 2000 mg/kg  
Result: negative

### Carcinogenicity

Not classified due to lack of data.

### Components:

#### barium sulfate:

Species : Rat, male and female  
Application Route : Oral  
Exposure time : 104 weeks  
Dose : 60 - 75 mg/kg  
Method : OPPTS 870.4200  
Result : negative

Species : Mouse, male and female  
Application Route : Oral  
Dose : 160 - 200 mg/kg  
Method : OPPTS 870.4200  
Result : negative

#### N'-(3-aminopropyl)-N,N-dimethylpropane-1,3-diamine:

Species : Mouse, male  
Application Route : Dermal  
Exposure time : 20 month(s)  
Dose : 1.25/56.3 mg/animal  
Frequency of Treatment : 3 daily  
NOAEL : >= 56.3 mg/kg body weight  
Result : negative  
Remarks : Information given is based on data obtained from similar substances.

## ARALDITE® 2014 B US

Version 2.1      Revision Date: 01/09/2024      SDS Number: 400001012585      Date of last issue: 10/15/2020  
Date of first issue: 04/12/2016

Print Date 07/29/2024

### Diethylenetriamine:

Species : Mouse, male  
Application Route : Dermal  
Dose : 56.3 mg/kg  
Frequency of Treatment : 3 days/week  
NOEL : 56.3 mg/kg bw/day  
Result : negative  
GLP : yes

### Triethylenetetramine:

Species : Mouse, male  
Application Route : Dermal  
NOAEL :  $\geq 50$  mg/kg bw/day  
Method : OECD Test Guideline 451  
Result : negative

Species : Mouse, male  
Application Route : Dermal  
Exposure time : 104 weeks  
NOAEL :  $\geq 20$  mg/kg bw/day  
Method : OECD Test Guideline 451  
Result : negative

### 4,4'-isopropylidenediphenol:

Species : Rat, male and female  
Application Route : Oral  
Exposure time : 103 weeks  
Frequency of Treatment : 7 daily  
Result : negative  
GLP : yes

**IARC** No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

**OSHA** No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.

**NTP** No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

### Reproductive toxicity

May damage fertility.

### Components:

#### Fatty acids, C18-unsatd., dimers, polymers with tall-oil fatty acids and triethylenetetramine:

Effects on fertility : Test Type: Fertility  
Species: Rat, male and female  
Application Route: Oral  
Dose: 0, 100, 300, 1000 mg/kg bw/d  
Fertility: NOAEL: 1,000 mg/kg body weight  
Method: OECD Test Guideline 422

## ARALDITE® 2014 B US

Version 2.1      Revision Date: 01/09/2024      SDS Number: 400001012585      Date of last issue: 10/15/2020  
Date of first issue: 04/12/2016

Print Date 07/29/2024

Result: No effects on fertility and early embryonic development were detected.  
GLP: yes

Effects on foetal development

: Test Type: Pre-natal  
Species: Rat, female  
Strain: wistar  
Application Route: Oral  
Dose: 100,300,1000 mg/kg bw/day  
Duration of Single Treatment: 15 d  
General Toxicity Maternal: NOAEL: 300 mg/kg body weight  
Teratogenicity: NOAEL: 1,000 mg/kg body weight  
Developmental Toxicity: NOAEL: 1,000 mg/kg body weight  
Embryo-foetal toxicity: NOAEL: 1,000 mg/kg body weight  
Method: OECD Test Guideline 414  
GLP: yes

Test Type: Pre-natal  
Species: Rabbit, female  
Application Route: Oral  
Dose: 15,35,75 mg/kg bw/day  
Duration of Single Treatment: 23 d  
General Toxicity Maternal: NOAEL: 35 mg/kg body weight  
Teratogenicity: NOAEL: 75 mg/kg body weight  
Developmental Toxicity: NOAEL: 75 mg/kg body weight  
Method: OECD Test Guideline 414  
GLP: yes

### **N'-(3-aminopropyl)-N,N-dimethylpropane-1,3-diamine:**

Effects on fertility : Test Type: Combined Repeated Dose Toxicity Study with the Reproduction / Developmental Toxicity Screening Test  
Species: Rat, male and female  
Application Route: Oral  
Dose: 5, 15 and 50 mg/kg bw/d  
General Toxicity - Parent: NOAEL: 15 mg/kg body weight  
General Toxicity F1: NOAEL: 15 mg/kg body weight  
Method: OECD Test Guideline 422  
Result: Animal testing did not show any effects on fertility.  
GLP: yes

Effects on foetal development

: Test Type: reproductive and developmental toxicity study  
Species: Rat, male and female  
Application Route: Oral  
Dose: 5, 15 and 50 mg/kg bw/d  
General Toxicity Maternal: NOAEL: 15 mg/kg body weight  
Developmental Toxicity: NOAEL: 15 mg/kg body weight  
Method: OECD Test Guideline 422  
Result: Not classified  
GLP: yes  
Remarks: Information given is based on data obtained from similar substances.

Reproductive toxicity - Assessment

: No evidence of adverse effects on sexual function and fertility, or on development, based on animal experiments.

## ARALDITE® 2014 B US

Version 2.1      Revision Date: 01/09/2024      SDS Number: 400001012585      Date of last issue: 10/15/2020  
Date of first issue: 04/12/2016

Print Date 07/29/2024

### Diethylenetriamine:

Effects on fertility : Test Type: Reproduction / Developmental Toxicity Screening Test  
Species: Rat, male and female  
Application Route: Oral  
Dose: 30/100/300 mg/kg bw/day  
Frequency of Treatment: 7 days/week  
General Toxicity - Parent: NOAEL: 100 mg/kg wet weight  
General Toxicity F1: NOAEL: 30 mg/kg body weight  
Method: OECD Test Guideline 421  
GLP: yes

Effects on foetal development : Test Type: reproductive and developmental toxicity study  
Species: Rat, male and female  
Application Route: Oral  
General Toxicity Maternal: NOAEL: 100 mg/kg body weight  
Developmental Toxicity: NOAEL: 30 mg/kg body weight  
Method: OECD Test Guideline 421  
Result: No adverse effects  
GLP: yes

Test Type: Pre-natal  
Species: Rat, females  
Application Route: Oral  
Dose: 0/25/100/250 milligram per kilogram  
Duration of Single Treatment: 14 d  
General Toxicity Maternal: NOAEL: 100 mg/kg body weight  
Developmental Toxicity: NOEL: 100 mg/kg body weight  
Method: OECD Test Guideline 414  
GLP: yes

### Triethylenetetramine:

Effects on foetal development : Test Type: Pre-natal  
Species: Rat  
Application Route: Oral  
Dose: 75/325/750 mg/kg bw/day  
Duration of Single Treatment: 10 d  
General Toxicity Maternal: NOAEL:  $\geq$  750 mg/kg body weight  
Developmental Toxicity: NOAEL:  $\geq$  750 mg/kg body weight  
Method: OECD Test Guideline 414  
Result: No teratogenic effects

Test Type: Pre-natal  
Species: Rabbit  
Application Route: Dermal  
Dose: 5/50/125 mg/kg bw/day  
Duration of Single Treatment: 13 d  
General Toxicity Maternal: NOAEL: 50 mg/kg body weight  
Developmental Toxicity: NOAEL:  $\geq$  125 mg/kg body weight  
Method: OECD Test Guideline 414  
Result: No teratogenic effects

## ARALDITE® 2014 B US

Version 2.1      Revision Date: 01/09/2024      SDS Number: 400001012585      Date of last issue: 10/15/2020  
Date of first issue: 04/12/2016

Print Date 07/29/2024

### 4,4'-isopropylidenediphenol:

Effects on fertility : Test Type: Two-generation study  
Species: Rat, male and female  
Application Route: Oral  
Dose: 0, 0.2, 2, 20, and 200 µg/kg  
General Toxicity - Parent: NOAEL: 0.2 mg/kg body weight  
General Toxicity F1: NOAEL: 0.2 mg/kg body weight  
General Toxicity F2: NOAEL: 0.2 mg/kg body weight  
Method: OECD Test Guideline 416  
Result: Embryotoxic effects and adverse effects on the offspring were detected.  
GLP: yes

Species: Rat, male and female  
General Toxicity - Parent: NOAEL: 2.7 mg/kg body weight  
General Toxicity F1: NOAEL: 2.7 mg/kg body weight  
GLP: yes

Effects on foetal development : Species: Rat, female  
Application Route: Oral  
General Toxicity Maternal: NOAEL: 0.2 mg/kg body weight  
Method: OECD Test Guideline 416  
Result: No teratogenic effects

Reproductive toxicity - Assessment : Clear evidence of adverse effects on sexual function and fertility, based on animal experiments.

### STOT - single exposure

Not classified due to lack of data.

#### Components:

##### Diethylenetriamine:

Exposure routes : Inhalation  
Target Organs : Respiratory Tract  
Assessment : May cause respiratory irritation.

### 4,4'-isopropylidenediphenol:

Assessment : The substance or mixture is classified as specific target organ toxicant, single exposure, category 3 with respiratory tract irritation.

### STOT - repeated exposure

Not classified due to lack of data.

### Repeated dose toxicity

#### Components:

##### barium sulfate:

Species : Rat  
LOEC : >= 104 mg/kg, 40 mg/m3  
Application Route : Ingestion  
Test atmosphere : dust/mist



## ARALDITE® 2014 B US

Version 2.1      Revision Date: 01/09/2024      SDS Number: 400001012585      Date of last issue: 10/15/2020  
Date of first issue: 04/12/2016

Print Date 07/29/2024

Exposure time : 5 h  
Number of exposures : 5 d  
Method : Subchronic toxicity

### Fatty acids, C18-unsatd., dimers, polymers with tall-oil fatty acids and triethylenetetramine:

Species : Rat, male and female  
NOAEL : 1000 mg/kg  
Application Route : Oral  
Exposure time : 14 d  
Dose : 100,300,1000 mg/kg bw/d  
Method : OECD Test Guideline 422  
GLP : yes

### N'-(3-aminopropyl)-N,N-dimethylpropane-1,3-diamine:

Species : Rat, male and female  
: 500 mg/m<sup>3</sup>  
Application Route : Inhalation  
Test atmosphere : vapour  
Exposure time : 21 d 6 h  
Number of exposures : 5 days/week  
Dose : 550 mg/m<sup>3</sup>  
Method : Subchronic toxicity  
Remarks : Based on data from similar materials

Species : Mouse, male  
NOAEL : >= 56.3 mg/kg/d  
Application Route : Skin contact  
Number of exposures : 3 d  
Method : Chronic toxicity  
Remarks : Based on data from similar materials

Species : Rat, male and female  
NOAEL : 41 mg/kg  
NOAEL : 1,000 mg/l, ppm  
Application Route : oral (feed)  
Exposure time : 20 months  
Number of exposures : 3 times/week  
Dose : 1000/7500/15000 ppm  
Method : OECD Test Guideline 408

### Diethylenetriamine:

Species : Rat, male and female  
NOAEL : 70 - 80 mg/kg  
LOAEL : 530 - 620 mg/kg  
Application Route : oral (feed)  
Exposure time : 90 days  
Number of exposures : 7 days/week  
Dose : 1000, 7500, or 15000 ppm  
Method : OECD Test Guideline 451  
GLP : yes

Species : Rat, male and female

## ARALDITE® 2014 B US

Version 2.1      Revision Date: 01/09/2024      SDS Number: 400001012585      Date of last issue: 10/15/2020  
Date of first issue: 04/12/2016

Print Date 07/29/2024

NOEC : 0.55 mg/l  
Application Route : inhalation (vapour)  
Exposure time : 15 days 6 h  
Number of exposures : 7 days/week  
Dose : 0/130 ppm

Species : Rat, male and female  
NOAEL : 114 mg/kg  
Application Route : Dermal  
Number of exposures : 6 days/week  
Dose : 0.4 mls of a 100 mg/cc solutio

### Triethylenetetramine:

Species : Rat, male and female  
NOAEL : 350 mg/kg  
Application Route : Oral  
Exposure time : 28 d  
Number of exposures : 7 d  
Dose : 100/350/1000 mg/kg bw/day  
Method : OECD Test Guideline 407  
Target Organs : Lungs  
Remarks : Information given is based on data obtained from similar substances.

Species : Dog, male and female  
NOAEL : 125 mg/kg  
Application Route : Oral  
Target Organs : Lungs  
Remarks : Information given is based on data obtained from similar substances.

Species : Dog, male and female  
NOAEL : 50 mg/kg  
Application Route : Oral  
Method : Subchronic toxicity  
Remarks : Information given is based on data obtained from similar substances.

Species : Rat, male and female  
NOAEL : 50 mg/kg  
Application Route : Oral  
Exposure time : 26 weeks  
Dose : 50/175/600 mg/kg bw/day  
Method : OECD Test Guideline 408  
Target Organs : Lungs  
Remarks : Information given is based on data obtained from similar substances.

Species : Mouse, male and female  
NOAEL : 92 mg/kg, 600 ppm  
Application Route : Oral  
Exposure time : 120/600/3000 ppm  
Method : OECD Test Guideline 408  
Remarks : Information given is based on data obtained from similar

## ARALDITE® 2014 B US

Version 2.1      Revision Date: 01/09/2024      SDS Number: 400001012585      Date of last issue: 10/15/2020  
Date of first issue: 04/12/2016

Print Date 07/29/2024

substances.

### 4,4'-isopropylidenediphenol:

Species : Mouse, male and female  
NOAEL : 300 ppm  
Application Route : oral (feed)  
Exposure time : 8 weeks  
Number of exposures : 7 days/week  
Dose : 0.018,0.18,1.8,30,300,3500 ppm  
Method : OECD Test Guideline 416  
GLP : yes

Species : Rat, male and female  
NOEL : 75 ppm  
NOAEL : 750 ppm  
Application Route : oral (feed)  
Number of exposures : 7 days/week  
Dose : 0,0.015,0.3,4.5,75,750,7500ppm  
Method : OECD Test Guideline 416  
GLP : yes

Species : Rat, male and female  
LOAEL : 600 mg/kg  
Application Route : oral (gavage)  
Exposure time : 28 d  
Number of exposures : 7 days/week  
Dose : 0, 40, 200, 600 1000 mg/kg-day  
Method : OECD Test Guideline 407  
GLP : yes

Species : Rat, male and female  
NOEC : 10 mg/m<sup>3</sup>  
Application Route : inhalation (dust/mist/fume)  
Exposure time : 13 weeks 6 h  
Number of exposures : 5 days/week  
Dose : 0, 10, 50, or 150 mg/m<sup>3</sup>

Species : Rat, male and female  
NOAEL : 90 mg/m<sup>3</sup>  
Application Route : inhalation (dust/mist/fume)  
Exposure time : 8 weeks 6 h  
Number of exposures : 5 days/week  
Dose : 10/30/90 mg/m<sup>3</sup>

### Aspiration toxicity

Not classified due to lack of data.

### Experience with human exposure

No data available

### Toxicology, Metabolism, Distribution

No data available

## ARALDITE® 2014 B US

Version 2.1      Revision Date: 01/09/2024      SDS Number: 400001012585      Date of last issue: 10/15/2020  
Date of first issue: 04/12/2016

Print Date 07/29/2024

### Neurological effects

No data available

### Further information

No data available

## SECTION 12. ECOLOGICAL INFORMATION

### Ecotoxicity

#### Components:

#### **barium sulfate:**

- Toxicity to fish : LC50 : 174 mg/l  
Exposure time: 96 h  
Test Type: static test  
Test substance: Fresh water  
Method: OECD Test Guideline 203
- Toxicity to daphnia and other aquatic invertebrates : LC50 (Daphnia magna (Water flea)): 14.5 mg/l  
Exposure time: 48 h  
Test Type: static test  
Test substance: Fresh water  
Method: OECD Test Guideline 202
- Toxicity to algae/aquatic plants : EC50: > 100 mg/l  
Exposure time: 72 h  
Test Type: static test  
Test substance: Fresh water  
Method: OECD Test Guideline 201
- NOEC: > 1.15 mg/l  
Exposure time: 72 h  
Test Type: static test  
Test substance: Fresh water  
Method: OECD Test Guideline 201
- Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Daphnia magna (Water flea)): 5.8 mg/l  
Exposure time: 21 d  
Test Type: semi-static test  
Test substance: Fresh water  
Method: OECD Test Guideline 211

#### **Fatty acids, C18-unsatd., dimers, polymers with tall-oil fatty acids and triethylenetetramine:**

- Toxicity to fish : LC50 (Danio rerio (zebra fish)): 7.07 mg/l  
Exposure time: 96 h  
Test Type: semi-static test  
Method: OECD Test Guideline 203  
GLP: yes
- Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 7.07 mg/l  
Exposure time: 48 h  
Test Type: static test  
Method: OECD Test Guideline 202

## ARALDITE® 2014 B US

Version 2.1      Revision Date: 01/09/2024      SDS Number: 400001012585      Date of last issue: 10/15/2020  
Date of first issue: 04/12/2016

Print Date 07/29/2024

GLP: yes

Toxicity to algae/aquatic plants : EC50 (Raphidocelis subcapitata (freshwater green alga)):  
4.34 mg/l  
Exposure time: 72 h  
Test Type: static test  
Method: OECD Test Guideline 201  
GLP: yes

Toxicity to microorganisms : EC50 (activated sludge): 384 mg/l  
Exposure time: 3 h  
Test Type: static test  
Method: OECD Test Guideline 209  
GLP: yes

### **N'-(3-aminopropyl)-N,N-dimethylpropane-1,3-diamine:**

Toxicity to fish : LC50 (Brachydanio rerio (zebrafish)): > 100 mg/l  
End point: mortality  
Exposure time: 96 h  
Test Type: static test  
Analytical monitoring: yes  
Test substance: Fresh water  
Method: OECD Test Guideline 203  
GLP: yes

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 9.2 mg/l  
End point: Immobilization  
Exposure time: 48 h  
Test Type: static test  
Analytical monitoring: no  
Test substance: Fresh water  
Method: OECD Test Guideline 202  
GLP: yes

Toxicity to algae/aquatic plants : ErC50 (Selenastrum capricornutum (green algae)): 21 mg/l  
Exposure time: 72 h  
Test Type: static test  
Analytical monitoring: yes  
Test substance: Fresh water  
Method: OECD Test Guideline 201  
GLP: yes

NOEC (Selenastrum capricornutum (green algae)): 5.7 mg/l  
Exposure time: 72 h  
Test Type: static test  
Analytical monitoring: yes  
Test substance: Fresh water  
Method: OECD Test Guideline 201  
GLP: yes

Toxicity to microorganisms : EC50 (Pseudomonas putida): 181 mg/l  
Exposure time: 16 h  
Test Type: static test  
Analytical monitoring: no

## ARALDITE® 2014 B US

Version 2.1      Revision Date: 01/09/2024      SDS Number: 400001012585      Date of last issue: 10/15/2020  
Date of first issue: 04/12/2016

Print Date 07/29/2024

Test substance: Fresh water  
Method: DIN 38 412 Part 8  
GLP: no

### Diethylenetriamine:

- Toxicity to fish : LC50 (Poecilia reticulata (guppy)): 430 mg/l  
End point: mortality  
Exposure time: 96 h  
Test Type: semi-static test  
Analytical monitoring: no  
Test substance: Fresh water  
Method: Directive 67/548/EEC, Annex V, C.1.  
GLP: yes
- Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 64.6 mg/l  
Exposure time: 48 h  
Test Type: static test  
Test substance: Fresh water  
Method: Regulation (EC) No. 440/2008, Annex, C.2
- EC50 (Daphnia magna (Water flea)): 16 mg/l  
Exposure time: 48 h  
Test Type: static test  
Test substance: Fresh water  
Method: DIN 38412
- Toxicity to algae/aquatic plants : EbC50 (Selenastrum capricornutum (green algae)): 1,164 mg/l  
Exposure time: 72 h  
Test Type: static test  
Analytical monitoring: no  
Test substance: Fresh water  
Method: OECD Test Guideline 201  
GLP: yes
- Toxicity to fish (Chronic toxicity) : NOEC (Gasterosteus aculeatus (threespine stickleback)): 10 mg/l  
Exposure time: 28 d  
Test Type: semi-static test  
Analytical monitoring: no  
Test substance: Fresh water  
Method: OECD Test Guideline 210  
GLP: yes
- Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Daphnia magna (Water flea)): 5.6 mg/l  
Exposure time: 21 d  
Test Type: semi-static test  
Analytical monitoring: no  
Test substance: Fresh water  
Method: Directive 67/548/EEC, Annex V, C.20  
GLP: yes
- Toxicity to microorganisms : EC50 (Bacteria): 32.7 mg/l  
Exposure time: 3 h

## ARALDITE® 2014 B US

Version 2.1      Revision Date: 01/09/2024      SDS Number: 400001012585      Date of last issue: 10/15/2020  
Date of first issue: 04/12/2016

Print Date 07/29/2024

Test Type: static test  
Test substance: Fresh water  
GLP: yes

NOEC (Bacteria): 6 mg/l  
Exposure time: 3 h  
Test Type: static test  
Test substance: Fresh water  
GLP: yes

Toxicity to soil dwelling organisms : EC50 (*Eisenia fetida* (earthworms)): > 1,000 mg/kg  
Exposure time: 56 d  
Method: OECD Test Guideline 222  
GLP: yes

### Ecotoxicology Assessment

Acute aquatic toxicity : This product has no known ecotoxicological effects.

### Triethylenetetramine:

Toxicity to fish : LC50 (*Poecilia reticulata* (guppy)): 570 mg/l  
Exposure time: 96 h  
Test Type: semi-static test  
Test substance: Fresh water  
Method: Directive 67/548/EEC, Annex V, C.1.

LC50 (*Leuciscus idus* (Golden orfe)): 200 - 500 mg/l  
Exposure time: 96 h

LC50 (*Pimephales promelas* (fathead minnow)): 330 mg/l  
End point: mortality  
Exposure time: 96 h  
Test Type: static test  
Test substance: Fresh water  
Method: Fish Acute Toxicity Test

Toxicity to daphnia and other aquatic invertebrates : EC50 (*Daphnia magna* (Water flea)): 31.1 mg/l  
End point: Immobilization  
Exposure time: 48 h  
Test Type: static test  
Test substance: Fresh water  
Method: Directive 67/548/EEC, Annex V, C.2.

Toxicity to algae/aquatic plants : ErC50 (*Selenastrum capricornutum* (green algae)): 20 mg/l  
Exposure time: 72 h  
Test Type: semi-static test  
Test substance: Fresh water  
Method: OECD Test Guideline 201

EC10 (*Selenastrum capricornutum* (green algae)): 1.34 mg/l  
Exposure time: 72 h  
Test Type: semi-static test  
Test substance: Fresh water  
Method: OECD Test Guideline 201

## ARALDITE® 2014 B US

Version 2.1      Revision Date: 01/09/2024      SDS Number: 400001012585      Date of last issue: 10/15/2020  
Date of first issue: 04/12/2016

Print Date 07/29/2024

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : EC10 (Daphnia magna (Water flea)): 1.9 mg/l  
Exposure time: 21 d  
Test Type: semi-static test  
Test substance: Fresh water  
Method: OECD Test Guideline 202

Toxicity to microorganisms : NOEC (Bacteria):  $\geq$  100 mg/l  
Exposure time: 28 d  
Method: OECD Test Guideline 216

EC50 (Bacteria):  $>$  100 mg/l  
Exposure time: 28 h  
Method: OECD Test Guideline 216

EC50 (Bacteria): 15.7 mg/l  
Exposure time: 2 h  
Test Type: static test  
Test substance: Fresh water

NOEC (Bacteria): 1.3 mg/l  
Exposure time: 2 h  
Test Type: static test  
Test substance: Fresh water

Toxicity to soil dwelling organisms : NOEC (Eisenia fetida (earthworms)): ca. 62.5 mg/kg  
Exposure time: 56 d  
Method: OECD Test Guideline 222

EC50 (Eisenia fetida (earthworms)):  $>$  1,000 mg/kg  
Exposure time: 56 d  
Method: OECD Test Guideline 222

### Ecotoxicology Assessment

Chronic aquatic toxicity : Harmful to aquatic life with long lasting effects.

### 4,4'-isopropylidenediphenol:

Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): 4.6 mg/l  
End point: mortality  
Exposure time: 96 h  
Test Type: flow-through test  
Analytical monitoring: yes  
Test substance: Fresh water  
Method: ASTM Method, other  
GLP: yes

LC50 (Oryzias latipes (Orange-red killifish)): 6.8 mg/l  
End point: mortality  
Exposure time: 72 h  
Test substance: Fresh water  
Method: OECD Test Guideline 203

Toxicity to daphnia and other : EC50 (Daphnia magna (Water flea)): 10.2 mg/l



## ARALDITE® 2014 B US

Version 2.1      Revision Date: 01/09/2024      SDS Number: 400001012585      Date of last issue: 10/15/2020  
Date of first issue: 04/12/2016

Print Date 07/29/2024

aquatic invertebrates

End point: Immobilization  
Exposure time: 48 h  
Test Type: static test  
Analytical monitoring: yes  
Test substance: Fresh water  
Method: Other guidelines  
GLP: yes

EC50 (Chironomus sp. (midge)): 2.7 mg/l  
End point: Immobilization  
Exposure time: 96 h  
Test Type: semi-static test  
Analytical monitoring: yes  
Test substance: Fresh water  
Method: Other guidelines  
GLP: yes

EC50 (Acartia tonsa): 0.885 mg/l  
Exposure time: 48 h  
Method: Measured

Toxicity to algae/aquatic plants

: EbC50 (Pseudokirchneriella subcapitata (green algae)): 2.73 mg/l  
Exposure time: 96 h  
Test Type: static test  
Analytical monitoring: yes  
Test substance: Fresh water  
GLP: yes

EC10 (Pseudokirchneriella subcapitata (green algae)): 1.41 mg/l  
Exposure time: 96 h  
Test Type: static test  
Analytical monitoring: yes  
Test substance: Fresh water  
GLP: yes

EC50 (Lemna minor (duckweed)): 20 mg/l  
Exposure time: 7 d  
Test Type: semi-static test  
Analytical monitoring: yes  
Test substance: Fresh water  
Method: OECD Test Guideline 221  
GLP: yes

NOEC (Lemna minor (duckweed)): 7.8 mg/l  
Exposure time: 7 d  
Test Type: semi-static test  
Analytical monitoring: yes  
Test substance: Fresh water  
Method: OECD Test Guideline 221  
GLP: yes

M-Factor (Acute aquatic) : 1

## ARALDITE® 2014 B US

Version 2.1      Revision Date: 01/09/2024      SDS Number: 400001012585      Date of last issue: 10/15/2020  
Date of first issue: 04/12/2016

Print Date 07/29/2024

toxicity)

Toxicity to fish (Chronic toxicity) : NOEC (Pimephales promelas (fathead minnow)): >= 0.640 mg/l  
Exposure time: 36 d  
Test Type: flow-through test  
Analytical monitoring: yes  
Test substance: Fresh water  
Method: OECD Test Guideline 210  
GLP: yes

NOEC (Danio rerio (zebra fish)): 0.000372 mg/l  
Exposure time: 300 d  
Test substance: Fresh water

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC: 0.025 mg/l  
Exposure time: 181 d  
Test Type: flow-through test  
Analytical monitoring: yes  
Test substance: Fresh water  
GLP: yes

M-Factor (Chronic aquatic toxicity) : 10

### Persistence and degradability

#### Components:

#### **Fatty acids, C18-unsatd., dimers, polymers with tall-oil fatty acids and triethylenetetramine:**

Biodegradability : aerobic  
Inoculum: Fresh water  
Concentration: 1 mg/l  
Result: Not readily biodegradable.  
Biodegradation: 15 %  
Exposure time: 28 d  
Method: OECD Test Guideline 301D  
GLP: yes

#### **N'-(3-aminopropyl)-N,N-dimethylpropane-1,3-diamine:**

Biodegradability : aerobic  
Dissolved organic carbon (DOC)  
Result: Readily biodegradable.  
Biodegradation: 100 %  
Exposure time: 28 d  
Method: OECD Test Guideline 301A  
Test substance: Fresh water  
GLP: yes

#### **Diethylenetriamine:**

Biodegradability : aerobic  
Inoculum: activated sludge, non-adapted  
Result: Readily biodegradable.

## ARALDITE® 2014 B US

Version 2.1      Revision Date: 01/09/2024      SDS Number: 400001012585      Date of last issue: 10/15/2020  
Date of first issue: 04/12/2016

Print Date 07/29/2024

Biodegradation: 87 %  
Exposure time: 21 d  
Method: OECD Test Guideline 301D  
Test substance: Fresh water

Photodegradation : Test Type: Air  
Rate constant: 500000  
Degradation (direct photolysis): 50 %

### Triethylenetetramine:

Biodegradability : Inoculum: activated sludge  
Result: Not readily biodegradable.  
Biodegradation: 0 %  
Exposure time: 162 d  
Method: OECD Test Guideline 301D  
Test substance: Fresh water

aerobic  
Inoculum: activated sludge  
Dissolved organic carbon (DOC)  
Result: Not inherently biodegradable.  
Biodegradation: 20 %  
Exposure time: 84 d  
Method: OECD Test Guideline 302A  
Test substance: Fresh water

### 4,4'-isopropylidenediphenol:

Biodegradability : aerobic  
Inoculum: activated sludge, non-adapted  
Concentration: 100 mg/l  
Result: Readily biodegradable.  
Biodegradation: 89 %  
Exposure time: 28 d  
Method: OECD Test Guideline 301F  
Test substance: Fresh water  
GLP: yes

aerobic  
Inoculum: activated sludge, non-adapted  
Concentration: 25 mg/l  
Dissolved organic carbon (DOC)  
Result: Readily biodegradable.  
Biodegradation: 74.7 - 81.4 %  
Exposure time: 28 d  
Method: OECD Test Guideline 301F  
Test substance: Fresh water  
GLP: yes

### Bioaccumulative potential

#### Components:

**N'-(3-aminopropyl)-N,N-dimethylpropane-1,3-diamine:**

## ARALDITE® 2014 B US

Version 2.1      Revision Date: 01/09/2024      SDS Number: 400001012585      Date of last issue: 10/15/2020  
Date of first issue: 04/12/2016

Print Date 07/29/2024

Partition coefficient: n-octanol/water : log Pow: -0.56 (77 °F / 25 °C)  
pH: 11.6  
Method: OECD Test Guideline 107

### Diethylenetriamine:

Bioaccumulation : Species: Cyprinus carpio (Carp)  
Bioconcentration factor (BCF): 0.3 - 6.3  
Exposure time: 42 d  
Concentration: 0.2 - 2 mg/l  
Test substance: Fresh water  
Method: OECD Test Guideline 305C  
Remarks: Bioaccumulation is unlikely.

Partition coefficient: n-octanol/water : log Pow: -1.58 (68 °F / 20 °C)  
pH: > 12  
Method: Calculation method  
GLP: no

log Pow: -5.58 (68 °F / 20 °C)  
pH: 7  
Method: Calculation method  
GLP: no

### Triethylenetetramine:

Partition coefficient: n-octanol/water : log Pow: -2.08 - 2.90 (68 °F / 20 °C)  
Method: QSAR

### 4,4'-isopropylidenediphenol:

Bioaccumulation : Species: Cyprinus carpio (Carp)  
Bioconcentration factor (BCF): 5.1 - 13.3  
Exposure time: 42 d

Partition coefficient: n-octanol/water : log Pow: 3.4 (70.7 °F / 21.5 °C)  
pH: 6.4  
Method: OECD Test Guideline 107

### Mobility in soil

#### Components:

#### Diethylenetriamine:

Distribution among environmental compartments : Medium: Soil  
Koc: 19111  
Method: Sediment and Soil Adsorption Isotherm

#### Triethylenetetramine:

Distribution among environmental compartments : Koc: 3162.28, log Koc: 3.5  
Method: OECD Test Guideline 106

## ARALDITE® 2014 B US

Version 2.1      Revision Date: 01/09/2024      SDS Number: 400001012585      Date of last issue: 10/15/2020  
Date of first issue: 04/12/2016

Print Date 07/29/2024

### Other adverse effects

#### Product:

- Ozone-Depletion Potential : Regulation: 40 CFR Protection of Environment; Part 82  
Protection of Stratospheric Ozone - CAA Section 602 Class I  
Substances  
Remarks: This product neither contains, nor was  
manufactured with a Class I or Class II ODS as defined by the  
U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A +  
B).
- Additional ecological information : An environmental hazard cannot be excluded in the event of  
unprofessional handling or disposal.  
Toxic to aquatic life with long lasting effects.  
Harmful to aquatic life with long lasting effects.

## SECTION 13. DISPOSAL CONSIDERATIONS

### Disposal methods

- Waste from residues : Dispose of contents and container in accordance with all local,  
regional, national and international regulations.  
Do not dispose of waste into sewer.  
Do not contaminate ponds, waterways or ditches with  
chemical or used container.
- Contaminated packaging : Empty remaining contents.  
Dispose of as unused product.  
Do not re-use empty containers.

## SECTION 14. TRANSPORT INFORMATION

### International Regulations

#### **UNRTDG**

- UN number : UN 3082  
Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,  
N.O.S.  
(4,4'-Isopropylidenediphenol, Dimers Tall-oil Fatty acids  
Triethylenetetramine Polymer)  
Class : 9  
Packing group : III  
Labels : 9  
Environmentally hazardous : yes

#### **IATA-DGR**

- UN/ID No. : UN 3082  
Proper shipping name : Environmentally hazardous substance, liquid, n.o.s.  
(4,4'-Isopropylidenediphenol, Dimers Tall-oil Fatty acids  
Triethylenetetramine Polymer)  
Class : 9  
Packing group : III  
Labels : Miscellaneous

## ARALDITE® 2014 B US

Version 2.1      Revision Date: 01/09/2024      SDS Number: 400001012585      Date of last issue: 10/15/2020  
Date of first issue: 04/12/2016

Print Date 07/29/2024

Packing instruction (cargo aircraft) : 964  
Packing instruction (passenger aircraft) : 964  
Environmentally hazardous : yes

### IMDG-Code

UN number : UN 3082  
Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.  
(4,4'-Isopropylidenediphenol, Dimers Tall-oil Fatty acids Triethylenetetramine Polymer)  
Class : 9  
Packing group : III  
Labels : 9  
EmS Code : F-A, S-F  
Marine pollutant : yes

### Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

### National Regulations

#### 49 CFR

UN/ID/NA number : UN 3082  
Proper shipping name : Environmentally hazardous substance, liquid, n.o.s.  
(4,4'-Isopropylidenediphenol, Dimers Tall-oil Fatty acids Triethylenetetramine Polymer)  
Class : 9  
Packing group : III  
Labels : CLASS 9  
ERG Code : 171  
Marine pollutant : yes  
Remarks : Shipment by ground under DOT is non-regulated; however it may be shipped per the applicable hazard classification to facilitate multi-modal transport involving ICAO (IATA) or IMO.

### Special precautions for user

Remarks : 49CFR: no dangerous good in non-bulk packaging

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

## SECTION 15. REGULATORY INFORMATION

### CERCLA Reportable Quantity

This material does not contain any components with a CERCLA RQ.

**SARA 311/312 Hazards** : Respiratory or skin sensitisation  
Reproductive toxicity  
Skin corrosion or irritation  
Serious eye damage or eye irritation

## ARALDITE® 2014 B US

Version 2.1      Revision Date: 01/09/2024      SDS Number: 400001012585      Date of last issue: 10/15/2020  
Date of first issue: 04/12/2016

Print Date 07/29/2024

**SARA 313** : The following components are subject to reporting levels established by SARA Title III, Section 313:

4,4'-isopropylidenediphenol	80-05-7	>= 1 - < 5 %
-----------------------------	---------	--------------

This product does not contain any hazardous air pollutants (HAP)  $\geq 0.1\%$ , as defined by the U.S. Clean Air Act Section 112 (40 CFR 61)

### California Prop. 65

WARNING: This product can expose you to chemicals including 4,4'-isopropylidenediphenol, which is/are known to the State of California to cause birth defects or other reproductive harm. For more information go to [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov).

### The components of this product are reported in the following inventories:

DSL : This product contains one or several components that are not on the Canadian DSL nor NDSL.

AIIC : On the inventory, or in compliance with the inventory

ENCS : On the inventory, or in compliance with the inventory

KECI : On the inventory, or in compliance with the inventory

PICCS : On the inventory, or in compliance with the inventory

IECSC : On the inventory, or in compliance with the inventory

TCSI : On the inventory, or in compliance with the inventory

TSCA : All substances listed as active on the TSCA inventory

### Inventories

AIIC (Australia), DSL (Canada), IECSC (China), REACH (European Union), ENCS (Japan), ISHL (Japan), KECI (Korea), NZIoC (New Zealand), PICCS (Philippines), TCSI (Taiwan), TECI (Thailand), TSCA (USA)

### TSCA - 5(a) Significant New Use Rule List of Chemicals

No substances are subject to a Significant New Use Rule.

### US. Toxic Substances Control Act (TSCA) Section 12(b) Export Notification (40 CFR 707, Subpt D)

No substances are subject to TSCA 12(b) export notification requirements.

**ARALDITE® 2014 B US**


Version 2.1      Revision Date: 01/09/2024      SDS Number: 400001012585      Date of last issue: 10/15/2020  
Date of first issue: 04/12/2016

Print Date 07/29/2024

**SECTION 16. OTHER INFORMATION**

**Further information**

**NFPA 704:**



**HMIS® IV:**

<b>HEALTH</b>	*	<b>3</b>
<b>FLAMMABILITY</b>		<b>2</b>
<b>PHYSICAL HAZARD</b>		<b>0</b>

HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. The "\*" represents a chronic hazard, while the "/" represents the absence of a chronic hazard

- Revision Date : 01/09/2024
- ACGIH : USA. ACGIH Threshold Limit Values (TLV)
- NIOSH REL : USA. NIOSH Recommended Exposure Limits
- OSHA P0 : USA. Table Z-1-A Limits for Air Contaminants (1989 vacated values)
- OSHA Z-1 : USA. Occupational Exposure Limits (OSHA) - Table Z-1 Limits for Air Contaminants
- ACGIH / TWA : 8-hour, time-weighted average
- NIOSH REL / TWA : Time-weighted average concentration for up to a 10-hour workday during a 40-hour workweek
- OSHA P0 / TWA : 8-hour time weighted average
- OSHA Z-1 / TWA : 8-hour time weighted average

The information and recommendations in this publication are to the best of our knowledge, information and belief accurate at the date of publication, NOTHING HEREIN IS TO BE CONSTRUED AS A WARRANTY, EXPRESS OR OTHERWISE.

IN ALL CASES, IT IS THE RESPONSIBILITY OF THE USER TO DETERMINE THE APPLICABILITY OF SUCH INFORMATION AND RECOMMENDATIONS AND THE SUITABILITY OF ANY PRODUCT FOR ITS OWN PARTICULAR PURPOSE.

THE PRODUCT MAY PRESENT HAZARDS AND SHOULD BE USED WITH CAUTION. WHILE CERTAIN HAZARDS ARE DESCRIBED IN THIS PUBLICATION, NO GUARANTEE IS MADE THAT THESE ARE THE ONLY HAZARDS THAT EXIST.

Hazards, toxicity and behaviour of the products may differ when used with other materials and are dependent upon the manufacturing circumstances or other processes. Such hazards,



## ARALDITE® 2014 B US

Version	Revision Date:	SDS Number:	Date of last issue: 10/15/2020
2.1	01/09/2024	400001012585	Date of first issue: 04/12/2016

Print Date 07/29/2024

toxicity and behaviour should be determined by the user and made known to handlers, processors and end users.

The trademarks above are the property of Huntsman Corporation or an affiliate thereof.

NO PERSON OR ORGANIZATION EXCEPT A DULY AUTHORIZED HUNTSMAN EMPLOYEE IS AUTHORIZED TO PROVIDE OR MAKE AVAILABLE DATA SHEETS FOR HUNTSMAN PRODUCTS. DATA SHEETS FROM UNAUTHORIZED SOURCES MAY CONTAIN INFORMATION THAT IS NO LONGER CURRENT OR ACCURATE.