



 DISTRIBUTED BY
 P

 Freeman Mfg. & Supply Co.
 F

 www.FreemanSupply.com
 F

Print Date 08/08/2023 Page **1** of **9**

SAFETY DATA SHEET

H.B. Fuller® MP-5405-BLACK-A

Revision Date 08/08/2023

SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

Product name Product code	:	H.B. Fuller® MP-5405-BLACK-A 10000006994	
Manufacturer or supplier's	deta	ails	
Company	:	H.B. Fuller Engineering Adhesives	
Address	:	9001 W Fey Drive Frankfort, IL, 60423	
Telephone	:	1-815-464-5606	
Medical Emergency Phone Number (24 Hours): 1-888-853-1758			
Transport Emergency Phone Number (CHEMTREC): 1-800-424-9300			
Recommended use of the chemical and restrictions on use			
Recommended use	:	Epoxy resin	

Restrictions on use	:	For industrial use only.

SECTION 2. HAZARDS IDENTIFICATION

Emergency Overview

Appearance	liquid
Color	black
Odor	characteristic

GHS Classification

Skin irritation Eye irritation Skin sensitization	: Category 2 : Category 2A : Category 1
GHS label elements	
Hazard pictograms	
Signal Word	: Warning

Hazard Statements:

H315 Causes skin irritation. H317 May cause an allergic skin reaction. H319 Causes serious eye irritation.

Precautionary Statements:

Prevention: P261 Avoid breathing mist or vapors. P264 Wash skin thoroughly after handling. P272





Print Date 08/08/2023 Page **2** of **9**

SAFETY DATA SHEET

H.B. Fuller® MP-5405-BLACK-A

Version	1	.6
101011		.0

Revision Date 08/08/2023

Contaminated work clothing must not be allowed out of the workplace. P280 Wear protective gloves/ eye protection/ face protection.

Response: P302 + P352 IF ON SKIN: Wash with plenty of soap and water. P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P333 + P313 If skin irritation or rash occurs: Get medical advice/ attention. P337 + P313 If eye irritation persists: Get medical advice/ attention. P362 Take off contaminated clothing and wash before reuse.

Disposal: P501 Dispose of contents/ container to an approved waste disposal plant.

Potential Health Effects

Carcinogenicity:

IARC	· · ·	to humansDuring normal handling is encapsulated within the product exposure risk. 1333-86-4
	Group 2B: Possibly carcinogenic	to humans
OSHA	No component of this product equal to 0.1% is on OSHA's list	present at levels greater than or st of regulated carcinogens.
NTP	No ingredient of this product p	present at levels greater than or a known or anticipated carcinogen

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Hazardous ingredients

Chemical name	CAS-No.	Concentration [%]
Epoxy Resin	1675-54-3	90 - 100
Epoxy resin	25068-38-6	1 - 5
Carbon black	1333-86-4	0.1 - 1
Oxirane, mono[(C12-14-alkyloxy)methyl] derivs.	68609-97-2	0.1 - 1
Actual concentration is withheld as a trade secret		

Actual concentration is withheld as a trade secret

SECTION 4. FIRST AID MEASURES

General advice	: Show this material safety data sheet to the doctor in attendance.
If inhaled	: Move to fresh air. If symptoms persist, call a physician.
In case of skin contact	 Wash off with soap and water. Get medical attention immediately if irritation develops and persists. Remove contaminated clothing and shoes. Wash contaminated clothing before reuse.





Print Date 08/08/2023 Page **3** of **9**

SAFETY DATA SHEET

H.B. Fuller® MP-5405-BLACK-A

Version 1.6	Revision Date 08/08/2023
In case of eye contact	: Flush eyes with water at least 15 minutes. Get medical attention if eye irritation develops or persists.
If swallowed	 Do NOT induce vomiting. If victim is fully conscious, give a cupful of water. Never give anything by mouth to an unconscious person. Obtain medical attention.
Most important symptoms and effects, both acute and delayed	: Causes skin irritation. May cause an allergic skin reaction. Causes serious eye irritation.

SECTION 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media	: Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.	
Specific extinguishing methods Further information	 Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. 	
Special protective equipment for fire-fighters	: In the event of fire, wear self-contained breathing apparat Use personal protective equipment.	tus.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures	: Refer to protective measures listed in sections 7 and 8.
Environmental precautions	: Prevent product from entering drains. Do not flush into surface water or sanitary sewer system.
Methods and materials for containment and cleaning up	: Soak up with inert absorbent material. Shovel into suitable container for disposal.

SECTION 7. HANDLING AND STORAGE

Technical measures	: Not applicable
Advice on safe handling	: No special precautions required.
Conditions for safe storage	: Keep in a dry, cool place.
Materials to avoid	: No special restrictions on storage with other products.







Print Date 08/08/2023 Page 4 of 9

SAFETY DATA SHEET

H.B. Fuller® MP-5405-BLACK-A

Version 1.6

Revision Date 08/08/2023

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Carbon black	1333-86-4	TWA	3.5 mg/m3	ACGIH
		TWA	3.5 mg/m3	OSHA Z-1
		TWA	3.5 mg/m3	OSHA P0
		TWA (Inhalable particulate matter)	3 mg/m3	ACGIH
		PEL	3.5 mg/m3	CAL PEL

Personal protective equipment

Respiratory protection	: No personal respiratory protective equipment normally required.	
Hand protection Material	: Nitrile rubber	
Eye protection	: Safety glasses	
Skin and body protection	: Remove and wash contaminated clothing before re-use.	
Protective measures	: Avoid contact with skin.	
Hygiene measures	: Avoid contact with skin, eyes and clothing.	

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance Color Odor Odor Threshold	: liquid : black : characteristic : no data available
рН	: Not applicable
Melting point/freezing point	: is not determined
Boiling point/boiling range	: is not determined
Flash point Evaporation rate Flammability (solid, gas)	 Not applicable is not determined Not classified as a flammability hazard





Print Date 08/08/2023 Page **5** of **9**

SAFETY DATA SHEET

Version 1.6

H.B. Fuller® MP-5405-BLACK-A

Revision Date 08/08/2023

Upper explosion limit	: Upper flammability limit is not determined
Lower explosion limit	: Lower flammability limit is not determined
Vapor pressure	: is not determined
Density Solubility(ies)	: 1.17 g/cm3
Water solubility	: is not determined
Partition coefficient: n- octanol/water	: no data available
Autoignition temperature	: is not determined
Viscosity Viscosity, kinematic	: is not determined

SECTION 10. STABILITY AND REACTIVITY

Chemical stability	: The product is chemically stable.
Conditions to avoid	: Not applicable
Hazardous decomposition products	: Stable under normal conditions.

SECTION 11. TOXICOLOGICAL INFORMATION

Acute toxicity

No data available

Skin corrosion/irritation

No data available

Serious eye damage/eye irritation

No data available

Respiratory or skin sensitization

No data available

Germ cell mutagenicity

No data available

Carcinogenicity

No data available

Reproductive toxicity





DISTRIBUTED BY

Freeman Mfg. & Supply Co. www.FreemanSupply.com Print Date 08/08/2023 Page **6** of **9**

SAFETY DATA SHEET

H.B. Fuller® MP-5405-BLACK-A

Version 1.6

Revision Date 08/08/2023

No data available

STOT-single exposure

No data available

STOT-repeated exposure

No data available

Aspiration toxicity

No data available

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

No data available

Persistence and degradability

No data available Bioaccumulative potential

Components:	
Epoxy Resin :	
Partition coefficient: n-	: log Pow: 3.84
octanol/water	
Epoxy resin :	
Partition coefficient: n-	: log Pow: 2.64 - 3.78 (25 °C)
octanol/water	pH: 7
	GLP: yes

Mobility in soil

No data available

Other adverse effects

No data available

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues	:	To the best of our knowledge, this product does not meet the definition of hazardous waste under the U.S. EPA Hazardous Waste Regulations 40 CFR 261. Disposal via incineration at an approved facility is recommended, as industry best practice. Consult state, local or provincial authorities for more
		restrictive requirements.





DISTRIBUTED BYPrint Date 08/08/2023Freeman Mfg. & Supply Co.
www.FreemanSupply.comPrint Date 08/08/2023

SAFETY DATA SHEET

H.B. Fuller® MP-5405-BLACK-A

Version 1.6

Revision Date 08/08/2023

SECTION 14. TRANSPORT INFORMATION

International Regulations

IATA-DGR		
UN/ID No.		UN 3082
Proper shipping name	:	Environmentally hazardous substance, liquid, n.o.s. (Epoxy resin)
Class	:	9
Packing group	:	III
Labels	:	Miscellaneous
Packing instruction (cargo aircraft)	:	964
Packing instruction (passenger aircraft)	:	964
IMDG-Code		
UN number	:	UN 3082
Proper shipping name	:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
		(Epoxy resin)
Class	:	9
Packing group	:	III
Labels	:	9
EmS Code	:	F-A, S-F
Marine pollutant	:	no

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

Domestic regulation

49 CFR

Not regulated as a dangerous good

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

SECTION 15. REGULATORY INFORMATION

SARA 311/312 Hazards	:	Respiratory or skin sensitization Skin corrosion or irritation Serious eye damage or eye irritation
SARA 302	:	This material does not contain any components with a section 302 EHS TPQ.



DISTRIBUTED BYPrint Date 08/08/2023Freeman Mfg. & Supply Co.Page 8 of 9

SAFETY DATA SHEET

H.B.	Fuller ®	MP-5405-B	LACK-A
------	-----------------	-----------	--------

Version 1.6 Revision Date 08/08/2023		
SARA 313	: This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.	
Clean Air Act		
This product does not co Air Act Section 112 (40 C	ntain any hazardous air pollutants (HAP), as defined by the U.S. Clean CFR 61).	
US State Regulations		
California Prop 65	Please contact Supplier for more information.	
The ingredients of this prod TSCA	uct are reported in the following inventories: All substances listed as active on the TSCA inventory	
AIIC	On the inventory, or in compliance with the inventory	
DSL	All components of this product are on the Canadian DSL	
ENCS	On the inventory, or in compliance with the inventory	
KECI	On the inventory, or in compliance with the inventory	
PICCS	On the inventory, or in compliance with the inventory	
	On the inventory, or in compliance with the inventory CA (USA), DSL (Canada), REACH(Europe), AIIC (Australia), NZIoC (New , KECI (Korea), PICCS (Philippines), IECSC (China), TWINV (Taiwan)	

SECTION 16. OTHER INFORMATION

Prepared by: Global Regulatory Office - phone: 1-651-236-5842 - email: msds.request@hbfuller.com

Engineering Adhesives




DISTRIBUTED BY Freeman Mfg. & Supply Co. www.FreemanSupply.com

Print Date 08/08/2023 Page **9** of **9**

SAFETY DATA SHEET

H.B. Fuller® MP-5405-BLACK-A



The information and recommendations set forth herein are believed to be accurate. Because some of the information is derived from information provided to the H.B. Fuller Company from its suppliers, and because the H.B. Fuller Company has no control over the conditions of handling and use, the H.B. Fuller Company makes no warranty, expressed or implied, regarding the accuracy of the data or the results to be obtained from the use thereof. The information is supplied solely for your information and consideration, and the H.B. Fuller Company assumes no responsibility for use or reliance thereon. It is the responsibility of the user of H.B. Fuller Company products to comply with all applicable federal, state and local laws and regulations.





Print Date 08/08/2023 Page 1 of 9

SAFETY DATA SHEET

H.B. Fuller® MP-5405-B

Version 1.1

Revision Date 01/04/2022

SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

Product name	: H.B. Fuller®	MP-5405-B
Product code	: 100000070	79

Manufacturer or supplier's details

Company	:	H.B. Fuller Engineering Adhesives
Address	:	9001 W Fey Drive Frankfort, IL, 60423
Telephone	:	1-815-464-5606

Medical Emergency Phone Number (24 Hours): 1-888-853-1758

Transport Emergency Phone Number (CHEMTREC): 1-800-424-9300

Recommended use of the chemical and restrictions on use

Recommended use	:	Epoxy curing agent
Restrictions on use	:	For industrial use only.

SECTION 2. HAZARDS IDENTIFICATION

Emergency Overview

Appearance	liquid
Color	Clear to light yellow
Odor	rotten-egg like

GHS Classification

Skin corrosion Serious eye damage Skin sensitization	: Category 1 : Category 1 : Category 1
GHS label elements	
Hazard pictograms	
Signal Word	: Danger

Signal Word

Hazard Statements:

H314 Causes severe skin burns and eye damage. H317 May cause an allergic skin reaction. **Precautionary Statements:**

Prevention: P261 Avoid breathing dust/ fume/ gas/ mist/ vapors/ spray. P264 Wash skin thoroughly after handling. P272 Contaminated work clothing must not be allowed out of the workplace. P280





Print Date 08/08/2023 Page **2** of **9**

SAFETY DATA SHEET

Version 1.1

H.B. Fuller® MP-5405-B

Revision Date 01/04/2022

Response: P301 + P330 + P3 P361 + P353 IF ON SKIN (or h water/ shower. P304 + P340 + comfortable for breathing. Imm P310 IF IN EYES: Rinse cautio present and easy to do. Contin P313 If skin irritation or rash of clothing before reuse. Storage: P405 Store locked u Disposal: P501 Dispose of co	etive clothing/ eye protection/ face protection. 331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. P303 - hair): Take off immediately all contaminated clothing. Rinse skin with P310 IF INHALED: Remove person to fresh air and keep hediately call a POISON CENTER/ doctor. P305 + P351 + P338 + busly with water for several minutes. Remove contact lenses, if hue rinsing. Immediately call a POISON CENTER/ doctor. P333 + ccurs: Get medical advice/ attention. P363 Wash contaminated p. ntents/ container to an approved waste disposal plant.
Potential Health Effects Carcinogenicity:	
IARC	No ingredient of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.
OSHA	No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.
NTP	No ingredient of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Hazardous ingredients

Chemical name	CAS-No.	Concentration [%]
Poly[oxy(methyl-1,2-ethanediyl)], .alphahydro- .omegahydroxy-, ether with 2,2- bis(hydroxymethyl)-1,3-propanediol (4:1), 2- hydroxy	72244-98-5	70 - 90
tertiary amine	90-72-2	10 - 20

SECTION 4. FIRST AID MEASURES

General advice	: Show this material safety data sheet to the doctor in attendance.
If inhaled	 Move to fresh air. If not breathing, give artificial respiration. Keep patient warm and at rest. Consult a physician after significant exposure.
In case of skin contact	 Take off all contaminated clothing immediately. Wash off immediately with soap and plenty of water. Call a physician if irritation develops or persists. Wash contaminated clothing before re-use.
	2/0

2/9





Print Date 08/08/2023 Page **3** of **9**

SAFETY DATA SHEET

H.B. Fuller® MP-5405-B

Version 1.1	Revision Date 01/04/2022
In case of eye contact	 Hold eyelids apart and flush eyes with plenty of water for at least 15 minutes. Get medical attention. Protect unharmed eye.
If swallowed	 If swallowed, call a poison control center or doctor immediately. Do NOT induce vomiting. If victim is fully conscious, give a cupful of water. If possible drink milk afterwards.

SECTION 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media	: Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.
Specific extinguishing methods Further information	: Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Special protective equipment for fire-fighters	: Wear an approved positive pressure self-contained breathing apparatus in addition to standard fire fighting gear.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures	: Refer to protective measures listed in sections 7 and 8.
Environmental precautions	: Prevent product from entering drains. Do not flush into surface water or sanitary sewer system.
Methods and materials for containment and cleaning up	: Soak up with inert absorbent material. Shovel into suitable container for disposal.

SECTION 7. HANDLING AND STORAGE

Local/Total ventilation	: Use only with adequate ventilation.
Advice on safe handling	: Wear personal protective equipment. Do not get on skin or clothing. Use only in an area equipped with a safety shower.
Conditions for safe storage	: Keep containers tightly closed in a dry, cool and well- ventilated place.

H.B. Fuller | Engineering Adhesives



DISTRIBUTED BY

Freeman Mfg. & Supply Co. www.FreemanSupply.com Print Date 08/08/2023 Page **4** of **9**

SAFETY DATA SHEET

Filter type

H.B. Fuller® MP-5405-B

Version 1.1	Revision Date 01/04/2022			
Materials to avoid	: No special restrictions on storage with other products.			
SECTION 8. EXPOSURE CON	SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION			
Ingredients with workpla	ce control parameters			
Contains no substances with occupational exposure limit values.				
Personal protective equip	oment			
Respiratory protection	: Use respiratory protection unless adequate local exhaust ventilation is provided or exposure assessment demonstrates that exposures are within recommended exposure guidelines.			

Hand protection Material	: butyl-rubber
Eye protection	: Safety goggles Face-shield Ensure that eyewash stations and safety showers are close to the workstation location.
Skin and body protection	: Long sleeved clothing Chemical resistant apron
Protective measures	: Avoid contact with skin.
Hygiene measures	: Avoid contact with skin, eyes and clothing.

: Combined particulates and organic vapor type

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance Color Odor Odor Threshold	 liquid Clear to light yellow rotten-egg like no data available
рН	: Not applicable
Melting point/freezing point	: is not determined
Boiling point/boiling range	: is not determined
Flash point Evaporation rate Flammability (solid, gas)	 Not applicable is not determined Not classified as a flammability hazard
Upper explosion limit	: Upper flammability limit is not determined





Print Date 08/08/2023 Page **5** of **9**

SAFETY DATA SHEET

H.B. Fuller® MP-5405-B

Version 1.1	Revision Date 01/04/2022		
Lower explosion limit	: Lower flammability limit is not determined		
Vapor pressure	: is not determined		
Density Solubility(ies) Water solubility	: 1.12 g/cm3 : is not determined		
Partition coefficient: n- octanol/water	: no data available		
Autoignition temperature	: is not determined		
Viscosity			
Viscosity, kinematic	: is not determined		

SECTION 10. STABILITY AND REACTIVITY

Chemical stability	: The product is chemically stable.
Hazardous decomposition products	: Stable under normal conditions.

SECTION 11. TOXICOLOGICAL INFORMATION

Acute toxicity

Product:				
Acute oral toxicity	:	Acute toxicity estimate : > 5,000 mg/kg Method: Calculation method		
Acute dermal toxicity	:	Acute toxicity estimate : > 5,000 mg/kg Method: Calculation method		
Components:				
tertiary amine:				
Acute oral toxicity	:	LD50 Oral Rat: 1,000 mg/kg		
Acute dermal toxicity	:	LD50 Dermal Rat: 1,280 mg/kg		
Skin corrosion/irritation				
No data available				
Serious eye damage/eye irritation				
No data available				
Respiratory or skin sensitization				
No data available				





 DISTRIBUTED BY
 Freeman Mfg. & Supply Co.
 Freeman Supply.com

Print Date 08/08/2023 Page **6** of **9**

SAFETY DATA SHEET

H.B. Fuller® MP-5405-B

Version 1.1

Revision Date 01/04/2022

Germ cell mutagenicity

No data available

Carcinogenicity

No data available

Reproductive toxicity

No data available

STOT-single exposure

No data available

STOT-repeated exposure

No data available

Aspiration toxicity

No data available

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

No data available

Persistence and degradability

No data available Bioaccumulative potential

Mobility in soil

No data available

Other adverse effects

No data available

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues	: To the best of our knowledge, this product does not meet the definition of hazardous waste under the U.S. EPA Hazardous Waste Regulations 40 CFR 261. Disposal via incineration at an approved facility is recommended, as industry best
	practice. Consult state, local or provincial authorities for more restrictive requirements.





Print Date 08/08/2023 Page **7** of **9**

SAFETY DATA SHEET

H.B. Fuller® MP-5405-B

Version 1.1

Revision Date 01/04/2022

SECTION 14. TRANSPORT INFORMATION

International Regulations

IATA-DGR		
UN/ID No.	:	UN 2735
Proper shipping name	:	Amines, liquid, corrosive, n.o.s. (2,4,6-TRIS[(DIMETHYLAMINO)METHYL]PHENOL)
Class	:	8
Packing group	:	III
Labels	:	Corrosive
Packing instruction (cargo aircraft)	:	856
Packing instruction (passenger aircraft)	:	852
IMDG-Code		
UN number	:	UN 2735
Proper shipping name	:	AMINES, LIQUID, CORROSIVE, N.O.S. (2,4,6-TRIS[(DIMETHYLAMINO)METHYL]PHENOL)
Class	:	8
Packing group	:	III
Labels	:	8
EmS Code	:	F-A, S-B
Marine pollutant	:	no

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

Domestic regulation

49 CFR

UN/ID/NA number	:	UN 2735
Proper shipping name	:	Amines, liquid, corrosive, n.o.s.
		(2,4,6-TRIS[(DIMETHYLAMINO)METHYL]PHENOL)
Class	:	8
Packing group	:	III
Labels	:	CORROSIVE
ERG Code	:	153
Marine pollutant	:	no

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

SECTION 15. REGULATORY INFORMATION

SARA 311/312 Hazards	: Skin corrosion or irritation
	Serious eye damage or eye irritation
	Respiratory or skin sensitization



Print Date 08/08/2023 Page **8** of **9**

SAFETY DATA SHEET

H.B. Fuller® MP-5405-B		
Version 1.1	Revision Date 01/04/2022	
SARA 302	: This material does not contain any components with a section 302 EHS TPQ.	
SARA 313	: This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.	
Clean Air Act		
This product does not contair Air Act Section 112 (40 CFR	n any hazardous air pollutants (HAP), as defined by the U.S. Clean 61).	
US State Regulations		
California Prop 65	: Please contact Supplier for more information.	
The ingredients of this proc TSCA	duct are reported in the following inventories: All substances listed as active on the TSCA inventory	
DSL	All components of this product are on the Canadian DSL	
AIIC	On the inventory, or in compliance with the inventory	
ENCS	On the inventory, or in compliance with the inventory	
KECI	On the inventory, or in compliance with the inventory	
PICCS	On the inventory, or in compliance with the inventory	
IECSC	On the inventory, or in compliance with the inventory	
	On the inventory, or in compliance with the inventory JSA), DSL (Canada), REACH(Europe), AIIC (Australia), NZIoC (New CI (Korea), PICCS (Philippines), IECSC (China), TWINV (Taiwan)	

SECTION 16. OTHER INFORMATION

Prepared by: Global Regulatory Office - phone: 1-651-236-5842 - email: msds.request@hbfuller.com

Engineering Adhesives




DISTRIBUTED BY Freeman Mfg. & Supply Co. www.FreemanSupply.com

Print Date 08/08/2023 Page **9** of **9**

SAFETY DATA SHEET

H.B. Fuller® MP-5405-B



The information and recommendations set forth herein are believed to be accurate. Because some of the information is derived from information provided to the H.B. Fuller Company from its suppliers, and because the H.B. Fuller Company has no control over the conditions of handling and use, the H.B. Fuller Company makes no warranty, expressed or implied, regarding the accuracy of the data or the results to be obtained from the use thereof. The information is supplied solely for your information and consideration, and the H.B. Fuller Company assumes no responsibility for use or reliance thereon. It is the responsibility of the user of H.B. Fuller Company products to comply with all applicable federal, state and local laws and regulations.