

Section 1 Identification

Product Identifiers

Product name: Freeman 6700 Epoxy Laminating System Part A (Resin)

Relevant Identified Uses of the Substance or Mixture

General purpose, clear epoxy laminating system. For industrial/professional use only.

Details of the Supplier of the Safety Data Sheet

Freeman Manufacturing & Supply Company
1101 Moore Road, Avon, OH 44011-4043 USA
Telephone: (440) 934-1902
Email: contactus@freemansupply.com

24 Hour emergency telephone number:
CHEMTREC (800) 424-9300

Section 2 Hazards Identification

GHS Classification, in accordance with 29 CFR 1910.1200 (OSHA HCS)

Skin Irritation, Category 2
Eye Irritation, Category 2A
Skin Sensitizer, Category 1
Specific Target Organ Toxicity – Single Exposure, Category 3

Label Elements



Warning

Hazard statements

H315 Causes skin irritation.
H317 May cause an allergic skin reaction.
H319 Causes serious eye irritation.
H335 May cause respiratory irritation.
H336 May cause drowsiness or dizziness.

Precautionary statements

P261 Avoid breathing fumes, vapors, mists or sprays.
P264 Wash thoroughly after handling.
P271 Use only outdoors or in a well-ventilated area.
P272 Contaminated work clothing must not be allowed out of the workplace.
P280 Wear protective gloves, eye protection and face protection.
P302+P352 IF ON SKIN: Wash with plenty of soap and water.
P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P319 Get medical help if you feel unwell.
P333+P317 If skin irritation or rash occurs: Get medical help.
P337+P317 If eye irritation persists: Get medical help.
P362+P364 Take off contaminated clothing and wash it before reuse.
P403+P233 Store in a well-ventilated place. Keep container tightly closed.
P405 Store locked up.
P501 Dispose of contents and container in accordance with local, regional, and national regulations.

Supplemental Information

This is one part of a two-part system. Read and understand the hazard information on curative before using.

Freeman 6700 Part A (Resin)

Section 3 Composition/Information on Ingredients

Ingredient Name	CAS Number	Concentration (%)
Bisphenol A Epoxy Resin	25068-38-6	80-100
Alkyl Glycidyl Ether	68609-97-2	0-10

Amounts specified are typical and do not represent a specification. Remaining components are proprietary, non-hazardous, and/or present at amounts below reportable limits.

Section 4 First-Aid Measures

Eye Contact: Rinse thoroughly with water, holding the eyelids open to be sure the material is washed out. Remove contact lenses if safe and easy to do. Continue rinsing. Get medical attention if irritation develops or persists.

Skin Contact: Remove contaminated clothing. Wash contact area thoroughly with soap and water. Get medical attention if irritation develops or persists. Wash contaminated clothing before reuse. Discard clothing that cannot be decontaminated.

Inhalation: Remove person to fresh air. Get medical attention if symptoms develop or persist.

Ingestion: Do not induce vomiting unless instructed to do so by a medical professional. Get medical attention if you feel unwell.

Most Important Symptoms/Effects: None known

Indication of Immediate Medical Attention/Special Treatment: Not expected to be required

Section 5 Fire-Fighting Measures

Extinguishing Media

Use water fog, foam, carbon dioxide or dry chemical. Do not use solid water stream. Solid stream of water into hot product may cause violent steam generation or spread fire.

Specific Hazards

Not classified as flammable or combustible. Product will burn under fire conditions. Combustion products include oxides of carbon, phenolics, aldehydes and other toxic organic compounds.

Special Protective Equipment & Precautions for Fire-Fighters

Wear self-contained breathing apparatus (SCBA) equipped with a full face piece and operated in a pressure-demand mode (or other positive pressure mode) and approved protective clothing.

Section 6 Accidental Release Measures

Personal Precautions, Protective Equipment, and Emergency Procedures

Clear unnecessary, unprotected personnel from the area. Wear appropriate protective clothing to prevent eye and skin contact and avoid breathing vapors.

Environmental Precautions

Do not flush product into public sewer, water systems, or surface waters.

Methods and Materials for Containment and Cleanup

Cover with an inert absorbent material and collect into an appropriate container for disposal. Avoid releases to the environment.

Section 7 Handling and Storage

Safe Handling

Use with adequate ventilation. Avoid contact with eyes, skin, and clothing. Wash thoroughly after handling. Do not eat, drink, or smoke in the work area. Keep container closed when not in use.

Freeman 6700 Part A (Resin)

Section 7 Handling and Storage

Safe Storage

Store indoors at temperatures below 120°F (49°C). Store in original containers. Avoid getting moisture into containers. Keep containers tightly closed. Store locked up.

Section 8 Exposure Controls/Personal Protection

Occupational Exposure Limits

None established

Appropriate Engineering Controls

Use with adequate general or local exhaust ventilation to minimize exposure levels.

Personal Protective Equipment (PPE)

Respiratory Protection: If needed, an approved respirator with organic vapor cartridges may be used. Respirator selection and use should be based on contaminant type, form, and concentration. For higher exposures or in an emergency, use a supplied-air respirator. Use respirators in accordance with OSHA's Respiratory Protection Standard (29 CFR 1910.134).

Skin Protection: Wear impervious gloves, such as butyl rubber or nitrile rubber.

Eye Protection: Wear chemical safety glasses/goggles.

Other Protective Measures

Prevent skin contact and contamination of personal clothing. An eyewash facility and washing facility should be available in the work area. Follow applicable regulations and good Industrial Hygiene practice.

Section 9 Physical and Chemical Properties

Appearance	Liquid
Color	Clear amber
Odor	Slight
Odor Threshold	No data available
pH	No data available
Melting/Freezing Point	No data available
Boiling Point	No data available
Flash Point	>94°C
Evaporation Rate	No data available
Flammability Limits	No data available
Vapor Pressure	<1 mm Hg at 20°C
Vapor Density	Heavier than air
Relative Density	1.13
Solubility	Negligible
Coefficient: n-Octanol/Water	No data available
Auto-Ignition Temperature	No data available
Decomposition Temperature	No data available
Viscosity	2,600 cP @ 25°C

Section 10 Stability and Reactivity

Reactivity: Not normally reactive.

Chemical Stability: Stable under recommended conditions.

Possibility of Hazardous Reactions: Masses of ≥1 lb. (0.5 kg) plus aliphatic amine will cause irreversible polymerization with considerable heat build-up. Material will polymerize with sodium hydroxide.

Conditions to Avoid: Avoid excessive heat.

Safety Data Sheet

Freeman 6700 Part A (Resin)

Section 10 Stability and Reactivity

Incompatible Materials: Avoid contact with strong acids, bases, oxidizing agents, and amines.
Hazardous Decomposition Products: Carbon monoxide, carbon dioxide, and oxides of nitrogen.

Section 11 Toxicological Information

Eye Contact: Causes serious eye irritation.
Skin Contact: Causes skin irritation. May cause allergic skin reaction.
Inhalation: May cause respiratory irritation.
Ingestion: No data available.
Chronic Health Effects: May cause an allergic skin reaction.
Acute Toxicity Values: Not acutely hazardous.
Respiratory Sensitization: Components are not classified as respiratory sensitizers.
Skin Sensitization: May cause an allergic skin reaction.
Germ Cell Mutagenicity: Components are not classified as mutagens.
Carcinogenicity: Components are not classified as carcinogens.
Reproductive Toxicity: Components are not classified as reproductive toxins.
Specific Target Organ Toxicity: May cause respiratory irritation, drowsiness or dizziness.
Aspiration Hazard: No data is available.

Section 12 Ecological Information

Toxicity

Chemical Name	LC ₅₀ 96 hrs. (Fish)	EC ₅₀ 24 hrs. (Daphnia)	IC ₅₀ 96 hrs. (Bacteria)
Bisphenol A Epoxy Resin	2.4 mg/L	3.6 mg/L	>100 mg/L
Alkyl Glycidyl Ether	No data available	No data available	No data available

Persistence and Degradability

Chemical Name	OECD Derived from 301F (Biodegradation Test) - 28 Days
Bisphenol A Epoxy Resin	5% (not readily biodegradable)
Alkyl Glycidyl Ether	Not readily biodegradable

Bioaccumulative Potential

Chemical Name	Log P _{ow}	BCF	Potential
Bisphenol A Epoxy Resin	3.242	31	Low
Alkyl Glycidyl Ether	3.77	No data available	No data available

Mobility in Soil

Chemical Name	Soil/Water Partition Coefficient (K _{oc})
Bisphenol A Epoxy Resin	445
Alkyl Glycidyl Ether	No data available

Section 13 Disposal Considerations

Dispose of unused contents (incineration) in accordance with national and local regulations. Dispose of container in accordance with national and local regulations. Ensure the use of properly authorized waste management companies, where appropriate. See Section 8 for recommendations on the use of personal protective equipment.

Section 14 Transport Information

DOT Non-bulk Packaging (<882lb or <119gal)

Not regulated transport by truck.

DOT Bulk Packaging

UN3082, Environmentally hazardous substance, liquid, n.o.s (epoxy resin), 9, III

IATA/IMDG

UN3082, Environmentally hazardous substance, liquid, n.o.s (epoxy resin), 9, III, MARINE POLLUTANT.

Excepted for IATA and IMDG regulations if shipped in quantities of 5L (1.32) gal or less

(See IATA SP A197 and IMDG 2.10.2.7)

Emergency Shipping Information: Call CHEMTREC, 800-424-9300 or +1-703-527-3887

Section 15 Regulatory Information

REACH Article 59(10) substances of very high concern (SVHC)

No components are listed

CERCLA 103 Reportable Quantity

This product is not subject to reporting under CERCLA.

SARA TITLE III


Section 313 Toxic Chemicals: This product does not contain chemicals subject to reporting requirements.

Section 302 Extremely Hazardous Substances (TPQ): None

EPA Toxic Substances Control Act (TSCA) Status

All components in this product are listed on TSCA.

California Proposition 65

 **WARNING:** This product can expose you to chemicals including Phenyl Glycidyl Ether, which is known to the State of California to cause cancer. For more information, go to www.P65Warnings.ca.gov.

No Significant Risk Level (NSRL): 5 µg/day

Section 16 Other Information

Disclaimer

The following supersedes Buyer's documents. SELLER MAKES NO REPRESENTATION OR WARRANTY, EXPRESSED OR IMPLIED, INCLUDING ANY WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. No statements herein are to be construed as inducements to infringe any relevant patent. Under no circumstances shall Seller be liable for incidental, consequential or indirect damages for alleged negligence, breach of warranty, strict of liability arising in connection with the product(s). Buyer's sole remedy and Seller's sole liability for any claims shall be Buyer's purchase price. Data and results are based on controlled lab work and must be confirmed by Buyer by testing for its intended conditions of use. The product(s) has not been tested for, and is therefore not recommended for, uses for which prolonged contact with mucous membranes, abraded skin, or blood is intended; or for uses for which implantation within the human body is intended.

Previous Revision Date: March 3, 2022

Preparation Date: April 23, 2024

Freeman 6700 Part B (Hardener)

Section 1 Identification

Product Identifiers

Product name: Freeman 6700 Epoxy Laminating System Part B (Hardener)

Relevant Identified Uses of the Substance or Mixture

General purpose, clear epoxy laminating system. For industrial/professional use only.

Details of the Supplier of the Safety Data Sheet

Freeman Manufacturing & Supply Company
1101 Moore Road, Avon, OH 44011-4043 USA
Telephone: (440) 934-1902
Email: contactus@freemansupply.com

24 Hour emergency telephone number:
CHEMTREC (800) 424-9300

Section 2 Hazards Identification

GHS Classification in Accordance with 29 CFR 1910.1200 (OSHA HCS)

Acute Toxicity - Dermal, Category 4
Acute Toxicity - Oral, Category 4
Acute Toxicity - Inhalation, Category 4
Skin Corrosion, Category 1
Eye Damage, Category 1
Skin Sensitization, Category 1
Toxic to Reproduction, Category 2
Hazardous to Aquatic Environment, Chronic Category 2

Label Elements



Danger

Hazard statements

H302 Harmful if swallowed.
H312 Harmful in contact with skin.
H314 Causes severe skin burns and eye damage.
H317 May cause an allergic skin reaction.
H318 Causes serious eye damage.
H332 Harmful if inhaled. H361 Suspected of damaging fertility or the unborn child.
H411 Toxic to aquatic life with long lasting effects.

Precautionary Statements

P201 Obtain special instructions before use.
P202 Do not handle until all safety precautions have been read and understood.
P260 Do not breathe mists.
P264 Wash hands thoroughly after handling.
P270 Do not eat, drink or smoke when using this product.
P271 Use only outdoors or in a well-ventilated area.
P272 Contaminated work clothing should not be allowed out of the workplace.
P273 Avoid release to the environment.
P280 Wear protective gloves, clothing, and eye/face protection.
P301+P330+P331+P312 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. Call POISON CENTER and/or doctor if you feel unwell.
P303+P361+P364+P353+P352 IF ON SKIN (or hair): Take off immediately all contaminated clothing and wash before reuse. Rinse skin with water/shower. Wash with plenty of soap and water.

Freeman 6700 Part B (Hardener)

Section 2 Hazards Identification

P333+P313 If skin irritation or rash occurs: Get medical attention.
 P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.
 P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
 P308+P313 IF exposed or concerned: Get medical attention.
 P391 Collect spillage.
 P403+P233 Store in a well-ventilated place. Keep container tightly closed.
 P405 Store locked up.
 P501 Dispose of contents and containers in accordance with local, regional and international regulations.

Section 3 Composition/Information on Ingredients

Ingredient Name	CAS Number	Concentration (%)
Tetraethylenepentamine	112-57-2	40-55
4,4'-Isopropylidenediphenol	80-05-7	30-45
Diethylenetriamine	111-40-0	10-20

Amounts specified are typical and do not represent a specification. Remaining components are proprietary, non-hazardous, and/or present at amounts below reportable limits.

Section 4 First-Aid Measures

Eye Contact: Immediately flush eyes with plenty of clean water for an extended time, not less than 15 minutes. Flush longer if there is any indication of residual chemical in the eye. Ensure adequate flushing of the eyes by separating the eyelids with fingers and roll eyes in a circular motion. Get medical attention immediately.

Skin Contact: Immediately remove contaminated clothing and shoes. Wash the affected area with plenty of soap and water until no evidence of the chemical remains (at least 15-20 minutes). Launder clothing before reuse. Get medical attention immediately.

Inhalation: If affected, remove to fresh air. If breathing is difficult, give oxygen. If not breathing, give artificial respiration.

Ingestion: Do not induce vomiting. Never give anything by mouth to an unconscious person. Rinse out the mouth with water. Get medical attention immediately.

Most Important Symptoms/Effects: Burns. Irritation. Pre-existing skin problems may be aggravated by prolonged or repeated contact. Person with sensitive airways (e.g., asthmatics) may react to vapors.

Indication of Immediate Medical Attention/Special Treatment: Treat symptomatically.

Section 5 Fire-Fighting Measures

Extinguishing Media

Use water fog, foam, carbon dioxide or dry chemical. Do not use solid water stream. Solid stream of water into hot product may cause violent steam generation or spread fire.

Special Hazards

Product is not considered a fire hazard, but will burn if ignited. Closed container may rupture (due to build up in pressure) when exposed to extreme heat. Irritating or toxic substances may be emitted upon burning, combustion, or decomposition. See Section 10 for additional information.

Special Protective Equipment & Precautions for Fire-Fighters

Wear self-contained breathing apparatus (SCBA) equipped with a full face piece and operated in a pressure-demand mode (or other positive pressure mode) and approved protective clothing.

Freeman 6700 Part B (Hardener)

Section 6 Accidental Release Measures

Personal Precautions, Protective Equipment, and Emergency Procedures

Personal protective equipment must be worn. See Section 8 for recommendations on the use of personal protective equipment. If spilled in an enclosed area, ventilate. Eliminate ignition sources.

Environmental Precautions

Avoid release to the environment. Do not flush product into public sewer, water systems, or surface waters.

Methods and Materials for Containment and Cleanup

Stop leak if without risk. Move containers from spill area. Contain by diking with sand, earth, or other non-combustible material. Wear proper personal protective clothing and equipment. Absorb spill with an inert material. Place into labeled, closed container; store in safe location to await disposal. Change contaminated clothing and launder before reuse.

Section 7 Handling and Storage

Safe Handling

As with any chemical product, use good laboratory/workplace procedures. Do not cut, puncture, or weld on or near the container. Use under well-ventilated conditions. Wash thoroughly after handling this product. Always wash up before eating, smoking, or using the facilities. Avoid eye and skin contact. Avoid inhalation of aerosol, mist, spray, fume, or vapor. Avoid drinking, tasting, swallowing, or ingesting this product. Wash contaminated clothing before reuse. Discard shoes contaminated with this product.

Safe Storage

Keep away from heat, sparks, and open flames. Store dry at 15-40°C, under well-ventilated conditions. Store this material away from incompatible substances (see Section 10). Do not store in open, unlabeled, or mislabeled containers. Keep container closed when not in use. Empty containers contains residual product which may exhibit hazards of product. Do not reuse empty container without commercial cleaning or reconditioning.

Section 8 Exposure Controls/Personal Protection

Occupational Exposure Limits

Chemical Name	CAS Number	ACGIH - TWA	ACGIH - STEL
Tetraethylenepentamine	112-57-2	Not available	Not available
4,4'-Isopropylidenediphenol	80-05-7	Not available	Not available
Diethylenetriamine	111-40-0	1 ppm	Not available

Appropriate Engineering Controls

Always provide effective general and, when necessary, local exhaust ventilation to draw spray, aerosol, fume, mist, and vapor away from workers to prevent routine inhalation. Ventilation must be adequate to maintain air concentrations below occupational exposure standards. When necessary use mechanical handling to reduce human contact with materials.

Personal Protective Equipment (PPE)

Respiratory Protection: Wear an approved respirator (e.g., an organic vapor respirator, a full face air purifying respirator for organic vapors, or a self-contained breathing apparatus) whenever exposure to aerosol, mist, spray, fume or vapor exceed the applicable exposure limit(s) of any chemical substance listed in this SDS.

Freeman 6700 Part B (Hardener)
Section 8 Exposure Controls/Personal Protection

Skin Protection: Wear chemical resistant (impervious) gloves; PVC, neoprene, nitrile rubber, EVAL, butyl rubber. Wear chemical resistant protective clothing. Use good laboratory/workplace procedures including personal protective clothing: lab coat and protective gloves.

Eye Protection: Full face shield with safety glasses or goggles underneath are required.

Other Protective Measures

Eyewash fountains and safety showers are recommended in the work area. Follow applicable regulations and good Industrial Hygiene practice.

Section 9 Physical and Chemical Properties

Appearance	Liquid
Color	Clear amber
Odor	Fishy
Odor Threshold	No data available
pH	No data available
Melting/Freezing Point	No data available
Boiling Point	No data available
Flash Point	>100°C
Evaporation Rate	No data available
Flammability Limits	No data available
Vapor Pressure	<0.75 mm Hg at 20°C
Vapor Density	Heavier than air
Relative Density	1.05
Solubility	Soluble
Coefficient: n-Octanol/Water	No data available
Auto-Ignition Temperature	No data available
Decomposition Temperature	No data available
Viscosity	1,850 cP @ 25°C
Flammability (Solid, Gas)	No data available

Section 10 Stability and Reactivity

Reactivity: Exothermic reactions including polymerization may occur in contact with strong acids, strong bases, alcohols, strong oxidizing agents, and excessive heat.

Chemical Stability: This product is stable under normal storage conditions.

Possibility of Hazardous Reactions: Exothermic reactions including polymerization may occur in contact with strong acids, strong bases, alcohols, strong oxidizing agents, and excessive heat.

Conditions to Avoid: Excessive heat and ignition sources.

Incompatible Materials: Avoid strong acids, bases, and oxidizing agents.

Hazardous Decomposition Products: Thermal decomposition may produce smoke, carbon monoxide, carbon dioxide, aldehydes, oxides of nitrogen, and other products of incomplete combustion.

Section 11 Toxicological Information

Eye Contact: Causes eye burns.

Skin Contact: Harmful in contact with skin. Causes chemical burns. May cause allergic skin reaction. Repeated or prolonged contact may cause skin irritation and dermatitis.

Inhalation: Exposure to vapors or mists may cause severe irritation and burns of the nose. Throat and respiratory tract.

Freeman 6700 Part B (Hardener)

Section 11 Toxicological Information

Ingestion: Harmful if swallowed. Ingestion may cause severe irritation and burns of the mouth, throat, and digestive tract.

Chronic Health Effects: No data available.

Acute Toxicity Values

Chemical Name	LC ₅₀ Inhalation (Rat)	LD ₅₀ Oral (Rat)	LD ₅₀ Dermal (Rabbit)
Tetraethylenepentamine	Not available	Not available	Not available
4,4'-Isopropylidenediphenol	Not available	>2,000 mg/kg	>2,000 mg/kg
Diethylenetriamine	Not available	1,080-2,330 mg/kg	672-1,240 mg/kg

Respiratory Sensitization: No data available

Skin Sensitization: Category 1

Germ Cell Mutagenicity: No data available

Carcinogenicity: No data available

Reproductive Toxicity: Category 2

Specific Target Organ Toxicity: No data available

Aspiration Hazard: No data is available.

Section 12 Ecological Information

Toxicity

Chemical Name	Test	Species	Result
Tetraethylenepentamine	Not available	Not available	Not available
4,4'-Isopropylidenediphenol	EC50 (48 hrs.) EC50 (96 hrs.) LC50 (96 hrs.)	Daphnia Algae Fish	3.9-10.2 mg/L 2.5-3.1 mg/L 7.5 mg/L
Diethylenetriamine	Not available	Not available	Not available

Persistence and Degradability

Chemical Name	Test	Period	Result
Tetraethylenepentamine	Not available	Not available	Not available
4,4'-Isopropylidenediphenol	EU EC C.4-A Biodegradation: Determination of the "Read" Biodegradability: Dissolved Organic Carbon (DOC) Die-Away Test	28 Days	1-2%
Diethylenetriamine	Not available	Not available	Not available

Bioaccumulative Potential

No data available

Mobility in Soil

No data available

Freeman 6700 Part B (Hardener)

Section 13 Disposal Considerations

Dispose of unused contents (incineration) in accordance with national and local regulations. Dispose of container in accordance with national and local regulations. Ensure the use of properly authorized waste management companies, where appropriate. See section 8 for recommendations on the use of personal protective equipment.

Section 14 Transport Information

DOT

UN2735, Amines, Liquid, Corrosive, N.O.S., (Diethylenetriamine/Tetraethylenepentamine Mixture), 8, II

IATA/IMDG

UN2735, Amines, Liquid, Corrosive, N.O.S., (Diethylenetriamine/Tetraethylenepentamine Mixture), 8, II, MARINE POLLUTANT

Emergency Shipping Information: Call CHEMTREC, 800-424-9300 or +1-703-527-3887

Section 15 Regulatory Information

REACH Article 59(10) substances of very high concern (SVHC)

No components are listed

CERCLA 103 Reportable Quantity

This product is not subject to reporting under CERCLA.

SARA TITLE III


Section 313 Toxic Chemicals: 4,4'-Isopropylidenediphenol (CAS 80-05-7)

Section 302 Extremely Hazardous Substances (TPQ): None

EPA Toxic Substances Control Act (TSCA) Status

All components in this product are listed on TSCA.

California Proposition 65

 **WARNING:** This product can expose you to chemicals including Bisphenol A (BPA), which is known to the State of California to cause birth defects or other reproductive harm. For more information, go to www.P65Warnings.ca.gov.

Maximum Allowable Dose Level (MADL): 3 µg/day (dermal exposure from solid materials)

Section 16 Other Information

Disclaimer

The following supersedes Buyer's documents. SELLER MAKES NO REPRESENTATION OR WARRANTY, EXPRESSED OR IMPLIED, INCLUDING ANY WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. No statements herein are to be construed as inducements to infringe any relevant patent. Under no circumstances shall Seller be liable for incidental, consequential or indirect damages for alleged negligence, breach of warranty, strict of liability arising in connection with the product(s). Buyer's sole remedy and Seller's sole liability for any claims shall be Buyer's purchase price. Data and results are based on controlled lab work and must be confirmed by Buyer by testing for its intended conditions of use. The product(s) has not been tested for, and is therefore not recommended for, uses for which prolonged contact with mucous membranes, abraded skin, or blood is intended; or for uses for which implantation within the human body is intended.

Previous Revision Date: March 3, 2022

Preparation Date: April 23, 2024