

## Data Sheet

## A-800-3G

Vacuum bag sealant tape for temperature use up to 800°F (427°C)

### DESCRIPTION

A sealant tape suitable for very high temperature applications. With heat it gets tackier and works up to 800°F (427°C).

### BENEFITS


- Highest temperature rating so thermoplastics can be processed.
- Good shelf life avoids material scrap costs.
- High temperature rating for safer high temperature cures.

### TECHNICAL DATA

Color	Light green
Base material	Silicone
Maximum use temperature	800°F (427°C)
Shelf life	12 months from date of manufacture
Storage conditions	Tape must be stored flat in original packaging at 72°F (22°C) Do not refrigerate

### SIZES

Dimensions	Packaging	Remarks
1/8 inch x 1/2 inch x 25 feet (3 mm x 12 mm x 7.5 m)	40 rolls per case	Can be sold per unit roll



### NOTES

- For clean removal, it is recommended to strip the tape from the mold surface once it has cooled down to room temperature.
- A second strip of GS-213-3 or GS-43MR can be used in conjunction with the A-800-3G to seal easily at room temperature. This strip becomes sacrificial above 450°F (232°C) where the A-800-3G is secure.
- The maximum use temperature is dependent upon the duration at maximum temperature and is process specific, Airtech recommends testing prior to use.

Distributed by  
Freeman Manufacturing & Supply Co.  
[www.freemansupply.com](http://www.freemansupply.com) (800) 321-8511



Last updated : 2016-01-25

Catalog position : [Vacuum bag sealant tapes](#)