

## DATA SHEET

### BIG BLUE L100

Low Temperature Multi-layer vacuum bagging film

#### Description

**Big Blue L100** is a multi-layer bagging film for applications where a wide film is required. It is suitable for resin infusion and wet lay-up where the cure temperature does not exceed 250 °F (121°C).

#### MECHANICAL

Elongation at break:

#### TEST METHOD

ASTM D882

#### Big Blue L100

MD >350%

TD >400%

Tensile Strength:

ASTM D882

MD >22 Mpa

TD >22 Mpa

#### THERMAL

Maximum Use Temperature: IPPT101

250°F (121°C)

#### PHYSICAL

Density:

ASTM D792

1.00 g/cc

Yield:

N/A

13.3 m<sup>2</sup>/kg/75μ

Color:

N/A

Blue

Shelf Life:

N/A

18 months

#### Standard sizes available:

Thickness: .003" (75 μ)	
Total width (m)	Length (m)
236" (6m)	360' (110m)
315" (8m)	272' (83m)
394" (10m)	219' (67m)
472" (12m)	183' (56m)

Other widths available per special order.

#### CATALOG POSITION: BAGGING FILM

As the conditions or methods of use are beyond our control, Airtech International, Inc. does not assume any responsibility for the performance of this material for any particular use. The material is sold "as is". Airtech International, Inc. disclaims, and buyer waives, any and all implied warranties, including without limitation the implied warranties of merchantability and of fitness for particular use. The information contained herein represents typical properties and should not be used for specification purposes.

**MORE THAN A MANUFACTURER...A TECHNICAL PARTNER!**

