

Section 1 Identification

Product Identifiers

Product name: Freeman 721 Epoxy Surface Coat Part A (Resin)

Relevant Identified Uses of the Substance or Mixture

Surface Coat Epoxy Resin

Details of the Supplier of the Safety Data Sheet

Freeman Manufacturing & Supply Company

1101 Moore Road, Avon, OH 44011

Phone (440) 934-1902

contactus@freemansupply.com

24 Hour emergency telephone number:

CHEMTREC (800) 424-9300

Section 2 Hazards Identification

GHS Classification in Accordance with 29 CFR 1910.1200 (OSHA HCS)

Skin Irritation, Category 2

Eye Irritation, Category 2

Skin Sensitizer, Category 1

Hazardous to the Aquatic Environment Chronic Hazard, Category 2

GHS Label Elements, Including Precautionary Statements



Signal word

Warning

Hazard statements

Causes skin irritation.

May cause an allergic skin reaction.

Causes serious eye irritation.

Toxic to aquatic life with long lasting effects.

Precautionary statements

Prevention

Wash hands thoroughly after handling.

Avoid release to the environment.

Wear protective gloves, clothing, and eye/face protection.

Response

IF SWALLOWED: Call Poison Center and/or doctor if you feel unwell.

IF ON SKIN: Wash with plenty of soap and water. If skin irritation or rash occurs: Get medical attention.

Take off contaminated clothing and wash it before reuse.

IF INHALED: Remove person to fresh air and keep comfortable for breathing.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical attention.

Collect spillage.

Disposal

Dispose of contents and containers to an appropriate waste site in accordance with local, regional, and national regulation.

Section 3 Composition/Information on Ingredients

Ingredient Name	CAS Number	Concentration (%)
Bisphenol A Epoxy Resin	25068-38-6	30-55
Alkyl Glycidyl Ether	68609-97-2	5-15

Section 4 First-Aid Measures

Description of First Aid Measures

Eye Contact: Immediately flush eyes with plenty of clean water for an extended time, not less than 15 minutes. Flush longer if there is any indication of residual chemical in the eye. Ensure adequate flushing of the eyes by separating the eyelids with fingers and roll eyes in a circular motion.

Skin Contact: Immediately remove contaminated clothing and shoes. Wash the affected area with plenty of soap and water until no evidence of the chemical remains (at least 15-20 minutes). Launder clothing before reuse. Get medical attention if symptoms occur.

Inhalation: If affected, remove to fresh air. If breathing is difficult, give oxygen. If not breathing, give artificial respiration.

Ingestion: Do not induce vomiting. Never give anything by mouth to an unconscious person. Rinse out the mouth with water. Get medical attention immediately.

Most Important Symptoms/Effects

Irritation. Pre-existing skin problems may be aggravated by prolonged or repeated contact. See Section 11 for additional information.

Indication of Immediate Medical Attention/Special Treatment

Treat symptomatically.

Section 5 Fire-Fighting Measures

Extinguishing Media

Use water spray, foam, dry chemical, or carbon dioxide.

Special Hazards

Product is not considered a fire hazard, but will burn if ignited. Closed container may rupture (due to build up in pressure) when exposed to extreme heat. Irritating or toxic substances may be emitted upon burning, combustion, or decomposition. See Section 10 for additional information.

Special Protective Equipment & Precautions for Fire-Fighters

Wear self-contained breathing apparatus (SCBA) equipped with a full-face piece and operated in a pressure-demand mode (or other positive pressure mode) and approved protective clothing. Personnel without suitable respiratory protection must leave the area to prevent significant exposure to hazardous gases from combustion, burning, or decomposition. In an enclosed or poorly ventilated area, wear SCBA during cleanup immediately after a fire as well as during the attack phase of firefighting operations. See Section 9 for additional information.

Section 6 Accidental Release Measures

Personal Precautions, Protective Equipment, and Emergency Procedures

See Section 8 for recommendations on the use of personal protective equipment. If spilled in an enclosed area, ventilate. Eliminate ignition sources. Personal protective equipment must be worn.

Section 6 Accidental Release Measures continued

Environmental Precautions

Do not flush product into public sewer, water systems, or surface waters.

Methods and Materials for Containment and Cleanup

Stop leak if without risk. Move containers from spill area. Contain by diking with sand, earth, or other non-combustible material. Wear proper personal protective clothing and equipment. Absorb spill with an inert material. Place into labeled, closed container; store in safe location to await disposal. Change contaminated clothing and launder before reuse.

Section 7 Handling and Storage

Safe Handling

As with any chemical product, use good laboratory/workplace procedures. Do not cut, puncture, or weld on or near the container. Use under well-ventilated conditions. Wash thoroughly after handling this product. Always wash up before eating, smoking, or using the facilities. Avoid eye and skin contact. Avoid inhalation of aerosol, mist, spray, fume, or vapor. Avoid drinking, tasting, swallowing, or ingesting this product. Wash contaminated clothing before reuse. Discard shoes contaminated with this product.

Safe Storage

Keep away from heat, sparks, and open flames. Store dry at 15-40°C, under well-ventilated conditions. Store this material away from incompatible substances (see Section 10). Do not store in open, unlabeled, or mislabeled containers. Keep container closed when not in use. Empty container contains residual product which may exhibit hazards of product. Do not reuse empty container without commercial cleaning or reconditioning.

Section 8 Exposure Controls/Personal Protection

Occupational Exposure Limits

Chemical Name	CAS Number	ACGIH - TWA	ACGIH - STEL
Bisphenol A Epoxy Resin	25068-38-6	Not available	Not available
Alkyl Glycidyl Ether	68609-97-2	Not available	Not available

Ventilation

Always provide effective general and, when necessary, local exhaust ventilation to draw spray, aerosol, fume, mist, and vapor away from workers to prevent routine inhalation. Ventilation must be adequate to maintain air concentrations below occupational exposure standards. When necessary use mechanical handling to reduce human contact with materials.

Respiratory Protection

Wear an approved respirator (e.g. an organic vapor respirator, a full face air purifying respirator for organic vapors, or a self-contained breathing apparatus) whenever exposure to aerosol, mist, spray, fume, or vapor exceed the applicable exposure limit(s) of any chemical substance listed in this SDS.

Skin Protection

Wear chemical resistant (impervious) gloves; PVC, neoprene, nitrile rubber, EVAL, butyl rubber. Wear chemical resistant protective clothing. Use good laboratory/workplace procedures including personal protective clothing: lab coat and protective gloves.

Section 8 Exposure Controls/Personal Protection continued

Eye Protection

Wear chemical safety glasses or goggles.

Other Protective Measures

Eyewash fountains and safety showers are recommended in the work area.

Section 9 Physical and Chemical Properties

Appearance	Viscous liquid
Color	White
Odor	Strong
Odor Threshold	No data available
pH	No data available
Melting/Freezing Point	No data available
Boiling Point	No data available
Flash Point	>94°C
Evaporation Rate	No data available
Flammability Limits	No data available
Vapor Pressure	<1 mm Hg at 20°C
Vapor Density	Heavier than air
Relative Density	1.59
Solubility	Negligible
Coefficient: n-Octanol/Water	No data available
Auto-Ignition Temperature	No data available
Decomposition Temperature	No data available
Viscosity	Thixotropic
VOC	0 g/L

Section 10 Stability and Reactivity

Reactivity

Exothermic reactions including polymerization may occur in contact with amines, strong acids, strong bases, alcohols, strong oxidizing agents, and excessive heat.

Chemical Stability

Stable under recommended storage conditions.

Possibility of Hazardous Reactions

Exothermic reactions including polymerization may occur in contact with amines, strong acids, strong bases, alcohols, strong oxidizing agents, and excessive heat.

Conditions to Avoid

Excessive heat and ignition sources.

Incompatible Materials

Avoid strong acids, bases, and oxidizing agents. Avoid contact with amines.

Hazardous Decomposition Products

Thermal decomposition may produce smoke, carbon monoxide, carbon dioxide, aldehydes, and other products of incomplete combustion. Phenolics.

Section 11 Toxicological Information

Eye Contact Causes serious eye irritation.
Skin Contact May cause allergic skin reaction. Causes skin irritation. Repeated or prolonged contact may cause skin irritation and dermatitis.
Inhalation High airborne concentrations of vapors resulting from heating, misting, or spraying may cause irritation of the respiratory tract and mucous membranes.
Ingestion Ingestion may cause irritation.
Chronic Health Effects No data available.
Acute Toxicity Values

Chemical Name	LC ₅₀ Inhalation	LD ₅₀ Oral (Rat)	LD ₅₀ Dermal (Rabbit)
Bisphenol A Epoxy Resin	Not available	>2000 mg/kg	>2000 mg/kg
Alkyl Glycidyl Ether	Not available	17100 mg/kg	>4.5 mL/kg

Skin Corrosion/Irritation Category 2
Serious Eye Damage/Irritation Category 2
Respiratory Sensitization Components are not respiratory sensitizers.
Skin Sensitization Category 1
Germ Cell Mutagenicity No data available.
Carcinogenicity No data available.
Reproductive Toxicity No data available.
Specific Target Organ Toxicity
 Single Exposure No data available.
 Repeated Exposure No data available.
Aspiration Hazard No data available.

Section 12 Ecological Information

Toxicity

Chemical Name	LC ₅₀ 96 hrs. (Fish)	EC ₅₀ 24 hrs. (Daphnia)	IC ₅₀ 96 hrs. (Bacteria)
Bisphenol A Epoxy Resin	2.4 mg/L	3.6 mg/L	>100 mg/L
Alkyl Glycidyl Ether	No data available	No data available	No data available

Persistence and Degradability

Chemical Name	OECD Derived from OECD 301F (Biodegradation Test) - 28 Days
Bisphenol A Epoxy Resin	5% (not readily biodegradable)
Alkyl Glycidyl Ether	Not readily biodegradable

Section 12 Ecological Information continued

Bioaccumulative Potential

Chemical Name	Log P _{ow}	BCF	Potential
Bisphenol A Epoxy Resin	3.242	31	Low
Alkyl Glycidyl Ether	3.77	No data available	No data available

Mobility in Soil

Chemical Name	Soil/Water Partition Coefficient (K _{oc})
Bisphenol A Epoxy Resin	445
Alkyl Glycidyl Ether	No data available

Section 13 Disposal Considerations


Disposal

Dispose of unused contents (incineration) in accordance with national and local regulations. Dispose of container in accordance with national and local regulations. Ensure the use of properly authorized waste management companies, where appropriate. See Section 8 for recommendations on the use of personal protective equipment.

Section 14 Transport Information

UN Number: UN 3082
UN Proper Shipping Name: Environmentally Hazardous Substance, Liquid, N.O.S. (Epoxy Resin)
Transportation Hazard Class
 U.S. DOT: Not regulated
 Canada TDG: Not regulated
 Europe ADR/RID 9
 IMDG Code (Ocean) 9
 ICAO/IATA (Air) 9
Packing Group: III
Environmental Hazards
 Marine Pollutant: Yes
 Hazardous Substance (USA): No
Special Precautions for User
 Information is not available.

Label for Conveyance



Other Information

For surface shipments within the United States: Not regulated.

Section 15 Regulatory Information

REACH

Annex XIV List of substances subject to authorization, substances of very high concern: None of the components are listed.

Annex XVII Restriction on the manufacture, placing on the market and use of certain dangerous substances, mixtures, and articles: None of the components are listed.

Chemical Inventories

DSL: All intentionally added components are either listed or are otherwise compliant with the regulation.

NDSL: One or more components: 1) there is no listing on the public inventory; 2) no information is available; or 3) the component has not been reviewed.

EINECS: All intentionally added components are either listed or are otherwise compliant with the regulation.

ELINCS: One or more components: 1) there is no listing on the public inventory; 2) no information is available; or 3) the component has not been reviewed.

TSCA: All intentionally added components are either listed or are otherwise compliant with the regulation.

Superfund Amendments and Reauthorization Act of 1986 Title III (SARA) Section 302 Components

No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

Superfund Amendments and Reauthorization Act of 1986 Title III (SARA) Section 313

No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 313.

California Proposition 65

This product does not intentionally contain any chemicals known to the state of California to cause cancer, birth defects or other reproductive harm

Section 16 Other Information

Disclaimer

The following supersedes Buyer's documents. SELLER MAKES NO REPRESENTATION OR WARRANTY, EXPRESSED OR IMPLIED, INCLUDING ANY WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. No statements herein are to be construed as inducements to infringe any relevant patent. Under no circumstances shall Seller be liable for incidental, consequential or indirect damages for alleged negligence, breach of warranty, strict of liability arising in connection with the product(s). Buyer's sole remedy and Seller's sole liability for any claims shall be Buyer's purchase price. Data and results are based on controlled lab work and must be confirmed by Buyer by testing for its intended conditions of use. The product(s) has not been tested for, and is therefore not recommended for, uses for which prolonged contact with mucous membranes, abraded skin, or blood is intended; or for uses for which implantation within the human body is intended.

Issue Date: September 13, 2021

Revision Date: October 4, 2022

Section 1 Identification

Product Identifiers

Product name: Freeman 721 Epoxy Surface Coat Part B (Hardener)

Relevant Identified Uses of the Substance or Mixture

Surface Coat Epoxy Resin

Details of the Supplier of the Safety Data Sheet

Freeman Manufacturing & Supply Company
1101 Moore Road, Avon, OH 44011
Phone (440) 934-1902
contactus@freemansupply.com

**24 Hour emergency telephone number:
CHEMTREC (800) 424-9300**

Section 2 Hazards Identification

GHS Classification in Accordance with 29 CFR 1910.1200 (OSHA HCS)

Acute Toxicity - Dermal, Category 4
Acute Toxicity - Oral, Category 4
Acute Toxicity - Inhalation, Category 4
Skin Corrosion, Category 1
Eye Damage, Category 1
Skin Sensitization, Category 1
Toxic to Reproduction, Category 2

GHS Label Elements, Including Precautionary Statements



Signal word

Danger

Hazard Statements

Harmful if swallowed.
Harmful in contact with skin.
Causes severe skin burns and eye damage.
May cause an allergic skin reaction.
Causes serious eye damage.
Harmful if inhaled.
Suspected of damaging fertility or the unborn child.

Precautionary Statements

Prevention

Obtain special instructions before use.
Do not handle until all safety precautions have been read and understood.
Do not breathe mists.
Wash hands thoroughly after handling.
Do not eat, drink, or smoke when using this product.
Use only outdoors or in a well-ventilated area.
Contaminated work clothing should not be allowed out of the workplace.
Avoid release to the environment.
Wear protective gloves, clothing, and eye/face protection.

Section 2 Hazards Identification continued

Response

IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. Get medical attention if you feel unwell.
 IF ON SKIN: Take off contaminated clothing and wash it before reuse. Rinse skin with water/shower. Wash with plenty of soap and water. If skin irritation or rash occurs, get medical attention.
 IF INHALED: Remove victim to fresh air and keep comfortable for breathing. If experiencing respiratory symptoms, get medical advice/attention.
 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists, get medical attention.

Storage

Store in a well-ventilated place. Keep container tightly closed. Store locked up.

Disposal

Dispose of contents and container to an appropriate waste site in accordance with local, regional, and national regulations.

Section 3 Composition/Information on Ingredients

Ingredient Name	CAS Number	Concentration (%)
Diethylenetriamine	111-40-0	40-70
4,4'-Isopropylidenediphenol	80-05-7	20-40

Section 4 First-Aid Measures

Description of First Aid Measures

Eye Contact: Immediately flush eyes with plenty of clean water for an extended time, not less than 15 minutes. Flush longer if there is any indication of residual chemical in the eye. Ensure adequate flushing of the eyes by separating the eyelids with fingers and roll eyes in a circular motion. Get medical attention immediately.

Skin Contact: Immediately remove contaminated clothing and shoes. Wash the affected area with plenty of soap and water. Launder clothing before reuse. Get medical attention immediately.

Inhalation: If affected, remove to fresh air. If breathing is difficult, give oxygen. If not breathing, give artificial respiration.

Ingestion: Do not induce vomiting. Never give anything by mouth to an unconscious person. Rinse out the mouth with water. Get medical attention immediately.

Most Important Symptoms/Effects

Burns. Irritation. Pre-existing skin problems may be aggravated by prolonged or repeated contact. Person with sensitive airways (e.g., asthmatics) may react to vapors. See Section 11 for additional information. Treat symptomatically.

Section 5 Fire-Fighting Measures

Extinguishing Media

Use water spray, carbon dioxide, dry chemical, or foam.

Special Hazards

Product is not considered a fire hazard, but will burn if ignited. Closed container may rupture (due to build up in pressure) when exposed to extreme heat. Irritating or toxic substances may be emitted upon burning, combustion, or decomposition. See Section 10 for additional information.

Section 5 Fire-Fighting Measures continued

Special Protective Equipment & Precautions for Fire-Fighters

Wear self-contained breathing apparatus (SCBA) equipped with a full face piece and operated in a pressure-demand mode (or other positive pressure mode) and approved protective clothing. Personnel without suitable respiratory protection must leave the area to prevent significant exposure to hazardous gases from combustion, burning, or decomposition. In an enclosed or poorly ventilated area, wear SCBA during cleanup immediately after a fire as well as during the attack phase of firefighting operations. See Section 9 for additional information.

Section 6 Accidental Release Measures

Personal Precautions, Protective Equipment, and Emergency Procedures

Personal protective equipment must be worn. See Section 8 for recommendations on the use of personal protective equipment. Eliminate sources of ignition. Ventilate spill area. Keep unauthorized persons away.

Environmental Precautions

Avoid release to the environment. Do not flush product into public sewer, water systems, or surface waters.

Methods and Materials for Containment and Cleanup

Stop leak if without risk. Move containers from spill area. Contain by diking with sand, earth, or other non-combustible material. Wear proper personal protective clothing and equipment. Absorb spill with an inert material. Place into labeled, closed container; store in safe location to await disposal. Change contaminated clothing and launder before reuse.

Section 7 Handling and Storage

Safe Handling

As with any chemical product, use good laboratory/workplace procedures. Do not cut, puncture, or weld on or near the container. Use under well-ventilated conditions. Wash thoroughly after handling this product. Always wash up before eating, smoking, or using the facilities. Avoid eye and skin contact. Avoid inhalation of aerosol, mist, spray, fume, or vapor. Avoid drinking, tasting, swallowing, or ingesting this product. Wash contaminated clothing before reuse. Discard shoes contaminated with this product.

Safe Storage

Keep away from heat, sparks, and open flames. Store dry at 15-40°C, under well-ventilated conditions. Store this material away from incompatible substances (see Section 10). Do not store in open, unlabeled, or mislabeled containers. Keep container closed when not in use. Empty containers contain residual product which may exhibit hazards of product. Do not reuse empty container without commercial cleaning or reconditioning.

Section 8 Exposure Controls/Personal Protection

Occupational Exposure Limits

Chemical Name	CAS Number	ACGIH TLV TWA	OSHA PEL - TWA
Diethylenetriamine	111-40-0	1 ppm (8 hrs.)	Not available
4,4'-Isopropylidenediphenol	9046-10-0	Not established	Not established

Section 8 Exposure Controls/Personal Protection continued

Appropriate Engineering Controls

Always provide effective general and, when necessary, local exhaust ventilation to draw spray, aerosol, fume, mist, and vapor away from workers to prevent routine inhalation. Ventilation must be adequate to maintain air concentrations below occupational exposure standards. When necessary use mechanical handling to reduce human contact with materials.

Respiratory Protection

Wear an approved respirator (e.g., an organic vapor respirator, a full-face air purifying respirator for organic vapors, or a self-contained breathing apparatus) whenever exposure to aerosol, mist, spray, fume or vapor exceed the applicable exposure limit(s) of any chemical substance listed in this SDS.

Skin Protection

Wear chemical resistant (impervious) gloves; PVC, neoprene, nitrile rubber, EVAL, butyl rubber. Wear chemical resistant protective clothing. Use good laboratory/workplace procedures including personal protective clothing: lab coat and protective gloves.

Eye Protection

Full face shield with safety glasses or goggles underneath are required.

Other Protective Measures

Eyewash fountains and safety showers are recommended in the work area.

Section 9 Physical and Chemical Properties

Appearance	Liquid
Color	Clear amber
Odor	Amine
Odor Threshold	No data available
pH	No data available
Melting/Freezing Point	No data available
Boiling Point	No data available
Flash Point	>105°C
Evaporation Rate	No data available
Flammability Limits	No data available
Vapor Pressure	<0.1 mm Hg at 20°C
Vapor Density	Heavier than air
Relative Density	1.09
Solubility	Soluble
Coefficient: n-Octanol/Water	No data available
Auto-Ignition Temperature	No data available
Decomposition Temperature	No data available
Viscosity	No data available
Flammability (Solid, Gas)	No data available
VOC	0 g/L

Section 10 Stability and Reactivity

Reactivity

Exothermic reactions including polymerization may occur in contact with strong acids, strong bases, alcohols, strong oxidizing agents, and excessive heat.

Section 10 Stability and Reactivity continued

Chemical Stability

This product is stable under normal storage conditions.

Possibility of Hazardous Reactions

Exothermic reactions including polymerization may occur in contact with strong acids, strong bases, alcohols, strong oxidizing agents, and excessive heat.

Conditions to Avoid

Excessive heat and ignition sources.

Incompatible Materials

Avoid strong acids, bases, and oxidizing agents.

Hazardous Decomposition Products

Thermal decomposition may produce smoke, carbon monoxide, carbon dioxide, aldehydes, oxides of nitrogen, and other products of incomplete combustion.

Section 11 Toxicological Information

Eye Contact: Causes serious eye damage.
Skin Contact: Harmful in contact with skin. Causes severe skin burns. May cause allergic skin reaction.
Inhalation: Harmful if inhaled.
Ingestion: Harmful if swallowed.
Chronic Health Effects: Suspected of damaging fertility or the unborn child.
Acute Toxicity Values

Chemical Name	LC ₅₀ Inhalation (Rat)	LD ₅₀ Oral (Rat)	LD ₅₀ Dermal (Rabbit)
Diethylenetriamine	Not available	3,250 mg/kg	3,000 mg/kg
4,4'-Isopropylidenediphenol	Not available	2,800 mg/kg	550mg/kg

Skin Corrosion/Irritation: Category 1
Serious Eye Damage/Irritation: Category 1
Respiratory Sensitization: No data available
Skin Sensitization: Category 1
Germ Cell Mutagenicity: No data available
Carcinogenicity: No data available
Reproductive Toxicity: Category 2
Specific Target Organ Toxicity
 Single Exposure: No data available
 Repeated Exposure: No data available
Aspiration Hazard: No data is available.

Section 12 Ecological Information

Toxicity

Chemical Name	Test	Species	Result
Diethylenetriamine	Not available	Not available	Not available
4,4'-Isopropylidenediphenol	EC50 (48 hrs.)	Daphnia	3.9-10.2 mg/L
	EC50 (96 hrs.)	Algae	2.5-3.1 mg/L
	LC50 (96 hrs.)	Fish	7.5 mg/L

Persistence and Degradability

Chemical Name	Test	Period	Result
Diethylenetriamine	Not available	Not available	Not available
4,4'-Isopropylidenediphenol	EU EC C.4-A Biodegradation: Determination of the "Read" Biodegradability: Dissolved Organic Carbon (DOC) Die-Away Test	28 Days	1-2%

Bioaccumulative Potential

Chemical Name	Log P _{ow}	BCF	Potential
Diethylenetriamine	Not available	Not available	Not available
4,4'-Isopropylidenediphenol	Not available	Not available	Not available

Mobility in Soil

Chemical Name	Soil/Water Partition Coefficient (K _{oc})
Diethylenetriamine	Not available
4,4'-Isopropylidenediphenol	Not available

Section 13 Disposal Considerations

Disposal

Dispose of unused contents (incineration) in accordance with national and local regulations. Dispose of container in accordance with national and local regulations. Ensure the use of properly authorized waste management companies, where appropriate. See section 8 for recommendations on the use of personal protective equipment.

Section 14 Transport Information

UN Number:	UN2079
UN Proper Shipping Name:	Diethylenetriamine
Transportation Hazard Class	
U.S. DOT:	8
Canada TDG:	8
Europe ADR/RID	8
IMDG Code (Ocean)	8
ICAO/IATA (Air)	8

Section 14 Transport Information continued

Packing Group: II
Environmental Hazards
 Marine Pollutant: No
 Hazardous Substance (USA): No



Label For Conveyance:

Section 15 Regulatory Information

REACH

Annex XIV List of substances subject to authorization, substances of very high concern: None of the components are listed.

Annex XVII Restriction on the manufacture, placing on the market and use of certain dangerous substances, mixtures, and articles: None of the components are listed.

Chemical Inventories

DSL: All intentionally added components are either listed or are otherwise compliant with the regulation.

NDSL: One or more components: 1) there is no listing on the public inventory; 2) no information is available; or 3) the component has not been reviewed.

EINECS: All intentionally added components are either listed or are otherwise compliant.

ELINCS: One or more components: 1) there is no listing on the public inventory; 2) no information is available; or 3) the component has not been reviewed.

TSCA: All intentionally added components are either listed or are otherwise compliant.


Superfund Amendments and Reauthorization Act of 1986 Title III (SARA) Section 302 Components

No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

Superfund Amendments and Reauthorization Act of 1986 Title III (SARA) Section 313

4,4'-Isopropylidenediphenol (CAS 80-05-7)

California Proposition 65

WARNING:  This product may expose you to chemicals including Bisphenol A (BPA), which is known to the state of California to cause birth defects or other reproductive harm.

For more information, visit www.P65Warnings.ca.gov.

Section 16 Other Information

Disclaimer

The following supersedes Buyer's documents. SELLER MAKES NO REPRESENTATION OR WARRANTY, EXPRESSED OR IMPLIED, INCLUDING ANY WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. No statements herein are to be construed as inducements to infringe any relevant patent. Under no circumstances shall Seller be liable for incidental, consequential or indirect damages for alleged negligence, breach of warranty, strict of liability arising in connection with the product(s). Buyer's sole remedy and Seller's sole liability for any claims shall be Buyer's purchase price. Data and results are based on controlled lab work and must be confirmed by Buyer by testing for its intended conditions of use. The product(s) has not been tested for, and is therefore not recommended for, uses for which prolonged contact with mucous membranes, abraded skin, or blood is intended; or for uses for which implantation within the human body is intended.

Issue Date: September 13, 2021

Revision Date: October 4, 2022